

2011年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	4	12	7	10	12	13	10	3	6	14	27	9	26	22	14	8	8	3	6	215
	(定点あたり)	(0.01)	(0.03)	(0.10)	(0.06)	(0.08)	(0.10)	(0.11)	(0.08)	(0.02)	(0.05)	(0.12)	(0.22)	(0.07)	(0.21)	(0.18)	(0.12)	(0.07)	(0.07)	(0.02)	(0.05)	(1.78)
	年齢構成比(%)	0%	2%	6%	3%	5%	6%	6%	5%	1%	3%	7%	13%	4%	12%	10%	7%	4%	4%	1%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	2	2	4	7	6	8	4	1	3	6	21	4	10	14	6	3	3	3	3	111
	(定点あたり)	(0.01)	(0.02)	(0.02)	(0.03)	(0.06)	(0.05)	(0.07)	(0.03)	(0.01)	(0.02)	(0.05)	(0.17)	(0.03)	(0.08)	(0.12)	(0.05)	(0.02)	(0.02)	(0.02)	(0.02)	(0.92)
	年齢構成比(%)	1%	2%	2%	4%	6%	5%	7%	4%	1%	3%	5%	19%	4%	9%	13%	5%	3%	3%	3%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	2	10	3	3	6	5	6	2	3	8	6	5	16	8	8	5	5	0	3	104
	(定点あたり)	(0.00)	(0.02)	(0.08)	(0.02)	(0.02)	(0.05)	(0.04)	(0.05)	(0.02)	(0.02)	(0.07)	(0.05)	(0.04)	(0.13)	(0.07)	(0.07)	(0.04)	(0.04)	(0.00)	(0.02)	(0.86)
	年齢構成比(%)	0%	2%	10%	3%	3%	6%	5%	6%	2%	3%	8%	6%	5%	15%	8%	8%	5%	5%	0%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%

2011年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	9	8	10	4	2	1	0	0	0	0	0	0	0	0	34
	(定点あたり)	(0.12)	(0.11)	(0.14)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比(%)	26%	24%	29%	12%	6%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	2	1	1	0	1	0	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	14%	29%	14%	14%	0%	14%	0%	0%	0%	14%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	1	8	6	4	7	4	3	5	3	0	7	52
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.11)	(0.08)	(0.05)	(0.10)	(0.05)	(0.04)	(0.07)	(0.04)	(0.00)	(0.10)	(0.71)
	年齢構成比(%)	0%	0%	8%	2%	15%	12%	8%	13%	8%	6%	10%	6%	0%	13%	100%
感染性胃腸炎	報告数	7	26	99	77	72	49	37	23	28	18	17	41	16	78	588
	(定点あたり)	(0.10)	(0.36)	(1.36)	(1.05)	(0.99)	(0.67)	(0.51)	(0.32)	(0.38)	(0.25)	(0.23)	(0.56)	(0.22)	(1.07)	(8.05)
	年齢構成比(%)	1%	4%	17%	13%	12%	8%	6%	4%	5%	3%	3%	7%	3%	13%	100%
水痘	報告数	4	9	18	16	22	17	8	9	4	3	2	2	0	0	114
	(定点あたり)	(0.05)	(0.12)	(0.25)	(0.22)	(0.30)	(0.23)	(0.11)	(0.12)	(0.05)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(1.56)
	年齢構成比(%)	4%	8%	16%	14%	19%	15%	7%	8%	4%	3%	2%	2%	0%	0%	100%
手足口病	報告数	0	3	11	11	8	8	3	3	0	1	0	0	0	1	49
	(定点あたり)	(0.00)	(0.04)	(0.15)	(0.15)	(0.11)	(0.11)	(0.04)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.67)
	年齢構成比(%)	0%	6%	22%	22%	16%	16%	6%	6%	0%	2%	0%	0%	0%	2%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	1	1	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	0%	0%	0%	0%	25%	25%	25%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	8	14	0	0	0	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.00)	(0.11)	(0.19)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	36%	64%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	2	1	2	3	4	3	1	0	0	0	2	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.04)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.25)
	年齢構成比(%)	0%	0%	0%	11%	6%	11%	17%	22%	17%	6%	0%	0%	0%	11%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2011年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	6	7	3	1	1	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.04)	(0.08)	(0.10)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	14%	29%	33%	14%	5%	5%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	0	6	5	1	4	2	2	5	2	0	3	33
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.08)	(0.07)	(0.01)	(0.05)	(0.03)	(0.03)	(0.07)	(0.03)	(0.00)	(0.04)	(0.45)
	年齢構成比(%)	0%	0%	9%	0%	18%	15%	3%	12%	6%	6%	15%	6%	0%	9%	100%
感染性胃腸炎	報告数	3	12	57	36	35	28	22	12	13	9	9	20	7	30	293
	(定点あたり)	(0.04)	(0.16)	(0.78)	(0.49)	(0.48)	(0.38)	(0.30)	(0.16)	(0.18)	(0.12)	(0.12)	(0.27)	(0.10)	(0.41)	(4.01)
	年齢構成比(%)	1%	4%	19%	12%	12%	10%	8%	4%	4%	3%	3%	7%	2%	10%	100%
水痘	報告数	1	4	10	6	14	7	3	2	2	2	0	0	0	0	51
	(定点あたり)	(0.01)	(0.05)	(0.14)	(0.08)	(0.19)	(0.10)	(0.04)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.70)
	年齢構成比(%)	2%	8%	20%	12%	27%	14%	6%	4%	4%	4%	0%	0%	0%	0%	100%
手足口病	報告数	0	3	5	5	4	2	2	2	0	0	0	0	0	1	24
	(定点あたり)	(0.00)	(0.04)	(0.07)	(0.07)	(0.05)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.33)
	年齢構成比(%)	0%	13%	21%	21%	17%	8%	8%	8%	0%	0%	0%	0%	0%	4%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	1	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	2	4	0	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	1	1	0	3	1	3	1	0	0	0	1	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.04)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.15)
	年齢構成比(%)	0%	0%	0%	9%	9%	0%	27%	9%	27%	9%	0%	0%	0%	9%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2011年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	6	2	3	1	1	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.08)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	46%	15%	23%	8%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	1	1	0	0	1	0	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	25%	25%	0%	0%	25%	0%	0%	0%	25%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	2	1	3	3	2	1	0	1	0	4	19
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.01)	(0.04)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.05)	(0.26)
	年齢構成比(%)	0%	0%	5%	5%	11%	5%	16%	16%	11%	5%	0%	5%	0%	21%	100%
感染性胃腸炎	報告数	4	14	42	41	37	21	15	11	15	9	8	21	9	48	295
	(定点あたり)	(0.05)	(0.19)	(0.58)	(0.56)	(0.51)	(0.29)	(0.21)	(0.15)	(0.21)	(0.12)	(0.11)	(0.29)	(0.12)	(0.66)	(4.04)
	年齢構成比(%)	1%	5%	14%	14%	13%	7%	5%	4%	5%	3%	3%	7%	3%	16%	100%
水痘	報告数	3	5	8	10	8	10	5	7	2	1	2	2	0	0	63
	(定点あたり)	(0.04)	(0.07)	(0.11)	(0.14)	(0.11)	(0.14)	(0.07)	(0.10)	(0.03)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.86)
	年齢構成比(%)	5%	8%	13%	16%	13%	16%	8%	11%	3%	2%	3%	3%	0%	0%	100%
手足口病	報告数	0	0	6	6	4	6	1	1	0	1	0	0	0	0	25
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.08)	(0.05)	(0.08)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比(%)	0%	0%	24%	24%	16%	24%	4%	4%	0%	4%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	6	10	0	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.08)	(0.14)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	38%	63%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	1	0	2	0	3	0	0	0	0	0	1	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.10)
	年齢構成比(%)	0%	0%	0%	14%	0%	29%	0%	43%	0%	0%	0%	0%	0%	14%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。