

## 2012年 第01週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	2	4	12	16	15	12	6	17	11	8	14	43	26	49	72	43	30	26	8	9	423
	(定点あたり)	(0.02)	(0.03)	(0.10)	(0.13)	(0.12)	(0.10)	(0.05)	(0.14)	(0.09)	(0.07)	(0.11)	(0.35)	(0.21)	(0.40)	(0.59)	(0.35)	(0.24)	(0.21)	(0.07)	(0.07)	(3.44)
	年齢構成比(%)	0%	1%	3%	4%	4%	3%	1%	4%	3%	2%	3%	10%	6%	12%	17%	10%	7%	6%	2%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	1	0	0	0	0	0	1	0	0	1	1	2	0	1	2	0	10
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.11)	(0.00)	(0.06)	(0.11)	(0.00)	(0.56)
	年齢構成比(%)	0%	0%	10%	0%	10%	0%	0%	0%	0%	0%	10%	0%	0%	10%	10%	20%	0%	10%	20%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	0	2	8	8	7	5	7	7	4	2	24	11	18	37	21	13	14	6	5	200
	(定点あたり)	(0.01)	(0.00)	(0.02)	(0.07)	(0.07)	(0.06)	(0.04)	(0.06)	(0.06)	(0.03)	(0.02)	(0.20)	(0.09)	(0.15)	(0.30)	(0.17)	(0.11)	(0.11)	(0.05)	(0.04)	(1.63)
	年齢構成比(%)	1%	0%	1%	4%	4%	4%	3%	4%	4%	2%	1%	12%	6%	9%	19%	11%	7%	7%	3%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1	0	0	1	2	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.33)
	年齢構成比(%)	0%	0%	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	17%	17%	0%	0%	17%	33%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	4	10	8	7	5	1	10	4	4	12	19	15	31	35	22	17	12	2	4	223
	(定点あたり)	(0.01)	(0.03)	(0.08)	(0.07)	(0.06)	(0.04)	(0.01)	(0.08)	(0.03)	(0.03)	(0.10)	(0.15)	(0.12)	(0.25)	(0.28)	(0.18)	(0.14)	(0.10)	(0.02)	(0.03)	(1.81)
	年齢構成比(%)	0%	2%	4%	4%	3%	2%	0%	4%	2%	2%	5%	9%	7%	14%	16%	10%	8%	5%	1%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	50%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第01週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	10	4	13	2	1	0	0	0	0	0	0	0	0	0	30
	(定点あたり)	(0.14)	(0.05)	(0.18)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	33%	13%	43%	7%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	1	2	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	33%	17%	33%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	2	1	6	5	2	3	2	2	8	2	14	51
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.01)	(0.08)	(0.07)	(0.03)	(0.04)	(0.03)	(0.03)	(0.11)	(0.03)	(0.19)	(0.69)
	年齢構成比(%)	0%	0%	8%	4%	2%	12%	10%	4%	6%	4%	4%	16%	4%	27%	100%
感染性胃腸炎	報告数	5	24	63	50	45	17	24	14	16	23	10	41	6	45	383
	(定点あたり)	(0.07)	(0.32)	(0.85)	(0.68)	(0.61)	(0.23)	(0.32)	(0.19)	(0.22)	(0.31)	(0.14)	(0.55)	(0.08)	(0.61)	(5.18)
	年齢構成比(%)	1%	6%	16%	13%	12%	4%	6%	4%	4%	6%	3%	11%	2%	12%	100%
水痘	報告数	1	3	36	18	19	16	18	9	3	3	1	4	0	2	133
	(定点あたり)	(0.01)	(0.04)	(0.49)	(0.24)	(0.26)	(0.22)	(0.24)	(0.12)	(0.04)	(0.04)	(0.01)	(0.05)	(0.00)	(0.03)	(1.80)
	年齢構成比(%)	1%	2%	27%	14%	14%	12%	14%	7%	2%	2%	1%	3%	0%	2%	100%
手足口病	報告数	1	0	6	6	7	2	2	2	0	2	1	0	0	0	29
	(定点あたり)	(0.01)	(0.00)	(0.08)	(0.08)	(0.09)	(0.03)	(0.03)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	3%	0%	21%	21%	24%	7%	7%	7%	0%	7%	3%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	2	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	67%	0%	33%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	2	3	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	40%	60%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	1	2	4	2	2	3	1	1	2	1	0	1	20
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.05)	(0.03)	(0.03)	(0.04)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.27)
	年齢構成比(%)	0%	0%	5%	10%	20%	10%	10%	15%	5%	5%	10%	5%	0%	5%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第01週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	2	8	2	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.07)	(0.03)	(0.11)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	29%	12%	47%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	1	1	1	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	40%	20%	20%	20%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	1	0	4	2	2	2	1	2	3	0	6	26
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.05)	(0.03)	(0.03)	(0.03)	(0.01)	(0.03)	(0.04)	(0.00)	(0.08)	(0.35)
	年齢構成比(%)	0%	0%	12%	4%	0%	15%	8%	8%	8%	4%	8%	12%	0%	23%	100%
感染性胃腸炎	報告数	4	13	35	22	23	7	13	6	10	12	3	21	3	19	191
	(定点あたり)	(0.05)	(0.18)	(0.47)	(0.30)	(0.31)	(0.09)	(0.18)	(0.08)	(0.14)	(0.16)	(0.04)	(0.28)	(0.04)	(0.26)	(2.58)
	年齢構成比(%)	2%	7%	18%	12%	12%	4%	7%	3%	5%	6%	2%	11%	2%	10%	100%
水痘	報告数	0	2	21	8	8	6	9	4	3	1	0	1	0	0	63
	(定点あたり)	(0.00)	(0.03)	(0.28)	(0.11)	(0.11)	(0.08)	(0.12)	(0.05)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.85)
	年齢構成比(%)	0%	3%	33%	13%	13%	10%	14%	6%	5%	2%	0%	2%	0%	0%	100%
手足口病	報告数	0	0	5	2	2	1	1	0	0	2	0	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	38%	15%	15%	8%	8%	0%	0%	15%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	2	1	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	1	1	3	2	2	2	1	0	0	1	0	1	14
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.19)
	年齢構成比(%)	0%	0%	7%	7%	21%	14%	14%	14%	7%	0%	0%	7%	0%	7%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第01週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	2	5	0	1	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.07)	(0.03)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	38%	15%	38%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	1	2	3	0	1	1	0	5	2	8	25
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.07)	(0.03)	(0.11)	(0.34)
	年齢構成比(%)	0%	0%	4%	4%	4%	8%	12%	0%	4%	4%	0%	20%	8%	32%	100%
感染性胃腸炎	報告数	1	11	28	28	22	10	11	8	6	11	7	20	3	26	192
	(定点あたり)	(0.01)	(0.15)	(0.38)	(0.38)	(0.30)	(0.14)	(0.15)	(0.11)	(0.08)	(0.15)	(0.09)	(0.27)	(0.04)	(0.35)	(2.59)
	年齢構成比(%)	1%	6%	15%	15%	11%	5%	6%	4%	3%	6%	4%	10%	2%	14%	100%
水痘	報告数	1	1	15	10	11	10	9	5	0	2	1	3	0	2	70
	(定点あたり)	(0.01)	(0.01)	(0.20)	(0.14)	(0.15)	(0.14)	(0.12)	(0.07)	(0.00)	(0.03)	(0.01)	(0.04)	(0.00)	(0.03)	(0.95)
	年齢構成比(%)	1%	1%	21%	14%	16%	14%	13%	7%	0%	3%	1%	4%	0%	3%	100%
手足口病	報告数	1	0	1	4	5	1	1	2	0	0	1	0	0	0	16
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.05)	(0.07)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	6%	0%	6%	25%	31%	6%	6%	13%	0%	0%	6%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	1	1	0	0	1	0	1	2	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	17%	17%	0%	0%	17%	0%	17%	33%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。