

## 2012年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計	
インフルエンザ	報告数	6	7	23	38	52	60	63	60	46	36	22	110	53	72	80	65	44	35	21	13	906	
	(定点あたり)	(0.05)	(0.06)	(0.19)	(0.31)	(0.42)	(0.49)	(0.51)	(0.49)	(0.37)	(0.29)	(0.18)	(0.89)	(0.43)	(0.59)	(0.65)	(0.53)	(0.36)	(0.28)	(0.17)	(0.11)	(7.37)	
	年齢構成比(%)	1%	1%	3%	4%	6%	7%	7%	7%	7%	5%	4%	2%	12%	6%	8%	9%	7%	5%	4%	2%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	1	1	1	0	7	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.39)	
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	29%	29%	0%	14%	14%	14%	0%	100%	

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計	
インフルエンザ	報告数	4	4	13	24	24	32	36	30	26	18	11	64	26	39	36	34	22	18	9	6	476	
	(定点あたり)	(0.03)	(0.03)	(0.11)	(0.20)	(0.20)	(0.26)	(0.29)	(0.24)	(0.21)	(0.15)	(0.09)	(0.52)	(0.21)	(0.32)	(0.29)	(0.28)	(0.18)	(0.15)	(0.07)	(0.05)	(3.87)	
	年齢構成比(%)	1%	1%	3%	5%	5%	7%	8%	6%	5%	4%	2%	13%	5%	8%	8%	7%	5%	4%	2%	1%	100%	
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	4	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.22)	
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	0%	25%	0%	25%	0%	100%	

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計	
インフルエンザ	報告数	2	3	10	14	28	28	27	30	20	18	11	46	27	33	44	31	22	17	12	7	430	
	(定点あたり)	(0.02)	(0.02)	(0.08)	(0.11)	(0.23)	(0.23)	(0.22)	(0.24)	(0.16)	(0.15)	(0.09)	(0.37)	(0.22)	(0.27)	(0.36)	(0.25)	(0.18)	(0.14)	(0.10)	(0.06)	(3.50)	
	年齢構成比(%)	0%	1%	2%	3%	7%	7%	6%	7%	5%	4%	3%	11%	6%	8%	10%	7%	5%	4%	3%	2%	100%	
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	3	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.17)	
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	33%	0%	0%	100%	

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	7	4	5	0	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.05)	(0.09)	(0.05)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比(%)	20%	35%	20%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	1	0	1	0	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	0%	25%	0%	25%	0%	0%	25%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	4	5	4	3	8	4	0	7	7	4	12	59
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.07)	(0.05)	(0.04)	(0.11)	(0.05)	(0.00)	(0.09)	(0.09)	(0.05)	(0.16)	(0.80)
	年齢構成比(%)	0%	0%	2%	7%	8%	7%	5%	14%	7%	0%	12%	12%	7%	20%	100%
感染性胃腸炎	報告数	2	33	134	82	62	48	49	49	23	17	15	51	10	67	642
	(定点あたり)	(0.03)	(0.45)	(1.81)	(1.11)	(0.84)	(0.65)	(0.66)	(0.66)	(0.31)	(0.23)	(0.20)	(0.69)	(0.14)	(0.91)	(8.68)
	年齢構成比(%)	0%	5%	21%	13%	10%	7%	8%	8%	4%	3%	2%	8%	2%	10%	100%
水痘	報告数	4	5	28	15	16	12	7	2	3	1	1	0	0	0	94
	(定点あたり)	(0.05)	(0.07)	(0.38)	(0.20)	(0.22)	(0.16)	(0.09)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(1.27)
	年齢構成比(%)	4%	5%	30%	16%	17%	13%	7%	2%	3%	1%	1%	0%	0%	0%	100%
手足口病	報告数	0	1	3	4	2	4	0	1	1	1	1	1	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.05)	(0.03)	(0.05)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	5%	16%	21%	11%	21%	0%	5%	5%	5%	5%	5%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	2	4	0	0	1	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	11%	0%	0%	22%	44%	0%	0%	11%	0%	11%	0%	0%	100%
突発性発疹	報告数	0	15	18	3	1	0	0	0	0	0	0	0	0	0	37
	(定点あたり)	(0.00)	(0.20)	(0.24)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	0%	41%	49%	8%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	2	3	1	5	0	0	0	0	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比(%)	0%	0%	0%	0%	17%	25%	8%	42%	0%	0%	0%	0%	0%	8%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	5	3	4	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.04)	(0.07)	(0.04)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	20%	33%	20%	27%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	3	3	0	5	1	0	4	7	2	2	31
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.04)	(0.04)	(0.00)	(0.07)	(0.01)	(0.00)	(0.05)	(0.09)	(0.03)	(0.03)	(0.42)
	年齢構成比(%)	0%	0%	3%	10%	10%	10%	0%	16%	3%	0%	13%	23%	6%	6%	100%
感染性胃腸炎	報告数	2	21	74	44	32	29	26	24	13	9	12	27	6	21	340
	(定点あたり)	(0.03)	(0.28)	(1.00)	(0.59)	(0.43)	(0.39)	(0.35)	(0.32)	(0.18)	(0.12)	(0.16)	(0.36)	(0.08)	(0.28)	(4.59)
	年齢構成比(%)	1%	6%	22%	13%	9%	9%	8%	7%	4%	3%	4%	8%	2%	6%	100%
水痘	報告数	2	2	17	8	11	9	6	1	3	0	0	0	0	0	59
	(定点あたり)	(0.03)	(0.03)	(0.23)	(0.11)	(0.15)	(0.12)	(0.08)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.80)
	年齢構成比(%)	3%	3%	29%	14%	19%	15%	10%	2%	5%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	2	1	1	2	0	1	1	0	1	1	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	9%	18%	9%	9%	18%	0%	9%	9%	0%	9%	9%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	1	2	0	0	1	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	0%	0%	17%	33%	0%	0%	17%	0%	17%	0%	0%	100%
突発性発疹	報告数	0	10	8	1	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.14)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	53%	42%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	2	2	1	3	0	0	0	0	0	1	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	22%	22%	11%	33%	0%	0%	0%	0%	0%	11%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第02週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	1	1	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	20%	40%	20%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	2	1	3	3	3	0	3	0	2	10	28
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.04)	(0.04)	(0.04)	(0.00)	(0.04)	(0.00)	(0.03)	(0.14)	(0.38)
	年齢構成比(%)	0%	0%	0%	4%	7%	4%	11%	11%	11%	0%	11%	0%	7%	36%	100%
感染性胃腸炎	報告数	0	12	60	38	30	19	23	25	10	8	3	24	4	46	302
	(定点あたり)	(0.00)	(0.16)	(0.81)	(0.51)	(0.41)	(0.26)	(0.31)	(0.34)	(0.14)	(0.11)	(0.04)	(0.32)	(0.05)	(0.62)	(4.08)
	年齢構成比(%)	0%	4%	20%	13%	10%	6%	8%	8%	3%	3%	1%	8%	1%	15%	100%
水痘	報告数	2	3	11	7	5	3	1	1	0	1	1	0	0	0	35
	(定点あたり)	(0.03)	(0.04)	(0.15)	(0.09)	(0.07)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比(%)	6%	9%	31%	20%	14%	9%	3%	3%	0%	3%	3%	0%	0%	0%	100%
手足口病	報告数	0	0	1	3	1	2	0	0	0	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	13%	38%	13%	25%	0%	0%	0%	13%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	2	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	5	10	2	1	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.07)	(0.14)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	28%	56%	11%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	2	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	33%	0%	67%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。