

2012年 第03週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	5	18	83	124	155	241	291	259	221	176	158	577	122	134	264	145	75	56	32	40	3176
	(定点あたり)	(0.04)	(0.15)	(0.67)	(1.01)	(1.26)	(1.96)	(2.37)	(2.11)	(1.80)	(1.43)	(1.28)	(4.69)	(0.99)	(1.09)	(2.15)	(1.18)	(0.61)	(0.46)	(0.26)	(0.33)	(26.47)
	年齢構成比(%)	0%	1%	3%	4%	5%	8%	9%	8%	7%	6%	5%	18%	4%	4%	8%	5%	2%	2%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	0	2	1	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.12)	(0.06)	(0.00)	(0.12)	(0.06)	(0.00)	(0.47)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	13%	0%	25%	13%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	4	12	40	68	78	128	148	134	115	95	93	319	77	63	93	52	37	23	17	11	1607
	(定点あたり)	(0.03)	(0.10)	(0.33)	(0.57)	(0.65)	(1.07)	(1.23)	(1.12)	(0.96)	(0.79)	(0.78)	(2.66)	(0.64)	(0.53)	(0.78)	(0.43)	(0.31)	(0.19)	(0.14)	(0.09)	(13.39)
	年齢構成比(%)	0%	1%	2%	4%	5%	8%	9%	8%	7%	6%	6%	20%	5%	4%	6%	3%	2%	1%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	25%	0%	25%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	6	43	56	77	113	143	125	106	81	65	258	45	71	171	93	38	33	15	29	1569
	(定点あたり)	(0.01)	(0.05)	(0.36)	(0.47)	(0.64)	(0.94)	(1.19)	(1.04)	(0.88)	(0.68)	(0.54)	(2.15)	(0.38)	(0.59)	(1.43)	(0.78)	(0.32)	(0.28)	(0.13)	(0.24)	(13.08)
	年齢構成比(%)	0%	0%	3%	4%	5%	7%	9%	8%	7%	5%	4%	16%	3%	5%	11%	6%	2%	2%	1%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	25%	25%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第03週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	5	6	5	1	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.03)	(0.07)	(0.08)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	11%	26%	32%	26%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	0	0	0	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	33%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	2	5	9	10	12	8	10	5	5	14	0	7	89
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.07)	(0.12)	(0.14)	(0.16)	(0.11)	(0.14)	(0.07)	(0.07)	(0.19)	(0.00)	(0.09)	(1.20)
	年齢構成比(%)	0%	2%	2%	6%	10%	11%	13%	9%	11%	6%	6%	16%	0%	8%	100%
感染性胃腸炎	報告数	5	36	136	69	74	67	55	50	30	33	35	67	26	105	788
	(定点あたり)	(0.07)	(0.49)	(1.84)	(0.93)	(1.00)	(0.91)	(0.74)	(0.68)	(0.41)	(0.45)	(0.47)	(0.91)	(0.35)	(1.42)	(10.65)
	年齢構成比(%)	1%	5%	17%	9%	9%	9%	7%	6%	4%	4%	4%	9%	3%	13%	100%
水痘	報告数	3	8	12	13	12	11	5	2	4	1	1	3	1	0	76
	(定点あたり)	(0.04)	(0.11)	(0.16)	(0.18)	(0.16)	(0.15)	(0.07)	(0.03)	(0.05)	(0.01)	(0.01)	(0.04)	(0.01)	(0.00)	(1.03)
	年齢構成比(%)	4%	11%	16%	17%	16%	14%	7%	3%	5%	1%	1%	4%	1%	0%	100%
手足口病	報告数	0	0	14	9	6	4	0	0	2	0	0	0	0	0	35
	(定点あたり)	(0.00)	(0.00)	(0.19)	(0.12)	(0.08)	(0.05)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比(%)	0%	0%	40%	26%	17%	11%	0%	0%	6%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	1	0	1	1	2	2	0	1	1	1	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	9%	9%	0%	9%	9%	18%	18%	0%	9%	9%	9%	0%	0%	100%
突発性発疹	報告数	0	12	7	0	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.16)	(0.09)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	63%	37%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	5	4	2	0	1	2	1	3	0	2	21
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)	(0.05)	(0.03)	(0.00)	(0.01)	(0.03)	(0.01)	(0.04)	(0.00)	(0.03)	(0.28)
	年齢構成比(%)	0%	0%	0%	5%	24%	19%	10%	0%	5%	10%	5%	14%	0%	10%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第03週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	3	2	0	1	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.01)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	14%	43%	29%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	4	3	5	6	4	4	2	3	10	0	3	46
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.05)	(0.04)	(0.07)	(0.08)	(0.05)	(0.05)	(0.03)	(0.04)	(0.14)	(0.00)	(0.04)	(0.62)
	年齢構成比(%)	0%	2%	2%	9%	7%	11%	13%	9%	9%	4%	7%	22%	0%	7%	100%
感染性胃腸炎	報告数	2	20	80	39	39	39	26	31	10	15	21	47	13	41	423
	(定点あたり)	(0.03)	(0.27)	(1.08)	(0.53)	(0.53)	(0.53)	(0.35)	(0.42)	(0.14)	(0.20)	(0.28)	(0.64)	(0.18)	(0.55)	(5.72)
	年齢構成比(%)	0%	5%	19%	9%	9%	9%	6%	7%	2%	4%	5%	11%	3%	10%	100%
水痘	報告数	1	5	7	5	9	6	1	1	4	0	1	0	0	0	40
	(定点あたり)	(0.01)	(0.07)	(0.09)	(0.07)	(0.12)	(0.08)	(0.01)	(0.01)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.54)
	年齢構成比(%)	3%	13%	18%	13%	23%	15%	3%	3%	10%	0%	3%	0%	0%	0%	100%
手足口病	報告数	0	0	6	5	2	2	0	0	1	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.07)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	38%	31%	13%	13%	0%	0%	6%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	0	1	0	2	0	1	1	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	17%	0%	0%	0%	17%	0%	33%	0%	17%	17%	0%	0%	0%	100%
突発性発疹	報告数	0	5	3	0	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	63%	38%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	1	3	2	1	0	1	0	1	2	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	0%	9%	27%	18%	9%	0%	9%	0%	9%	18%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第03週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	4	5	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.01)	(0.03)	(0.05)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	8%	17%	33%	42%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	0	0	0	0	0	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	1	6	5	6	4	6	3	2	4	0	4	43
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.08)	(0.07)	(0.08)	(0.05)	(0.08)	(0.04)	(0.03)	(0.05)	(0.00)	(0.05)	(0.58)
	年齢構成比(%)	0%	2%	2%	2%	14%	12%	14%	9%	14%	7%	5%	9%	0%	9%	100%
感染性胃腸炎	報告数	3	16	56	30	35	28	29	19	20	18	14	20	13	64	365
	(定点あたり)	(0.04)	(0.22)	(0.76)	(0.41)	(0.47)	(0.38)	(0.39)	(0.26)	(0.27)	(0.24)	(0.19)	(0.27)	(0.18)	(0.86)	(4.93)
	年齢構成比(%)	1%	4%	15%	8%	10%	8%	8%	5%	5%	5%	4%	5%	4%	18%	100%
水痘	報告数	2	3	5	8	3	5	4	1	0	1	0	3	1	0	36
	(定点あたり)	(0.03)	(0.04)	(0.07)	(0.11)	(0.04)	(0.07)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.00)	(0.49)
	年齢構成比(%)	6%	8%	14%	22%	8%	14%	11%	3%	0%	3%	0%	8%	3%	0%	100%
手足口病	報告数	0	0	8	4	4	2	0	0	1	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.05)	(0.05)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	0%	42%	21%	21%	11%	0%	0%	5%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	1	0	2	0	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	0%	20%	0%	40%	0%	0%	0%	0%	20%	0%	0%	100%
突発性発疹	報告数	0	7	4	0	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.09)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	64%	36%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	2	2	1	0	0	2	0	1	0	2	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.03)	(0.14)
	年齢構成比(%)	0%	0%	0%	0%	20%	20%	10%	0%	0%	20%	0%	10%	0%	20%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。