

2012年 第06週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| インフルエンザ | 報告数 | 5 | 37 | 145 | 185 | 231 | 287 | 330 | 245 | 229 | 250 | 186 | 687 | 149 | 202 | 307 | 205 | 104 | 104 | 57 | 66 | 4011 |
| | (定点あたり) | (0.04) | (0.31) | (1.21) | (1.54) | (1.93) | (2.39) | (2.75) | (2.04) | (1.91) | (2.08) | (1.55) | (5.73) | (1.24) | (1.68) | (2.56) | (1.71) | (0.87) | (0.87) | (0.48) | (0.55) | (33.43) |
| | 年齢構成比(%) | 0% | 1% | 4% | 5% | 6% | 7% | 8% | 6% | 6% | 6% | 5% | 17% | 4% | 5% | 8% | 5% | 3% | 3% | 1% | 2% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 2 | 2 | 1 | 1 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.06) | (0.00) | (0.00) | (0.06) | (0.11) | (0.11) | (0.06) | (0.06) | (0.00) | (0.00) | (0.50) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 11% | 0% | 11% | 0% | 0% | 11% | 22% | 22% | 11% | 11% | 0% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| インフルエンザ | 報告数 | 3 | 22 | 73 | 103 | 122 | 159 | 182 | 138 | 112 | 112 | 96 | 371 | 81 | 88 | 128 | 97 | 43 | 51 | 30 | 21 | 2032 |
| | (定点あたり) | (0.03) | (0.18) | (0.61) | (0.86) | (1.02) | (1.33) | (1.52) | (1.15) | (0.93) | (0.93) | (0.80) | (3.09) | (0.68) | (0.73) | (1.07) | (0.81) | (0.36) | (0.43) | (0.25) | (0.18) | (16.93) |
| | 年齢構成比(%) | 0% | 1% | 4% | 5% | 6% | 8% | 9% | 7% | 6% | 6% | 5% | 18% | 4% | 4% | 6% | 5% | 2% | 3% | 1% | 1% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.06) | (0.06) | (0.06) | (0.00) | (0.00) | (0.28) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 0% | 0% | 0% | 0% | 20% | 0% | 20% | 20% | 0% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| インフルエンザ | 報告数 | 2 | 15 | 72 | 82 | 109 | 128 | 148 | 107 | 117 | 138 | 90 | 316 | 68 | 114 | 179 | 108 | 61 | 53 | 27 | 45 | 1979 |
| | (定点あたり) | (0.02) | (0.13) | (0.60) | (0.68) | (0.91) | (1.07) | (1.23) | (0.89) | (0.98) | (1.15) | (0.75) | (2.63) | (0.57) | (0.95) | (1.49) | (0.90) | (0.51) | (0.44) | (0.23) | (0.38) | (16.49) |
| | 年齢構成比(%) | 0% | 1% | 4% | 4% | 6% | 6% | 7% | 5% | 6% | 7% | 5% | 16% | 3% | 6% | 9% | 5% | 3% | 3% | 1% | 2% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.11) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.22) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 0% | 0% | 0% | 50% | 25% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第06週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 2 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 8 |
| | (定点あたり) | (0.03) | (0.00) | (0.04) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.11) |
| | 年齢構成比(%) | 25% | 0% | 38% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比(%) | 0% | 0% | 67% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 1 | 1 | 2 | 13 | 10 | 11 | 5 | 8 | 7 | 13 | 2 | 6 | 79 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.03) | (0.18) | (0.14) | (0.15) | (0.07) | (0.11) | (0.10) | (0.18) | (0.03) | (0.08) | (1.11) |
| | 年齢構成比(%) | 0% | 0% | 1% | 1% | 3% | 16% | 13% | 14% | 6% | 10% | 9% | 16% | 3% | 8% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 8 | 61 | 35 | 30 | 33 | 36 | 33 | 22 | 19 | 18 | 45 | 10 | 58 | 410 |
| | (定点あたり) | (0.03) | (0.11) | (0.86) | (0.49) | (0.42) | (0.46) | (0.51) | (0.46) | (0.31) | (0.27) | (0.25) | (0.63) | (0.14) | (0.82) | (5.77) |
| | 年齢構成比(%) | 0% | 2% | 15% | 9% | 7% | 8% | 9% | 8% | 5% | 5% | 4% | 11% | 2% | 14% | 100% |
| 水痘 | 報告数 | 0 | 6 | 19 | 12 | 15 | 11 | 4 | 4 | 0 | 0 | 3 | 0 | 0 | 0 | 74 |
| | (定点あたり) | (0.00) | (0.08) | (0.27) | (0.17) | (0.21) | (0.15) | (0.06) | (0.06) | (0.00) | (0.00) | (0.04) | (0.00) | (0.00) | (0.00) | (1.04) |
| | 年齢構成比(%) | 0% | 8% | 26% | 16% | 20% | 15% | 5% | 5% | 0% | 0% | 4% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 1 | 4 | 6 | 1 | 3 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 18 |
| | (定点あたり) | (0.00) | (0.01) | (0.06) | (0.08) | (0.01) | (0.04) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.25) |
| | 年齢構成比(%) | 0% | 6% | 22% | 33% | 6% | 17% | 0% | 6% | 0% | 6% | 0% | 0% | 0% | 6% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 33% | 33% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発疹 | 報告数 | 0 | 6 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| | (定点あたり) | (0.00) | (0.08) | (0.11) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.21) |
| | 年齢構成比(%) | 0% | 40% | 53% | 7% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比(%) | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 1 | 1 | 1 | 1 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 8 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.01) | (0.01) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.11) |
| | 年齢構成比(%) | 0% | 0% | 13% | 13% | 13% | 13% | 38% | 0% | 0% | 0% | 0% | 13% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第06週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.04) |
| | 年齢構成比(%) | 0% | 0% | 67% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比(%) | 0% | 0% | 50% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 1 | 0 | 2 | 7 | 5 | 6 | 3 | 4 | 3 | 9 | 1 | 1 | 42 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.03) | (0.10) | (0.07) | (0.08) | (0.04) | (0.06) | (0.04) | (0.13) | (0.01) | (0.01) | (0.59) |
| | 年齢構成比(%) | 0% | 0% | 2% | 0% | 5% | 17% | 12% | 14% | 7% | 10% | 7% | 21% | 2% | 2% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 6 | 24 | 24 | 21 | 16 | 19 | 23 | 10 | 9 | 7 | 29 | 4 | 26 | 220 |
| | (定点あたり) | (0.03) | (0.08) | (0.34) | (0.34) | (0.30) | (0.23) | (0.27) | (0.32) | (0.14) | (0.13) | (0.10) | (0.41) | (0.06) | (0.37) | (3.10) |
| | 年齢構成比(%) | 1% | 3% | 11% | 11% | 10% | 7% | 9% | 10% | 5% | 4% | 3% | 13% | 2% | 12% | 100% |
| 水痘 | 報告数 | 0 | 2 | 10 | 7 | 10 | 8 | 4 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 44 |
| | (定点あたり) | (0.00) | (0.03) | (0.14) | (0.10) | (0.14) | (0.11) | (0.06) | (0.03) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.62) |
| | 年齢構成比(%) | 0% | 5% | 23% | 16% | 23% | 18% | 9% | 5% | 0% | 0% | 2% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 0 | 2 | 4 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.06) | (0.01) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.14) |
| | 年齢構成比(%) | 0% | 0% | 20% | 40% | 10% | 20% | 0% | 10% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 33% | 33% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発疹 | 報告数 | 0 | 5 | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| | (定点あたり) | (0.00) | (0.07) | (0.10) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比(%) | 0% | 38% | 54% | 8% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 6 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.08) |
| | 年齢構成比(%) | 0% | 0% | 17% | 17% | 17% | 17% | 17% | 0% | 0% | 0% | 0% | 17% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第06週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 |
| | (定点あたり) | (0.03) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.07) |
| | 年齢構成比(%) | 40% | 0% | 20% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比(%) | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 0 | 1 | 0 | 6 | 5 | 5 | 2 | 4 | 4 | 4 | 1 | 5 | 37 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.08) | (0.07) | (0.07) | (0.03) | (0.06) | (0.06) | (0.06) | (0.01) | (0.07) | (0.52) |
| | 年齢構成比(%) | 0% | 0% | 0% | 3% | 0% | 16% | 14% | 14% | 5% | 11% | 11% | 11% | 3% | 14% | 100% |
| 感染性胃腸炎 | 報告数 | 0 | 2 | 37 | 11 | 9 | 17 | 17 | 10 | 12 | 10 | 11 | 16 | 6 | 32 | 190 |
| | (定点あたり) | (0.00) | (0.03) | (0.52) | (0.15) | (0.13) | (0.24) | (0.24) | (0.14) | (0.17) | (0.14) | (0.15) | (0.23) | (0.08) | (0.45) | (2.68) |
| | 年齢構成比(%) | 0% | 1% | 19% | 6% | 5% | 9% | 9% | 5% | 6% | 5% | 6% | 8% | 3% | 17% | 100% |
| 水痘 | 報告数 | 0 | 4 | 9 | 5 | 5 | 3 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 30 |
| | (定点あたり) | (0.00) | (0.06) | (0.13) | (0.07) | (0.07) | (0.04) | (0.00) | (0.03) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.42) |
| | 年齢構成比(%) | 0% | 13% | 30% | 17% | 17% | 10% | 0% | 7% | 0% | 0% | 7% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 1 | 2 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 8 |
| | (定点あたり) | (0.00) | (0.01) | (0.03) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.11) |
| | 年齢構成比(%) | 0% | 13% | 25% | 25% | 0% | 13% | 0% | 0% | 0% | 13% | 0% | 0% | 0% | 13% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発疹 | 報告数 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比(%) | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比(%) | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。