

## 2012年 第07週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	13	29	141	155	178	228	251	225	184	204	136	479	99	143	249	154	104	72	53	48	3145
	(定点あたり)	(0.11)	(0.24)	(1.17)	(1.28)	(1.47)	(1.88)	(2.07)	(1.86)	(1.52)	(1.69)	(1.12)	(3.96)	(0.82)	(1.18)	(2.06)	(1.27)	(0.86)	(0.60)	(0.44)	(0.40)	(25.99)
	年齢構成比(%)	0%	1%	4%	5%	6%	7%	8%	7%	6%	6%	4%	15%	3%	5%	8%	5%	3%	2%	2%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	33%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	8	14	78	77	80	119	134	122	94	102	66	261	55	56	99	78	50	35	25	20	1573
	(定点あたり)	(0.07)	(0.12)	(0.64)	(0.64)	(0.66)	(0.98)	(1.11)	(1.01)	(0.78)	(0.84)	(0.55)	(2.16)	(0.45)	(0.46)	(0.82)	(0.64)	(0.41)	(0.29)	(0.21)	(0.17)	(13.00)
	年齢構成比(%)	1%	1%	5%	5%	5%	8%	9%	8%	6%	6%	4%	17%	3%	4%	6%	5%	3%	2%	2%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	5	15	63	78	98	109	117	103	90	102	70	218	44	87	150	76	54	37	28	28	1572
	(定点あたり)	(0.04)	(0.12)	(0.52)	(0.64)	(0.81)	(0.90)	(0.97)	(0.85)	(0.74)	(0.84)	(0.58)	(1.80)	(0.36)	(0.72)	(1.24)	(0.63)	(0.45)	(0.31)	(0.23)	(0.23)	(12.99)
	年齢構成比(%)	0%	1%	4%	5%	6%	7%	7%	7%	7%	6%	6%	4%	14%	3%	6%	10%	5%	3%	2%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第07週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	3	4	1	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.04)	(0.04)	(0.06)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	27%	27%	36%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	2	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	60%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	1	1	4	7	10	16	11	8	7	2	15	3	3	89
	(定点あたり)	(0.01)	(0.01)	(0.01)	(0.06)	(0.10)	(0.14)	(0.22)	(0.15)	(0.11)	(0.10)	(0.03)	(0.21)	(0.04)	(0.04)	(1.24)
	年齢構成比(%)	1%	1%	1%	4%	8%	11%	18%	12%	9%	8%	2%	17%	3%	3%	100%
感染性胃腸炎	報告数	5	14	45	37	43	33	30	36	26	19	10	35	17	66	416
	(定点あたり)	(0.07)	(0.19)	(0.63)	(0.51)	(0.60)	(0.46)	(0.42)	(0.50)	(0.36)	(0.26)	(0.14)	(0.49)	(0.24)	(0.92)	(5.78)
	年齢構成比(%)	1%	3%	11%	9%	10%	8%	7%	9%	6%	5%	2%	8%	4%	16%	100%
水痘	報告数	2	6	14	11	15	10	6	5	2	0	0	0	0	0	71
	(定点あたり)	(0.03)	(0.08)	(0.19)	(0.15)	(0.21)	(0.14)	(0.08)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.99)
	年齢構成比(%)	3%	8%	20%	15%	21%	14%	8%	7%	3%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	0	5	0	3	1	2	0	0	0	0	0	0	0	12
	(定点あたり)	(0.01)	(0.00)	(0.07)	(0.00)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	8%	0%	42%	0%	25%	8%	17%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	1	1	0	0	1	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	0%	0%	20%	20%	0%	0%	20%	0%	20%	0%	0%	100%
突発性発疹	報告数	0	11	8	1	0	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.15)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	55%	40%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	0	3	1	1	1	0	2	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	0%	0%	0%	11%	0%	33%	11%	11%	11%	0%	22%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第07週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	1	1	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	20%	40%	20%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	1	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	75%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	1	3	5	6	9	9	5	6	1	8	2	2	58
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.04)	(0.07)	(0.08)	(0.13)	(0.13)	(0.07)	(0.08)	(0.01)	(0.11)	(0.03)	(0.03)	(0.81)
	年齢構成比(%)	2%	0%	2%	5%	9%	10%	16%	16%	9%	10%	2%	14%	3%	3%	100%
感染性胃腸炎	報告数	1	7	24	21	25	16	16	14	16	7	7	16	8	26	204
	(定点あたり)	(0.01)	(0.10)	(0.33)	(0.29)	(0.35)	(0.22)	(0.22)	(0.19)	(0.22)	(0.10)	(0.10)	(0.22)	(0.11)	(0.36)	(2.83)
	年齢構成比(%)	0%	3%	12%	10%	12%	8%	8%	7%	8%	3%	3%	8%	4%	13%	100%
水痘	報告数	1	4	9	4	7	5	3	2	1	0	0	0	0	0	36
	(定点あたり)	(0.01)	(0.06)	(0.13)	(0.06)	(0.10)	(0.07)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	3%	11%	25%	11%	19%	14%	8%	6%	3%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	2	0	1	1	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	50%	0%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	100%
突発性発疹	報告数	0	8	4	1	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.11)	(0.06)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	62%	31%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	1	0	2	0	0	1	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	20%	0%	40%	0%	0%	20%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第07週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	1	3	0	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	33%	17%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	1	2	4	7	2	3	1	1	7	1	1	31
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.06)	(0.10)	(0.03)	(0.04)	(0.01)	(0.01)	(0.10)	(0.01)	(0.01)	(0.43)
	年齢構成比(%)	0%	3%	0%	3%	6%	13%	23%	6%	10%	3%	3%	23%	3%	3%	100%
感染性胃腸炎	報告数	4	7	21	16	18	17	14	22	10	12	3	19	9	40	212
	(定点あたり)	(0.06)	(0.10)	(0.29)	(0.22)	(0.25)	(0.24)	(0.19)	(0.31)	(0.14)	(0.17)	(0.04)	(0.26)	(0.13)	(0.56)	(2.94)
	年齢構成比(%)	2%	3%	10%	8%	8%	8%	7%	10%	5%	6%	1%	9%	4%	19%	100%
水痘	報告数	1	2	5	7	8	5	3	3	1	0	0	0	0	0	35
	(定点あたり)	(0.01)	(0.03)	(0.07)	(0.10)	(0.11)	(0.07)	(0.04)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.49)
	年齢構成比(%)	3%	6%	14%	20%	23%	14%	9%	9%	3%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	0	3	0	2	0	2	0	0	0	0	0	0	0	8
	(定点あたり)	(0.01)	(0.00)	(0.04)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	13%	0%	38%	0%	25%	0%	25%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	1	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	0%	0%	33%	0%	0%	0%	33%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	3	4	0	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.04)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	43%	57%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	1	1	1	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	25%	25%	25%	0%	0%	25%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。