

## 2012年 第11週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計	
インフルエンザ	報告数	2	9	51	43	88	100	136	150	146	110	110	322	46	52	84	68	28	19	11	9	1584	
	(定点あたり)	(0.02)	(0.08)	(0.43)	(0.36)	(0.74)	(0.84)	(1.14)	(1.26)	(1.23)	(0.92)	(0.92)	(2.71)	(0.39)	(0.44)	(0.71)	(0.57)	(0.24)	(0.16)	(0.09)	(0.08)	(13.31)	
	年齢構成比(%)	0%	1%	3%	3%	6%	6%	9%	9%	9%	9%	7%	7%	20%	3%	3%	5%	4%	2%	1%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	4	
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.24)	
	年齢構成比(%)	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	25%	25%	0%	0%	0%	100%	

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	4	35	20	46	65	69	69	76	67	59	165	25	21	29	22	12	7	7	3	802
	(定点あたり)	(0.01)	(0.03)	(0.29)	(0.17)	(0.39)	(0.55)	(0.58)	(0.58)	(0.64)	(0.56)	(0.50)	(1.39)	(0.21)	(0.18)	(0.24)	(0.18)	(0.10)	(0.06)	(0.06)	(0.03)	(6.74)
	年齢構成比(%)	0%	0%	4%	2%	6%	8%	9%	9%	9%	9%	8%	7%	21%	3%	3%	4%	3%	1%	1%	1%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	5	16	23	42	35	67	81	70	43	51	157	21	31	55	46	16	12	4	6	782
	(定点あたり)	(0.01)	(0.04)	(0.13)	(0.19)	(0.35)	(0.29)	(0.56)	(0.68)	(0.59)	(0.36)	(0.43)	(1.32)	(0.18)	(0.26)	(0.46)	(0.39)	(0.13)	(0.10)	(0.03)	(0.05)	(6.57)
	年齢構成比(%)	0%	1%	2%	3%	5%	4%	9%	10%	9%	5%	7%	20%	3%	4%	7%	6%	2%	2%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	25%	25%	0%	0%	0%	100%

## 2012年 第11週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	1	5	0	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.04)	(0.01)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	33%	11%	56%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	6	2	0	2	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	9%	55%	18%	0%	18%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	3	14	15	20	17	20	7	12	31	0	15	157
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.19)	(0.21)	(0.27)	(0.23)	(0.27)	(0.10)	(0.16)	(0.42)	(0.00)	(0.21)	(2.15)
	年齢構成比(%)	0%	1%	1%	2%	9%	10%	13%	11%	13%	4%	8%	20%	0%	10%	100%
感染性胃腸炎	報告数	1	14	46	36	37	37	42	41	29	36	21	58	12	48	458
	(定点あたり)	(0.01)	(0.19)	(0.63)	(0.49)	(0.51)	(0.51)	(0.58)	(0.56)	(0.40)	(0.49)	(0.29)	(0.79)	(0.16)	(0.66)	(6.27)
	年齢構成比(%)	0%	3%	10%	8%	8%	8%	9%	9%	6%	8%	5%	13%	3%	10%	100%
水痘	報告数	0	2	11	10	6	14	5	4	4	1	1	0	0	0	58
	(定点あたり)	(0.00)	(0.03)	(0.15)	(0.14)	(0.08)	(0.19)	(0.07)	(0.05)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.79)
	年齢構成比(%)	0%	3%	19%	17%	10%	24%	9%	7%	7%	2%	2%	0%	0%	0%	100%
手足口病	報告数	0	0	2	3	2	3	0	1	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	18%	27%	18%	27%	0%	9%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	2	2	4	0	1	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	22%	22%	44%	0%	11%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	7	7	1	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.10)	(0.10)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	47%	47%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	0	1	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	0%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	2	1	3	5	4	0	0	2	0	3	22
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.04)	(0.07)	(0.05)	(0.00)	(0.00)	(0.03)	(0.00)	(0.04)	(0.30)
	年齢構成比(%)	0%	0%	0%	9%	9%	5%	14%	23%	18%	0%	0%	9%	0%	14%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第11週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	3	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	20%	20%	60%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	1	0	1	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	25%	25%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	8	9	12	8	10	3	7	18	0	3	81
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.11)	(0.12)	(0.16)	(0.11)	(0.14)	(0.04)	(0.10)	(0.25)	(0.00)	(0.04)	(1.11)
	年齢構成比(%)	0%	0%	0%	4%	10%	11%	15%	10%	12%	4%	9%	22%	0%	4%	100%
感染性胃腸炎	報告数	0	8	24	16	16	22	26	21	18	19	12	33	7	15	237
	(定点あたり)	(0.00)	(0.11)	(0.33)	(0.22)	(0.22)	(0.30)	(0.36)	(0.29)	(0.25)	(0.26)	(0.16)	(0.45)	(0.10)	(0.21)	(3.25)
	年齢構成比(%)	0%	3%	10%	7%	7%	9%	11%	9%	8%	8%	5%	14%	3%	6%	100%
水痘	報告数	0	0	3	6	1	2	0	2	2	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.08)	(0.01)	(0.03)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	19%	38%	6%	13%	0%	13%	13%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	0	2	2	2	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	2	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	33%	0%	67%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	3	4	0	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	43%	57%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	1	0	1	1	1	1	0	0	1	0	2	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.11)
	年齢構成比(%)	0%	0%	0%	13%	0%	13%	13%	13%	13%	0%	0%	13%	0%	25%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第11週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	0	2	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	1	0	1	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	71%	14%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	0	6	6	8	9	10	4	5	13	0	12	76
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.08)	(0.08)	(0.11)	(0.12)	(0.14)	(0.05)	(0.07)	(0.18)	(0.00)	(0.16)	(1.04)
	年齢構成比(%)	0%	1%	3%	0%	8%	8%	11%	12%	13%	5%	7%	17%	0%	16%	100%
感染性胃腸炎	報告数	1	6	22	20	21	15	16	20	11	17	9	25	5	33	221
	(定点あたり)	(0.01)	(0.08)	(0.30)	(0.27)	(0.29)	(0.21)	(0.22)	(0.27)	(0.15)	(0.23)	(0.12)	(0.34)	(0.07)	(0.45)	(3.03)
	年齢構成比(%)	0%	3%	10%	9%	10%	7%	7%	9%	5%	8%	4%	11%	2%	15%	100%
水痘	報告数	0	2	8	4	5	12	5	2	2	1	1	0	0	0	42
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.05)	(0.07)	(0.16)	(0.07)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.58)
	年齢構成比(%)	0%	5%	19%	10%	12%	29%	12%	5%	5%	2%	2%	0%	0%	0%	100%
手足口病	報告数	0	0	2	1	0	1	0	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	40%	20%	0%	20%	0%	20%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	2	2	0	1	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	0%	17%	33%	33%	0%	17%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	4	3	1	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	50%	38%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	0	1	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	0%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	0	2	4	3	0	0	1	0	1	14
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.05)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.19)
	年齢構成比(%)	0%	0%	0%	7%	14%	0%	14%	29%	21%	0%	0%	7%	0%	7%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。