

## 2012年 第13週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	2	8	44	47	94	82	98	116	106	77	63	186	33	74	73	58	19	17	12	2	1211
	(定点あたり)	(0.02)	(0.07)	(0.36)	(0.38)	(0.76)	(0.67)	(0.80)	(0.94)	(0.86)	(0.63)	(0.51)	(1.51)	(0.27)	(0.60)	(0.59)	(0.47)	(0.15)	(0.14)	(0.10)	(0.02)	(9.85)
	年齢構成比(%)	0%	1%	4%	4%	8%	7%	8%	10%	9%	6%	5%	15%	3%	6%	6%	5%	2%	1%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	33%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	3	19	20	51	42	66	59	46	49	27	112	16	34	26	20	10	11	6	1	618
	(定点あたり)	(0.00)	(0.02)	(0.15)	(0.16)	(0.41)	(0.34)	(0.54)	(0.48)	(0.37)	(0.40)	(0.22)	(0.91)	(0.13)	(0.28)	(0.21)	(0.16)	(0.08)	(0.09)	(0.05)	(0.01)	(5.02)
	年齢構成比(%)	0%	0%	3%	3%	8%	7%	11%	10%	7%	8%	4%	18%	3%	6%	4%	3%	2%	2%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	33%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	2	5	25	27	43	40	32	57	60	28	36	74	17	40	47	38	9	6	6	1	593
	(定点あたり)	(0.02)	(0.04)	(0.20)	(0.22)	(0.35)	(0.33)	(0.26)	(0.46)	(0.49)	(0.23)	(0.29)	(0.60)	(0.14)	(0.33)	(0.38)	(0.31)	(0.07)	(0.05)	(0.05)	(0.01)	(4.82)
	年齢構成比(%)	0%	1%	4%	5%	7%	7%	5%	10%	10%	5%	6%	12%	3%	7%	8%	6%	2%	1%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第13週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	1	3	3	1	1	1	1	0	0	0	1	16
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.04)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.21)
	年齢構成比(%)	0%	0%	25%	6%	19%	19%	6%	6%	6%	6%	0%	0%	0%	6%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	5	7	7	9	10	5	6	9	7	1	7	73
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.07)	(0.09)	(0.09)	(0.12)	(0.13)	(0.07)	(0.08)	(0.12)	(0.09)	(0.01)	(0.09)	(0.97)
	年齢構成比(%)	0%	0%	0%	7%	10%	10%	12%	14%	7%	8%	12%	10%	1%	10%	100%
感染性胃腸炎	報告数	4	21	72	45	45	31	22	24	22	15	8	28	4	57	398
	(定点あたり)	(0.05)	(0.28)	(0.96)	(0.60)	(0.60)	(0.41)	(0.29)	(0.32)	(0.29)	(0.20)	(0.11)	(0.37)	(0.05)	(0.76)	(5.31)
	年齢構成比(%)	1%	5%	18%	11%	11%	8%	6%	6%	6%	4%	2%	7%	1%	14%	100%
水痘	報告数	2	4	17	8	10	10	10	8	5	2	0	0	0	2	78
	(定点あたり)	(0.03)	(0.05)	(0.23)	(0.11)	(0.13)	(0.13)	(0.13)	(0.11)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(1.04)
	年齢構成比(%)	3%	5%	22%	10%	13%	13%	13%	10%	6%	3%	0%	0%	0%	3%	100%
手足口病	報告数	0	0	0	1	0	2	0	0	1	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	20%	0%	40%	0%	0%	20%	0%	0%	20%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	3	3	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	14%	0%	0%	0%	0%	43%	43%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	8	8	1	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.11)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	47%	47%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100%
流行性耳下腺炎	報告数	0	1	1	1	2	4	5	0	1	3	0	1	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.05)	(0.07)	(0.00)	(0.01)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	0%	5%	5%	5%	11%	21%	26%	0%	5%	16%	0%	5%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第13週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	1	2	1	0	1	0	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	25%	13%	25%	13%	0%	13%	0%	13%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	5	2	4	8	5	2	3	4	1	3	38
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)	(0.03)	(0.05)	(0.11)	(0.07)	(0.03)	(0.04)	(0.05)	(0.01)	(0.04)	(0.51)
	年齢構成比(%)	0%	0%	0%	3%	13%	5%	11%	21%	13%	5%	8%	11%	3%	8%	100%
感染性胃腸炎	報告数	3	11	32	19	24	19	12	14	13	7	2	13	3	17	189
	(定点あたり)	(0.04)	(0.15)	(0.43)	(0.25)	(0.32)	(0.25)	(0.16)	(0.19)	(0.17)	(0.09)	(0.03)	(0.17)	(0.04)	(0.23)	(2.52)
	年齢構成比(%)	2%	6%	17%	10%	13%	10%	6%	7%	7%	4%	1%	7%	2%	9%	100%
水痘	報告数	2	4	7	4	7	6	5	5	3	0	0	0	0	1	44
	(定点あたり)	(0.03)	(0.05)	(0.09)	(0.05)	(0.09)	(0.08)	(0.07)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.59)
	年齢構成比(%)	5%	9%	16%	9%	16%	14%	11%	11%	7%	0%	0%	0%	0%	2%	100%
手足口病	報告数	0	0	0	1	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	2	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	33%	67%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	4	6	0	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.05)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	40%	60%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	1	1	1	2	1	3	0	1	0	0	1	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	9%	9%	9%	18%	9%	27%	0%	9%	0%	0%	9%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第13週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	0	1	2	1	0	1	0	0	0	0	1	8
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.11)
	年齢構成比(%)	0%	0%	25%	0%	13%	25%	13%	0%	13%	0%	0%	0%	0%	13%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	4	2	5	5	2	0	4	6	3	0	4	35
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.05)	(0.03)	(0.07)	(0.07)	(0.03)	(0.00)	(0.05)	(0.08)	(0.04)	(0.00)	(0.05)	(0.47)
	年齢構成比(%)	0%	0%	0%	11%	6%	14%	14%	6%	0%	11%	17%	9%	0%	11%	100%
感染性胃腸炎	報告数	1	10	40	26	21	12	10	10	9	8	6	15	1	40	209
	(定点あたり)	(0.01)	(0.13)	(0.53)	(0.35)	(0.28)	(0.16)	(0.13)	(0.13)	(0.12)	(0.11)	(0.08)	(0.20)	(0.01)	(0.53)	(2.79)
	年齢構成比(%)	0%	5%	19%	12%	10%	6%	5%	5%	4%	4%	3%	7%	0%	19%	100%
水痘	報告数	0	0	10	4	3	4	5	3	2	2	0	0	0	1	34
	(定点あたり)	(0.00)	(0.00)	(0.13)	(0.05)	(0.04)	(0.05)	(0.07)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.45)
	年齢構成比(%)	0%	0%	29%	12%	9%	12%	15%	9%	6%	6%	0%	0%	0%	3%	100%
手足口病	報告数	0	0	0	0	0	2	0	0	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	67%	0%	0%	0%	0%	0%	33%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	2	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	0%	0%	0%	0%	50%	25%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	4	2	1	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	57%	29%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	0	3	2	0	0	3	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	38%	25%	0%	0%	38%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。