

2012年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	3	15	34	38	47	67	74	37	40	27	30	78	33	64	70	45	24	22	3	10	761
	(定点あたり)	(0.02)	(0.12)	(0.27)	(0.31)	(0.38)	(0.54)	(0.60)	(0.30)	(0.32)	(0.22)	(0.24)	(0.63)	(0.27)	(0.52)	(0.56)	(0.36)	(0.19)	(0.18)	(0.02)	(0.08)	(6.14)
	年齢構成比(%)	0%	2%	4%	5%	6%	9%	10%	5%	5%	4%	4%	10%	4%	8%	9%	6%	3%	3%	0%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.12)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	40%	40%	0%	0%	0%	20%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	7	20	19	28	39	44	21	16	16	17	53	16	35	28	22	10	9	1	2	403
	(定点あたり)	(0.00)	(0.06)	(0.16)	(0.15)	(0.23)	(0.31)	(0.35)	(0.17)	(0.13)	(0.13)	(0.14)	(0.43)	(0.13)	(0.28)	(0.23)	(0.18)	(0.08)	(0.07)	(0.01)	(0.02)	(3.25)
	年齢構成比(%)	0%	2%	5%	5%	7%	10%	11%	5%	4%	4%	4%	13%	4%	9%	7%	5%	2%	2%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.12)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	40%	40%	0%	0%	0%	20%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	3	8	14	19	19	28	30	16	24	11	13	25	17	29	42	23	14	13	2	8	358
	(定点あたり)	(0.02)	(0.06)	(0.11)	(0.15)	(0.15)	(0.23)	(0.24)	(0.13)	(0.19)	(0.09)	(0.10)	(0.20)	(0.14)	(0.23)	(0.34)	(0.19)	(0.11)	(0.10)	(0.02)	(0.06)	(2.89)
	年齢構成比(%)	1%	2%	4%	5%	5%	8%	8%	4%	7%	3%	4%	7%	5%	8%	12%	6%	4%	4%	1%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	4	0	1	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	80%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	0	0	0	1	0	0	0	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	25%	25%	0%	0%	0%	25%	0%	0%	0%	0%	25%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	4	2	9	9	6	5	6	7	5	6	2	9	71
	(定点あたり)	(0.01)	(0.00)	(0.05)	(0.03)	(0.12)	(0.12)	(0.08)	(0.07)	(0.08)	(0.09)	(0.07)	(0.08)	(0.03)	(0.12)	(0.95)
	年齢構成比(%)	1%	0%	6%	3%	13%	13%	8%	7%	8%	10%	7%	8%	3%	13%	100%
感染性胃腸炎	報告数	4	39	86	36	42	38	23	9	10	14	3	28	6	47	385
	(定点あたり)	(0.05)	(0.52)	(1.15)	(0.48)	(0.56)	(0.51)	(0.31)	(0.12)	(0.13)	(0.19)	(0.04)	(0.37)	(0.08)	(0.63)	(5.13)
	年齢構成比(%)	1%	10%	22%	9%	11%	10%	6%	2%	3%	4%	1%	7%	2%	12%	100%
水痘	報告数	0	3	13	13	9	9	5	5	6	0	1	2	0	1	67
	(定点あたり)	(0.00)	(0.04)	(0.17)	(0.17)	(0.12)	(0.12)	(0.07)	(0.07)	(0.08)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.89)
	年齢構成比(%)	0%	4%	19%	19%	13%	13%	7%	7%	9%	0%	1%	3%	0%	1%	100%
手足口病	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	1	1	0	1	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	0%	20%	20%	0%	20%	20%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	13	10	0	0	0	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.00)	(0.17)	(0.13)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	57%	43%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	1	6	3	6	2	3	5	0	1	0	0	27
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.08)	(0.04)	(0.08)	(0.03)	(0.04)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	0%	0%	0%	4%	22%	11%	22%	7%	11%	19%	0%	4%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	2	0	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	67%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
咽頭結膜熱	報告数	0	0	0	1	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	3	0	4	1	2	4	3	5	3	4	2	2	34
	(定点あたり)	(0.01)	(0.00)	(0.04)	(0.00)	(0.05)	(0.01)	(0.03)	(0.05)	(0.04)	(0.07)	(0.04)	(0.05)	(0.03)	(0.03)	(0.45)
	年齢構成比(%)	3%	0%	9%	0%	12%	3%	6%	12%	9%	15%	9%	12%	6%	6%	100%
感染性胃腸炎	報告数	2	21	46	16	20	17	15	6	7	11	0	14	4	24	203
	(定点あたり)	(0.03)	(0.28)	(0.61)	(0.21)	(0.27)	(0.23)	(0.20)	(0.08)	(0.09)	(0.15)	(0.00)	(0.19)	(0.05)	(0.32)	(2.71)
	年齢構成比(%)	1%	10%	23%	8%	10%	8%	7%	3%	3%	5%	0%	7%	2%	12%	100%
水痘	報告数	0	2	6	7	6	8	3	4	5	0	0	0	0	1	42
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.09)	(0.08)	(0.11)	(0.04)	(0.05)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.56)
	年齢構成比(%)	0%	5%	14%	17%	14%	19%	7%	10%	12%	0%	0%	0%	0%	2%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	1	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	8	6	0	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.11)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	57%	43%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	3	0	5	1	2	1	0	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.07)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	0%	0%	25%	0%	42%	8%	17%	8%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	0	0	0	0	0	0	0	0	1	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	5	8	4	1	3	2	2	2	0	7	37
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.07)	(0.11)	(0.05)	(0.01)	(0.04)	(0.03)	(0.03)	(0.03)	(0.00)	(0.09)	(0.49)
	年齢構成比(%)	0%	0%	3%	5%	14%	22%	11%	3%	8%	5%	5%	5%	0%	19%	100%
感染性胃腸炎	報告数	2	18	40	20	22	21	8	3	3	3	3	14	2	23	182
	(定点あたり)	(0.03)	(0.24)	(0.53)	(0.27)	(0.29)	(0.28)	(0.11)	(0.04)	(0.04)	(0.04)	(0.04)	(0.19)	(0.03)	(0.31)	(2.43)
	年齢構成比(%)	1%	10%	22%	11%	12%	12%	4%	2%	2%	2%	2%	8%	1%	13%	100%
水痘	報告数	0	1	7	6	3	1	2	1	1	0	1	2	0	0	25
	(定点あたり)	(0.00)	(0.01)	(0.09)	(0.08)	(0.04)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	0%	4%	28%	24%	12%	4%	8%	4%	4%	0%	4%	8%	0%	0%	100%
手足口病	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	1	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	0%	0%	0%	0%	33%	33%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	5	4	0	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.07)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	56%	44%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	1	3	3	1	1	1	4	0	1	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.04)	(0.01)	(0.01)	(0.01)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	0%	0%	7%	20%	20%	7%	7%	7%	27%	0%	7%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。