

2012年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計	
インフルエンザ	報告数	4	8	22	27	39	43	53	63	48	39	30	84	58	39	38	31	24	16	10	4	680	
	(定点あたり)	(0.03)	(0.07)	(0.18)	(0.22)	(0.32)	(0.35)	(0.43)	(0.52)	(0.39)	(0.32)	(0.25)	(0.69)	(0.48)	(0.32)	(0.31)	(0.25)	(0.20)	(0.13)	(0.08)	(0.03)	(5.57)	
	年齢構成比(%)	1%	1%	3%	4%	6%	6%	8%	9%	9%	7%	6%	4%	12%	9%	6%	6%	5%	4%	2%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	4	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.22)	
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	25%	25%	0%	100%	

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計	
インフルエンザ	報告数	0	3	16	10	22	27	24	30	24	19	17	54	34	16	11	11	10	4	5	0	337	
	(定点あたり)	(0.00)	(0.02)	(0.13)	(0.08)	(0.18)	(0.22)	(0.20)	(0.25)	(0.20)	(0.16)	(0.14)	(0.44)	(0.28)	(0.13)	(0.09)	(0.09)	(0.08)	(0.03)	(0.04)	(0.00)	(2.76)	
	年齢構成比(%)	0%	1%	5%	3%	7%	8%	7%	9%	9%	7%	6%	5%	16%	10%	5%	3%	3%	3%	1%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	4	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.22)	
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	25%	25%	0%	100%	

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計	
インフルエンザ	報告数	4	5	6	17	17	16	29	33	24	20	13	30	24	23	27	20	14	12	5	4	343	
	(定点あたり)	(0.03)	(0.04)	(0.05)	(0.14)	(0.14)	(0.13)	(0.24)	(0.27)	(0.20)	(0.16)	(0.11)	(0.25)	(0.20)	(0.19)	(0.22)	(0.16)	(0.11)	(0.10)	(0.04)	(0.03)	(2.81)	
	年齢構成比(%)	1%	1%	2%	5%	5%	5%	8%	10%	10%	7%	6%	4%	9%	7%	7%	8%	6%	4%	3%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	5	2	3	0	0	0	0	0	0	0	0	0	1	15
	(定点あたり)	(0.05)	(0.07)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.20)
	年齢構成比(%)	27%	33%	13%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	7%	100%
咽頭結膜熱	報告数	0	1	0	1	0	1	2	0	1	0	0	0	0	1	7
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.09)
	年齢構成比(%)	0%	14%	0%	14%	0%	14%	29%	0%	14%	0%	0%	0%	0%	14%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	2	3	5	8	12	6	10	13	15	12	16	1	11	115
	(定点あたり)	(0.01)	(0.03)	(0.04)	(0.07)	(0.11)	(0.16)	(0.08)	(0.14)	(0.18)	(0.20)	(0.16)	(0.22)	(0.01)	(0.15)	(1.55)
	年齢構成比(%)	1%	2%	3%	4%	7%	10%	5%	9%	11%	13%	10%	14%	1%	10%	100%
感染性胃腸炎	報告数	5	61	154	80	87	59	54	31	32	27	26	47	7	56	726
	(定点あたり)	(0.07)	(0.82)	(2.08)	(1.08)	(1.18)	(0.80)	(0.73)	(0.42)	(0.43)	(0.36)	(0.35)	(0.64)	(0.09)	(0.76)	(9.81)
	年齢構成比(%)	1%	8%	21%	11%	12%	8%	7%	4%	4%	4%	4%	6%	1%	8%	100%
水痘	報告数	0	3	19	13	10	5	5	3	1	1	1	1	2	1	65
	(定点あたり)	(0.00)	(0.04)	(0.26)	(0.18)	(0.14)	(0.07)	(0.07)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.88)
	年齢構成比(%)	0%	5%	29%	20%	15%	8%	8%	5%	2%	2%	2%	2%	3%	2%	100%
手足口病	報告数	0	0	5	3	1	0	0	0	0	0	0	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	50%	30%	10%	0%	0%	0%	0%	0%	0%	10%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	1	1	2	0	1	0	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	25%	13%	13%	25%	0%	13%	0%	0%	0%	13%	0%	0%	100%
突発性発疹	報告数	0	13	18	1	0	0	0	1	0	0	0	0	0	0	33
	(定点あたり)	(0.00)	(0.18)	(0.24)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.45)
	年齢構成比(%)	0%	39%	55%	3%	0%	0%	0%	3%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	1	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	50%	100%
ヘルパンギーナ	報告数	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	4	1	2	3	2	1	1	2	1	0	1	19
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.01)	(0.03)	(0.04)	(0.03)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.26)
	年齢構成比(%)	0%	0%	5%	21%	5%	11%	16%	11%	5%	5%	11%	5%	0%	5%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	2	1	2	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	40%	20%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	1	0	0	1	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	0%	25%	0%	0%	25%	0%	25%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	6	8	2	4	6	9	7	12	1	3	63
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.08)	(0.11)	(0.03)	(0.05)	(0.08)	(0.12)	(0.09)	(0.16)	(0.01)	(0.04)	(0.85)
	年齢構成比(%)	0%	0%	3%	5%	10%	13%	3%	6%	10%	14%	11%	19%	2%	5%	100%
感染性胃腸炎	報告数	2	29	79	49	45	33	16	15	18	11	16	26	3	21	363
	(定点あたり)	(0.03)	(0.39)	(1.07)	(0.66)	(0.61)	(0.45)	(0.22)	(0.20)	(0.24)	(0.15)	(0.22)	(0.35)	(0.04)	(0.28)	(4.91)
	年齢構成比(%)	1%	8%	22%	13%	12%	9%	4%	4%	5%	3%	4%	7%	1%	6%	100%
水痘	報告数	0	0	10	7	6	3	3	1	1	1	1	1	1	1	36
	(定点あたり)	(0.00)	(0.00)	(0.14)	(0.09)	(0.08)	(0.04)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.49)
	年齢構成比(%)	0%	0%	28%	19%	17%	8%	8%	3%	3%	3%	3%	3%	3%	3%	100%
手足口病	報告数	0	0	3	1	0	0	0	0	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	60%	20%	0%	0%	0%	0%	0%	0%	0%	20%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	1	0	0	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	33%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	5	7	1	0	0	0	1	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.07)	(0.09)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	36%	50%	7%	0%	0%	0%	7%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	3	0	1	1	1	0	1	2	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	0%	30%	0%	10%	10%	10%	0%	10%	20%	10%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	3	1	1	0	0	0	0	0	0	0	0	0	1	10
	(定点あたり)	(0.05)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.14)
	年齢構成比(%)	40%	30%	10%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	10%	100%
咽頭結膜熱	報告数	0	0	0	0	0	1	1	0	0	0	0	0	0	1	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	0%	0%	0%	33%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	2	1	2	2	4	4	6	7	6	5	4	0	8	52
	(定点あたり)	(0.01)	(0.03)	(0.01)	(0.03)	(0.03)	(0.05)	(0.05)	(0.08)	(0.09)	(0.08)	(0.07)	(0.05)	(0.00)	(0.11)	(0.70)
	年齢構成比(%)	2%	4%	2%	4%	4%	8%	8%	12%	13%	12%	10%	8%	0%	15%	100%
感染性胃腸炎	報告数	3	32	75	31	42	26	38	16	14	16	10	21	4	35	363
	(定点あたり)	(0.04)	(0.43)	(1.01)	(0.42)	(0.57)	(0.35)	(0.51)	(0.22)	(0.19)	(0.22)	(0.14)	(0.28)	(0.05)	(0.47)	(4.91)
	年齢構成比(%)	1%	9%	21%	9%	12%	7%	10%	4%	4%	4%	3%	6%	1%	10%	100%
水痘	報告数	0	3	9	6	4	2	2	2	0	0	0	0	1	0	29
	(定点あたり)	(0.00)	(0.04)	(0.12)	(0.08)	(0.05)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.39)
	年齢構成比(%)	0%	10%	31%	21%	14%	7%	7%	7%	0%	0%	0%	0%	3%	0%	100%
手足口病	報告数	0	0	2	2	1	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	40%	40%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	1	2	0	0	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	0%	20%	40%	0%	0%	0%	0%	0%	20%	0%	0%	100%
突発性発疹	報告数	0	8	11	0	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.11)	(0.15)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	42%	58%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	1	1	2	1	1	0	0	0	0	1	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.12)
	年齢構成比(%)	0%	0%	11%	11%	11%	11%	22%	11%	11%	0%	0%	0%	0%	11%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。