

2012年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	5	12	12	27	24	28	53	31	28	25	81	27	14	27	19	15	8	5	3	444
	(定点あたり)	(0.00)	(0.04)	(0.10)	(0.10)	(0.22)	(0.20)	(0.23)	(0.44)	(0.26)	(0.23)	(0.21)	(0.67)	(0.22)	(0.12)	(0.22)	(0.16)	(0.12)	(0.07)	(0.04)	(0.02)	(3.67)
	年齢構成比(%)	0%	1%	3%	3%	6%	5%	6%	12%	7%	6%	6%	18%	6%	3%	6%	4%	3%	2%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	67%	0%	0%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	3	8	5	19	12	13	25	17	19	13	42	11	9	12	8	10	6	2	1	235
	(定点あたり)	(0.00)	(0.02)	(0.07)	(0.04)	(0.16)	(0.10)	(0.11)	(0.21)	(0.14)	(0.16)	(0.11)	(0.35)	(0.09)	(0.07)	(0.10)	(0.07)	(0.08)	(0.05)	(0.02)	(0.01)	(1.94)
	年齢構成比(%)	0%	1%	3%	2%	8%	5%	6%	11%	7%	8%	6%	18%	5%	4%	5%	3%	4%	3%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	2	4	7	8	12	15	28	14	9	12	39	16	5	15	11	5	2	3	2	209
	(定点あたり)	(0.00)	(0.02)	(0.03)	(0.06)	(0.07)	(0.10)	(0.12)	(0.23)	(0.12)	(0.07)	(0.10)	(0.32)	(0.13)	(0.04)	(0.12)	(0.09)	(0.04)	(0.02)	(0.02)	(0.02)	(1.73)
	年齢構成比(%)	0%	1%	2%	3%	4%	6%	7%	13%	7%	4%	6%	19%	8%	2%	7%	5%	2%	1%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	67%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	5	1	0	0	1	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.03)	(0.07)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	22%	56%	11%	0%	0%	11%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	1	2	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	57%	14%	29%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	10	17	17	8	12	11	7	17	4	7	113
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.14)	(0.23)	(0.23)	(0.11)	(0.16)	(0.15)	(0.09)	(0.23)	(0.05)	(0.09)	(1.53)
	年齢構成比(%)	0%	0%	1%	2%	9%	15%	15%	7%	11%	10%	6%	15%	4%	6%	100%
感染性胃腸炎	報告数	9	55	175	96	101	85	82	43	36	29	22	51	8	55	847
	(定点あたり)	(0.12)	(0.74)	(2.36)	(1.30)	(1.36)	(1.15)	(1.11)	(0.58)	(0.49)	(0.39)	(0.30)	(0.69)	(0.11)	(0.74)	#####
	年齢構成比(%)	1%	6%	21%	11%	12%	10%	10%	5%	4%	3%	3%	6%	1%	6%	100%
水痘	報告数	0	3	10	18	16	9	7	5	4	1	1	0	0	0	74
	(定点あたり)	(0.00)	(0.04)	(0.14)	(0.24)	(0.22)	(0.12)	(0.09)	(0.07)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(1.00)
	年齢構成比(%)	0%	4%	14%	24%	22%	12%	9%	7%	5%	1%	1%	0%	0%	0%	100%
手足口病	報告数	0	2	3	3	2	1	1	1	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.04)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	15%	23%	23%	15%	8%	8%	8%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	4	2	4	1	0	0	0	1	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)	(0.03)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	8%	0%	31%	15%	31%	8%	0%	0%	0%	8%	0%	0%	100%
突発性発疹	報告数	1	7	20	2	0	0	0	0	0	0	0	0	0	0	30
	(定点あたり)	(0.01)	(0.09)	(0.27)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	3%	23%	67%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	3	4	5	1	2	0	2	1	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.05)	(0.07)	(0.01)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	5%	10%	14%	19%	24%	5%	10%	0%	10%	5%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	3	1	0	0	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	17%	50%	17%	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	0	2	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	67%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	6	12	9	3	9	6	3	7	3	2	63
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.08)	(0.16)	(0.12)	(0.04)	(0.12)	(0.08)	(0.04)	(0.09)	(0.04)	(0.03)	(0.85)
	年齢構成比(%)	0%	0%	2%	3%	10%	19%	14%	5%	14%	10%	5%	11%	5%	3%	100%
感染性胃腸炎	報告数	4	35	88	46	64	51	40	21	18	18	13	24	3	19	444
	(定点あたり)	(0.05)	(0.47)	(1.19)	(0.62)	(0.86)	(0.69)	(0.54)	(0.28)	(0.24)	(0.24)	(0.18)	(0.32)	(0.04)	(0.26)	(6.00)
	年齢構成比(%)	1%	8%	20%	10%	14%	11%	9%	5%	4%	4%	3%	5%	1%	4%	100%
水痘	報告数	0	1	5	7	7	5	3	3	3	0	0	0	0	0	34
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.09)	(0.09)	(0.07)	(0.04)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.46)
	年齢構成比(%)	0%	3%	15%	21%	21%	15%	9%	9%	9%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	1	0	0	0	1	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	33%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	3	1	3	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	0%	43%	14%	43%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	4	10	1	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.01)	(0.05)	(0.14)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	6%	25%	63%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	2	3	3	0	1	0	1	1	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.04)	(0.04)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	8%	0%	17%	25%	25%	0%	8%	0%	8%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	0	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	4	5	8	5	3	5	4	10	1	5	50
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)	(0.07)	(0.11)	(0.07)	(0.04)	(0.07)	(0.05)	(0.14)	(0.01)	(0.07)	(0.68)
	年齢構成比(%)	0%	0%	0%	0%	8%	10%	16%	10%	6%	10%	8%	20%	2%	10%	100%
感染性胃腸炎	報告数	5	20	87	50	37	34	42	22	18	11	9	27	5	36	403
	(定点あたり)	(0.07)	(0.27)	(1.18)	(0.68)	(0.50)	(0.46)	(0.57)	(0.30)	(0.24)	(0.15)	(0.12)	(0.36)	(0.07)	(0.49)	(5.45)
	年齢構成比(%)	1%	5%	22%	12%	9%	8%	10%	5%	4%	3%	2%	7%	1%	9%	100%
水痘	報告数	0	2	5	11	9	4	4	2	1	1	1	0	0	0	40
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.15)	(0.12)	(0.05)	(0.05)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.54)
	年齢構成比(%)	0%	5%	13%	28%	23%	10%	10%	5%	3%	3%	3%	0%	0%	0%	100%
手足口病	報告数	0	1	2	3	2	1	0	1	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	10%	20%	30%	20%	10%	0%	10%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	1	1	1	1	0	0	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	0%	17%	17%	17%	17%	0%	0%	0%	17%	0%	0%	100%
突発性発疹	報告数	0	3	10	1	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.04)	(0.14)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	21%	71%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	2	1	1	2	1	1	0	1	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	22%	11%	11%	22%	11%	11%	0%	11%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。