

2012年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	2	2	3	1	4	8	5	3	7	3	1	5	0	2	2	0	0	49
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.02)	(0.02)	(0.02)	(0.01)	(0.03)	(0.07)	(0.04)	(0.02)	(0.06)	(0.02)	(0.01)	(0.04)	(0.00)	(0.02)	(0.02)	(0.00)	(0.00)	(0.40)
	年齢構成比(%)	0%	0%	2%	4%	4%	6%	2%	8%	16%	10%	6%	14%	6%	2%	10%	0%	4%	4%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	1	0	2	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.18)	(0.00)	(0.06)	(0.00)	(0.12)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	43%	0%	14%	0%	29%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	1	1	3	0	4	4	2	2	3	2	0	1	0	1	1	0	0	26
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.02)	(0.00)	(0.03)	(0.03)	(0.02)	(0.02)	(0.02)	(0.02)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	0%	4%	4%	4%	12%	0%	15%	15%	8%	8%	12%	8%	0%	4%	0%	4%	4%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	1	1	0	1	0	4	3	1	4	1	1	4	0	1	1	0	0	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.02)	(0.01)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	0%	0%	4%	4%	0%	4%	0%	17%	13%	4%	17%	4%	4%	17%	0%	4%	4%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.12)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	40%	0%	20%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	2	2	0	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	0	4	1	1	0	1	1	0	1	0	1	14
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.05)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.19)
	年齢構成比(%)	0%	0%	29%	0%	29%	7%	7%	0%	7%	7%	0%	7%	0%	7%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	3	3	4	12	24	30	18	22	20	6	12	1	20	175
	(定点あたり)	(0.00)	(0.04)	(0.04)	(0.05)	(0.16)	(0.32)	(0.40)	(0.24)	(0.29)	(0.27)	(0.08)	(0.16)	(0.01)	(0.27)	(2.33)
	年齢構成比(%)	0%	2%	2%	2%	7%	14%	17%	10%	13%	11%	3%	7%	1%	11%	100%
感染性胃腸炎	報告数	6	50	132	78	95	71	58	38	45	31	22	60	13	69	768
	(定点あたり)	(0.08)	(0.67)	(1.76)	(1.04)	(1.27)	(0.95)	(0.77)	(0.51)	(0.60)	(0.41)	(0.29)	(0.80)	(0.17)	(0.92)	#####
	年齢構成比(%)	1%	7%	17%	10%	12%	9%	8%	5%	6%	4%	3%	8%	2%	9%	100%
水痘	報告数	2	4	15	12	14	13	5	4	4	6	0	4	0	0	83
	(定点あたり)	(0.03)	(0.05)	(0.20)	(0.16)	(0.19)	(0.17)	(0.07)	(0.05)	(0.05)	(0.08)	(0.00)	(0.05)	(0.00)	(0.00)	(1.11)
	年齢構成比(%)	2%	5%	18%	14%	17%	16%	6%	5%	5%	7%	0%	5%	0%	0%	100%
手足口病	報告数	1	1	3	3	2	0	3	0	0	1	0	0	0	0	14
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.04)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	7%	7%	21%	21%	14%	0%	21%	0%	0%	7%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	2	1	0	0	1	2	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	14%	0%	0%	29%	14%	0%	0%	14%	29%	0%	0%	0%	100%
突発性発疹	報告数	1	13	12	2	0	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.01)	(0.17)	(0.16)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比(%)	4%	46%	43%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	1	2	0	0	1	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	33%	17%	33%	0%	0%	17%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	1	11	6	3	7	0	2	2	0	0	35
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.15)	(0.08)	(0.04)	(0.09)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.47)
	年齢構成比(%)	0%	0%	3%	6%	3%	31%	17%	9%	20%	0%	6%	6%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	1	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	25%	50%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	0	3	1	1	0	1	0	0	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	36%	0%	27%	9%	9%	0%	9%	0%	0%	9%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	2	2	9	14	18	10	10	7	2	5	1	6	88
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.03)	(0.12)	(0.19)	(0.24)	(0.13)	(0.13)	(0.09)	(0.03)	(0.07)	(0.01)	(0.08)	(1.17)
	年齢構成比(%)	0%	2%	2%	2%	10%	16%	20%	11%	11%	8%	2%	6%	1%	7%	100%
感染性胃腸炎	報告数	4	28	77	43	56	38	27	12	29	15	12	34	9	21	405
	(定点あたり)	(0.05)	(0.37)	(1.03)	(0.57)	(0.75)	(0.51)	(0.36)	(0.16)	(0.39)	(0.20)	(0.16)	(0.45)	(0.12)	(0.28)	(5.40)
	年齢構成比(%)	1%	7%	19%	11%	14%	9%	7%	3%	7%	4%	3%	8%	2%	5%	100%
水痘	報告数	1	2	8	6	7	8	1	1	3	1	0	2	0	0	40
	(定点あたり)	(0.01)	(0.03)	(0.11)	(0.08)	(0.09)	(0.11)	(0.01)	(0.01)	(0.04)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.53)
	年齢構成比(%)	3%	5%	20%	15%	18%	20%	3%	3%	8%	3%	0%	5%	0%	0%	100%
手足口病	報告数	0	0	1	1	2	0	3	0	0	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	13%	13%	25%	0%	38%	0%	0%	13%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	1	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	33%	33%	0%	0%	33%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	6	6	2	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.01)	(0.08)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	7%	40%	40%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	2	0	0	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	20%	40%	0%	0%	20%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	0	4	4	2	4	0	2	2	0	0	20
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.05)	(0.05)	(0.03)	(0.05)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.27)
	年齢構成比(%)	0%	0%	5%	5%	0%	20%	20%	10%	20%	0%	10%	10%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	1	0	0	0	0	1	0	0	0	1	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	33%	0%	0%	0%	0%	33%	0%	0%	0%	33%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	2	3	10	12	8	12	13	4	7	0	14	87
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.04)	(0.13)	(0.16)	(0.11)	(0.16)	(0.17)	(0.05)	(0.09)	(0.00)	(0.19)	(1.16)
	年齢構成比(%)	0%	1%	1%	2%	3%	11%	14%	9%	14%	15%	5%	8%	0%	16%	100%
感染性胃腸炎	報告数	2	22	55	35	39	33	31	26	16	16	10	26	4	48	363
	(定点あたり)	(0.03)	(0.29)	(0.73)	(0.47)	(0.52)	(0.44)	(0.41)	(0.35)	(0.21)	(0.21)	(0.13)	(0.35)	(0.05)	(0.64)	(4.84)
	年齢構成比(%)	1%	6%	15%	10%	11%	9%	9%	7%	4%	4%	3%	7%	1%	13%	100%
水痘	報告数	1	2	7	6	7	5	4	3	1	5	0	2	0	0	43
	(定点あたり)	(0.01)	(0.03)	(0.09)	(0.08)	(0.09)	(0.07)	(0.05)	(0.04)	(0.01)	(0.07)	(0.00)	(0.03)	(0.00)	(0.00)	(0.57)
	年齢構成比(%)	2%	5%	16%	14%	16%	12%	9%	7%	2%	12%	0%	5%	0%	0%	100%
手足口病	報告数	1	1	2	2	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	17%	17%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	1	0	0	0	0	2	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	25%	0%	0%	25%	0%	0%	0%	0%	50%	0%	0%	0%	100%
突発性発疹	報告数	0	7	6	0	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.09)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	54%	46%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	7	2	1	3	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.09)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	0%	0%	7%	7%	47%	13%	7%	20%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。