

2012年 第23週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	0	0	0	0	1	1	1	0	1	6	2	1	1	2	0	0	1	0	18
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.05)	(0.02)	(0.01)	(0.01)	(0.02)	(0.00)	(0.00)	(0.01)	(0.00)	(0.15)
	年齢構成比(%)	0%	6%	0%	0%	0%	0%	6%	6%	6%	0%	6%	33%	11%	6%	6%	11%	0%	0%	6%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	1	0	1	4	0	1	1	1	0	0	1	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	10%	0%	10%	40%	0%	10%	10%	0%	0%	10%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	0	0	0	0	1	1	0	0	0	2	2	0	0	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.02)	(0.02)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	13%	0%	0%	0%	0%	13%	13%	0%	0%	0%	25%	25%	0%	0%	13%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

2012年 第23週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	3	3	5	5	0	1	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.04)	(0.07)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	11%	16%	16%	26%	26%	0%	5%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	6	6	11	24	33	20	16	16	9	17	1	13	174
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.08)	(0.15)	(0.32)	(0.45)	(0.27)	(0.22)	(0.22)	(0.12)	(0.23)	(0.01)	(0.18)	(2.35)
	年齢構成比(%)	0%	1%	3%	3%	6%	14%	19%	11%	9%	9%	5%	10%	1%	7%	100%
感染性胃腸炎	報告数	6	45	67	56	68	62	47	31	30	18	20	33	10	37	530
	(定点あたり)	(0.08)	(0.61)	(0.91)	(0.76)	(0.92)	(0.84)	(0.64)	(0.42)	(0.41)	(0.24)	(0.27)	(0.45)	(0.14)	(0.50)	(7.16)
	年齢構成比(%)	1%	8%	13%	11%	13%	12%	9%	6%	6%	3%	4%	6%	2%	7%	100%
水痘	報告数	1	6	16	20	13	13	16	11	4	4	1	5	1	0	111
	(定点あたり)	(0.01)	(0.08)	(0.22)	(0.27)	(0.18)	(0.18)	(0.22)	(0.15)	(0.05)	(0.05)	(0.01)	(0.07)	(0.01)	(0.00)	(1.50)
	年齢構成比(%)	1%	5%	14%	18%	12%	12%	14%	10%	4%	4%	1%	5%	1%	0%	100%
手足口病	報告数	0	0	3	1	2	1	1	0	0	0	1	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	33%	11%	22%	11%	11%	0%	0%	0%	11%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	18	14	0	0	0	0	0	0	0	0	0	0	0	32
	(定点あたり)	(0.00)	(0.24)	(0.19)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	0%	56%	44%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	4	5	3	0	0	1	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.07)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	7%	29%	36%	21%	0%	0%	7%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	5	2	2	4	6	2	1	2	1	1	2	1	29
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.03)	(0.03)	(0.05)	(0.08)	(0.03)	(0.01)	(0.03)	(0.01)	(0.01)	(0.03)	(0.01)	(0.39)
	年齢構成比(%)	0%	0%	17%	7%	7%	14%	21%	7%	3%	7%	3%	3%	7%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第23週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	2	0	2	2	0	1	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	22%	22%	0%	22%	22%	0%	11%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	5	16	16	10	9	9	5	12	1	7	95
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.07)	(0.22)	(0.22)	(0.14)	(0.12)	(0.12)	(0.07)	(0.16)	(0.01)	(0.09)	(1.28)
	年齢構成比(%)	0%	0%	2%	3%	5%	17%	17%	11%	9%	9%	5%	13%	1%	7%	100%
感染性胃腸炎	報告数	4	23	34	30	31	32	25	14	18	8	12	22	4	13	270
	(定点あたり)	(0.05)	(0.31)	(0.46)	(0.41)	(0.42)	(0.43)	(0.34)	(0.19)	(0.24)	(0.11)	(0.16)	(0.30)	(0.05)	(0.18)	(3.65)
	年齢構成比(%)	1%	9%	13%	11%	11%	12%	9%	5%	7%	3%	4%	8%	1%	5%	100%
水痘	報告数	1	3	10	11	10	10	6	9	1	0	1	3	0	0	65
	(定点あたり)	(0.01)	(0.04)	(0.14)	(0.15)	(0.14)	(0.14)	(0.08)	(0.12)	(0.01)	(0.00)	(0.01)	(0.04)	(0.00)	(0.00)	(0.88)
	年齢構成比(%)	2%	5%	15%	17%	15%	15%	9%	14%	2%	0%	2%	5%	0%	0%	100%
手足口病	報告数	0	0	2	1	0	1	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	50%	25%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	7	5	0	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.09)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	58%	42%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	4	2	2	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	11%	44%	22%	22%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	1	0	2	2	0	1	0	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	22%	11%	0%	22%	22%	0%	11%	0%	0%	11%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第23週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	1	3	3	3	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	10%	30%	30%	30%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	4	3	6	8	17	10	7	7	4	5	0	6	79
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.04)	(0.08)	(0.11)	(0.23)	(0.14)	(0.09)	(0.09)	(0.05)	(0.07)	(0.00)	(0.08)	(1.07)
	年齢構成比(%)	0%	3%	5%	4%	8%	10%	22%	13%	9%	9%	5%	6%	0%	8%	100%
感染性胃腸炎	報告数	2	22	33	26	37	30	22	17	12	10	8	11	6	24	260
	(定点あたり)	(0.03)	(0.30)	(0.45)	(0.35)	(0.50)	(0.41)	(0.30)	(0.23)	(0.16)	(0.14)	(0.11)	(0.15)	(0.08)	(0.32)	(3.51)
	年齢構成比(%)	1%	8%	13%	10%	14%	12%	8%	7%	5%	4%	3%	4%	2%	9%	100%
水痘	報告数	0	3	6	9	3	3	10	2	3	4	0	2	1	0	46
	(定点あたり)	(0.00)	(0.04)	(0.08)	(0.12)	(0.04)	(0.04)	(0.14)	(0.03)	(0.04)	(0.05)	(0.00)	(0.03)	(0.01)	(0.00)	(0.62)
	年齢構成比(%)	0%	7%	13%	20%	7%	7%	22%	4%	7%	9%	0%	4%	2%	0%	100%
手足口病	報告数	0	0	1	0	2	0	1	0	0	0	1	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	0%	40%	0%	20%	0%	0%	0%	20%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	0	11	9	0	0	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.15)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比(%)	0%	55%	45%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	3	1	0	0	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	60%	20%	0%	0%	20%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	3	1	2	2	4	2	0	2	1	0	2	1	20
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.03)	(0.03)	(0.05)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.03)	(0.01)	(0.27)
	年齢構成比(%)	0%	0%	15%	5%	10%	10%	20%	10%	0%	10%	5%	0%	10%	5%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。