

2012年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.12)	(0.00)	(0.00)	(0.06)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	20%	40%	0%	0%	20%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	67%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	2	8	3	10	10	1	5	0	3	3	1	0	0	46
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.04)	(0.13)	(0.13)	(0.01)	(0.07)	(0.00)	(0.04)	(0.04)	(0.01)	(0.00)	(0.00)	(0.61)
	年齢構成比(%)	0%	4%	17%	7%	22%	22%	2%	11%	0%	7%	7%	2%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	5	13	19	18	15	10	9	5	7	1	9	115
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.07)	(0.17)	(0.25)	(0.24)	(0.20)	(0.13)	(0.12)	(0.07)	(0.09)	(0.01)	(0.12)	(1.53)
	年齢構成比(%)	0%	0%	3%	4%	11%	17%	16%	13%	9%	8%	4%	6%	1%	8%	100%
感染性胃腸炎	報告数	3	28	52	36	38	32	31	13	15	16	17	28	12	46	367
	(定点あたり)	(0.04)	(0.37)	(0.69)	(0.48)	(0.51)	(0.43)	(0.41)	(0.17)	(0.20)	(0.21)	(0.23)	(0.37)	(0.16)	(0.61)	(4.89)
	年齢構成比(%)	1%	8%	14%	10%	10%	9%	8%	4%	4%	4%	5%	8%	3%	13%	100%
水痘	報告数	0	6	13	21	16	10	6	8	2	4	2	3	0	1	92
	(定点あたり)	(0.00)	(0.08)	(0.17)	(0.28)	(0.21)	(0.13)	(0.08)	(0.11)	(0.03)	(0.05)	(0.03)	(0.04)	(0.00)	(0.01)	(1.23)
	年齢構成比(%)	0%	7%	14%	23%	17%	11%	7%	9%	2%	4%	2%	3%	0%	1%	100%
手足口病	報告数	0	1	6	3	1	1	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	8%	50%	25%	8%	8%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	2	0	0	1	0	2	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	14%	29%	0%	0%	14%	0%	29%	0%	14%	0%	0%	100%
突発性発疹	報告数	1	11	9	2	0	0	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.01)	(0.15)	(0.12)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	4%	48%	39%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	2	23	9	5	5	2	0	1	0	0	0	0	0	47
	(定点あたり)	(0.00)	(0.03)	(0.31)	(0.12)	(0.07)	(0.07)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.63)
	年齢構成比(%)	0%	4%	49%	19%	11%	11%	4%	0%	2%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	7	4	4	7	2	1	0	0	2	0	1	30
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.09)	(0.05)	(0.05)	(0.09)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.40)
	年齢構成比(%)	0%	0%	7%	23%	13%	13%	23%	7%	3%	0%	0%	7%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	1	0	4	6	1	3	0	2	2	0	0	0	19
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)	(0.08)	(0.01)	(0.04)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	0%	0%	5%	0%	21%	32%	5%	16%	0%	11%	11%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	5	11	12	8	4	5	3	2	1	5	61
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.07)	(0.15)	(0.16)	(0.11)	(0.05)	(0.07)	(0.04)	(0.03)	(0.01)	(0.07)	(0.81)
	年齢構成比(%)	0%	0%	3%	5%	8%	18%	20%	13%	7%	8%	5%	3%	2%	8%	100%
感染性胃腸炎	報告数	2	11	27	22	26	18	14	7	12	10	10	19	6	16	200
	(定点あたり)	(0.03)	(0.15)	(0.36)	(0.29)	(0.35)	(0.24)	(0.19)	(0.09)	(0.16)	(0.13)	(0.13)	(0.25)	(0.08)	(0.21)	(2.67)
	年齢構成比(%)	1%	6%	14%	11%	13%	9%	7%	4%	6%	5%	5%	10%	3%	8%	100%
水痘	報告数	0	2	6	16	7	6	3	6	2	2	2	2	0	0	54
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.21)	(0.09)	(0.08)	(0.04)	(0.08)	(0.03)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.72)
	年齢構成比(%)	0%	4%	11%	30%	13%	11%	6%	11%	4%	4%	4%	4%	0%	0%	100%
手足口病	報告数	0	1	3	0	1	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	20%	60%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	2	0	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	67%	0%	0%	0%	0%	33%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	4	6	2	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.01)	(0.05)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	8%	31%	46%	15%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	13	6	1	2	1	0	1	0	0	0	0	0	24
	(定点あたり)	(0.00)	(0.00)	(0.17)	(0.08)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比(%)	0%	0%	54%	25%	4%	8%	4%	0%	4%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	4	2	2	5	1	0	0	0	2	0	0	18
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.03)	(0.03)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	11%	22%	11%	11%	28%	6%	0%	0%	0%	11%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	2	7	3	6	4	0	2	0	1	1	1	0	0	27
	(定点あたり)	(0.00)	(0.03)	(0.09)	(0.04)	(0.08)	(0.05)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	0%	7%	26%	11%	22%	15%	0%	7%	0%	4%	4%	4%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	8	8	6	7	6	4	2	5	0	4	54
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.11)	(0.11)	(0.08)	(0.09)	(0.08)	(0.05)	(0.03)	(0.07)	(0.00)	(0.05)	(0.72)
	年齢構成比(%)	0%	0%	4%	4%	15%	15%	11%	13%	11%	7%	4%	9%	0%	7%	100%
感染性胃腸炎	報告数	1	17	25	14	12	14	17	6	3	6	7	9	6	30	167
	(定点あたり)	(0.01)	(0.23)	(0.33)	(0.19)	(0.16)	(0.19)	(0.23)	(0.08)	(0.04)	(0.08)	(0.09)	(0.12)	(0.08)	(0.40)	(2.23)
	年齢構成比(%)	1%	10%	15%	8%	7%	8%	10%	4%	2%	4%	4%	5%	4%	18%	100%
水痘	報告数	0	4	7	5	9	4	3	2	0	2	0	1	0	1	38
	(定点あたり)	(0.00)	(0.05)	(0.09)	(0.07)	(0.12)	(0.05)	(0.04)	(0.03)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.51)
	年齢構成比(%)	0%	11%	18%	13%	24%	11%	8%	5%	0%	5%	0%	3%	0%	3%	100%
手足口病	報告数	0	0	3	3	0	1	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	43%	43%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	1	0	1	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	25%	0%	0%	0%	25%	0%	25%	0%	25%	0%	0%	100%
突発性発疹	報告数	0	7	3	0	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.09)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	70%	30%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	2	10	3	4	3	1	0	0	0	0	0	0	0	23
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.04)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	9%	43%	13%	17%	13%	4%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	3	2	2	2	1	1	0	0	0	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比(%)	0%	0%	0%	25%	17%	17%	17%	8%	8%	0%	0%	0%	0%	8%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。