

## 2012年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	50%	0%	25%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	1	0	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	40%	0%	20%	0%	20%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	25%	0%	25%	0%	25%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	4	2	6	6	7	5	0	0	0	1	0	1	32
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.08)	(0.08)	(0.10)	(0.07)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.44)
	年齢構成比(%)	0%	0%	13%	6%	19%	19%	22%	16%	0%	0%	0%	3%	0%	3%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	4	5	10	3	8	9	13	7	4	3	12	3	9	91
	(定点あたり)	(0.01)	(0.05)	(0.07)	(0.14)	(0.04)	(0.11)	(0.12)	(0.18)	(0.10)	(0.05)	(0.04)	(0.16)	(0.04)	(0.12)	(1.25)
	年齢構成比(%)	1%	4%	5%	11%	3%	9%	10%	14%	8%	4%	3%	13%	3%	10%	100%
感染性胃腸炎	報告数	1	15	38	31	24	28	13	17	16	7	6	28	4	35	263
	(定点あたり)	(0.01)	(0.21)	(0.52)	(0.42)	(0.33)	(0.38)	(0.18)	(0.23)	(0.22)	(0.10)	(0.08)	(0.38)	(0.05)	(0.48)	(3.60)
	年齢構成比(%)	0%	6%	14%	12%	9%	11%	5%	6%	6%	3%	2%	11%	2%	13%	100%
水痘	報告数	0	2	11	8	16	11	9	4	1	1	1	0	0	1	65
	(定点あたり)	(0.00)	(0.03)	(0.15)	(0.11)	(0.22)	(0.15)	(0.12)	(0.05)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.89)
	年齢構成比(%)	0%	3%	17%	12%	25%	17%	14%	6%	2%	2%	2%	0%	0%	2%	100%
手足口病	報告数	0	2	6	3	1	4	2	2	1	0	0	1	0	0	22
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.04)	(0.01)	(0.05)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	9%	27%	14%	5%	18%	9%	9%	5%	0%	0%	5%	0%	0%	100%
伝染性紅斑	報告数	0	1	4	1	3	1	5	2	1	1	0	0	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.01)	(0.04)	(0.01)	(0.07)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	5%	21%	5%	16%	5%	26%	11%	5%	5%	0%	0%	0%	0%	100%
突発性発疹	報告数	2	13	13	2	0	0	0	0	0	0	0	0	0	0	30
	(定点あたり)	(0.03)	(0.18)	(0.18)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	7%	43%	43%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	8	33	41	29	14	14	8	2	1	0	2	2	0	154
	(定点あたり)	(0.00)	(0.11)	(0.45)	(0.56)	(0.40)	(0.19)	(0.19)	(0.11)	(0.03)	(0.01)	(0.00)	(0.03)	(0.03)	(0.00)	(2.11)
	年齢構成比(%)	0%	5%	21%	27%	19%	9%	9%	5%	1%	1%	0%	1%	1%	0%	100%
流行性耳下腺炎	報告数	0	1	1	1	3	3	8	6	5	2	0	1	1	0	32
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.04)	(0.04)	(0.11)	(0.08)	(0.07)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.44)
	年齢構成比(%)	0%	3%	3%	3%	9%	9%	25%	19%	16%	6%	0%	3%	3%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	2	2	3	3	6	4	0	0	0	1	0	1	22
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.04)	(0.04)	(0.08)	(0.05)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.30)
	年齢構成比(%)	0%	0%	9%	9%	14%	14%	27%	18%	0%	0%	0%	5%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	4	4	1	5	6	8	3	2	1	4	2	6	47
	(定点あたり)	(0.01)	(0.00)	(0.05)	(0.05)	(0.01)	(0.07)	(0.08)	(0.11)	(0.04)	(0.03)	(0.01)	(0.05)	(0.03)	(0.08)	(0.64)
	年齢構成比(%)	2%	0%	9%	9%	2%	11%	13%	17%	6%	4%	2%	9%	4%	13%	100%
感染性胃腸炎	報告数	1	7	20	13	14	17	8	13	6	6	5	19	3	15	147
	(定点あたり)	(0.01)	(0.10)	(0.27)	(0.18)	(0.19)	(0.23)	(0.11)	(0.18)	(0.08)	(0.08)	(0.07)	(0.26)	(0.04)	(0.21)	(2.01)
	年齢構成比(%)	1%	5%	14%	9%	10%	12%	5%	9%	4%	4%	3%	13%	2%	10%	100%
水痘	報告数	0	0	6	5	8	3	4	1	1	0	0	0	0	1	29
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.07)	(0.11)	(0.04)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.40)
	年齢構成比(%)	0%	0%	21%	17%	28%	10%	14%	3%	3%	0%	0%	0%	0%	3%	100%
手足口病	報告数	0	2	2	1	1	2	1	2	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.01)	(0.01)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	18%	18%	9%	9%	18%	9%	18%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	1	1	0	3	1	0	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	13%	13%	13%	0%	38%	13%	0%	13%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	6	9	2	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.01)	(0.08)	(0.12)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	6%	33%	50%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	4	21	26	11	7	10	3	0	0	0	2	0	0	84
	(定点あたり)	(0.00)	(0.05)	(0.29)	(0.36)	(0.15)	(0.10)	(0.14)	(0.04)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(1.15)
	年齢構成比(%)	0%	5%	25%	31%	13%	8%	12%	4%	0%	0%	0%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	2	1	4	4	1	1	0	1	1	0	16
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.05)	(0.05)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	6%	0%	13%	6%	25%	25%	6%	6%	0%	6%	6%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	2	0	3	3	1	1	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.04)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	20%	0%	30%	30%	10%	10%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	4	1	6	2	3	3	5	4	2	2	8	1	3	44
	(定点あたり)	(0.00)	(0.05)	(0.01)	(0.08)	(0.03)	(0.04)	(0.04)	(0.07)	(0.05)	(0.03)	(0.03)	(0.11)	(0.01)	(0.04)	(0.60)
	年齢構成比(%)	0%	9%	2%	14%	5%	7%	7%	11%	9%	5%	5%	18%	2%	7%	100%
感染性胃腸炎	報告数	0	8	18	18	10	11	5	4	10	1	1	9	1	20	116
	(定点あたり)	(0.00)	(0.11)	(0.25)	(0.25)	(0.14)	(0.15)	(0.07)	(0.05)	(0.14)	(0.01)	(0.01)	(0.12)	(0.01)	(0.27)	(1.59)
	年齢構成比(%)	0%	7%	16%	16%	9%	9%	4%	3%	9%	1%	1%	8%	1%	17%	100%
水痘	報告数	0	2	5	3	8	8	5	3	0	1	1	0	0	0	36
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.04)	(0.11)	(0.11)	(0.07)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.49)
	年齢構成比(%)	0%	6%	14%	8%	22%	22%	14%	8%	0%	3%	3%	0%	0%	0%	100%
手足口病	報告数	0	0	4	2	0	2	1	0	1	0	0	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	36%	18%	0%	18%	9%	0%	9%	0%	0%	9%	0%	0%	100%
伝染性紅斑	報告数	0	1	3	0	2	1	2	1	1	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.00)	(0.03)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	9%	27%	0%	18%	9%	18%	9%	9%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	7	4	0	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.01)	(0.10)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	8%	58%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	12	15	18	7	4	5	2	1	0	0	2	0	70
	(定点あたり)	(0.00)	(0.05)	(0.16)	(0.21)	(0.25)	(0.10)	(0.05)	(0.07)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.96)
	年齢構成比(%)	0%	6%	17%	21%	26%	10%	6%	7%	3%	1%	0%	0%	3%	0%	100%
流行性耳下腺炎	報告数	0	1	0	1	1	2	4	2	4	1	0	0	0	0	16
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.03)	(0.05)	(0.03)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	6%	0%	6%	6%	13%	25%	13%	25%	6%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。