

## 2012年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1	1	2	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.11)	(0.00)	(0.33)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	17%	17%	17%	33%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1	1	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	20%	20%	20%	20%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	0%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	2	3	2	1	3	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.04)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	15%	15%	23%	15%	8%	23%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	4	9	5	9	5	4	4	6	0	5	53
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.05)	(0.12)	(0.07)	(0.12)	(0.07)	(0.05)	(0.05)	(0.08)	(0.00)	(0.07)	(0.73)
	年齢構成比(%)	0%	0%	0%	4%	8%	17%	9%	17%	9%	8%	8%	11%	0%	9%	100%
感染性胃腸炎	報告数	3	7	22	27	21	17	12	12	11	9	9	20	6	31	207
	(定点あたり)	(0.04)	(0.10)	(0.30)	(0.37)	(0.29)	(0.23)	(0.16)	(0.16)	(0.15)	(0.12)	(0.12)	(0.27)	(0.08)	(0.42)	(2.84)
	年齢構成比(%)	1%	3%	11%	13%	10%	8%	6%	6%	5%	4%	4%	10%	3%	15%	100%
水痘	報告数	0	3	9	8	7	14	5	4	1	0	0	0	0	0	51
	(定点あたり)	(0.00)	(0.04)	(0.12)	(0.11)	(0.10)	(0.19)	(0.07)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.70)
	年齢構成比(%)	0%	6%	18%	16%	14%	27%	10%	8%	2%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	2	5	0	2	1	1	1	0	0	1	0	0	0	14
	(定点あたり)	(0.01)	(0.03)	(0.07)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	7%	14%	36%	0%	14%	7%	7%	7%	0%	0%	7%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	1	4	5	1	2	0	2	0	2	0	0	19
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.05)	(0.07)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	0%	11%	5%	21%	26%	5%	11%	0%	11%	0%	11%	0%	0%	100%
突発性発疹	報告数	0	12	16	1	0	0	0	0	0	0	0	0	0	0	29
	(定点あたり)	(0.00)	(0.16)	(0.22)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.40)
	年齢構成比(%)	0%	41%	55%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	13	58	26	31	20	5	6	2	2	1	0	1	5	170
	(定点あたり)	(0.00)	(0.18)	(0.79)	(0.36)	(0.42)	(0.27)	(0.07)	(0.08)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.07)	(2.33)
	年齢構成比(%)	0%	8%	34%	15%	18%	12%	3%	4%	1%	1%	1%	0%	1%	3%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	4	3	4	4	0	0	0	1	2	21
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.05)	(0.04)	(0.05)	(0.05)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.29)
	年齢構成比(%)	0%	0%	0%	5%	10%	19%	14%	19%	19%	0%	0%	0%	5%	10%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	3	1	1	1	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	13%	13%	38%	13%	13%	13%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	1	4	3	7	3	3	2	3	0	2	28
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)	(0.04)	(0.10)	(0.04)	(0.04)	(0.03)	(0.04)	(0.00)	(0.03)	(0.38)
	年齢構成比(%)	0%	0%	0%	0%	4%	14%	11%	25%	11%	11%	7%	11%	0%	7%	100%
感染性胃腸炎	報告数	2	5	13	14	12	9	7	8	7	7	4	12	3	11	114
	(定点あたり)	(0.03)	(0.07)	(0.18)	(0.19)	(0.16)	(0.12)	(0.10)	(0.11)	(0.10)	(0.10)	(0.05)	(0.16)	(0.04)	(0.15)	(1.56)
	年齢構成比(%)	2%	4%	11%	12%	11%	8%	6%	7%	6%	6%	4%	11%	3%	10%	100%
水痘	報告数	0	1	7	3	5	10	3	0	0	0	0	0	0	0	29
	(定点あたり)	(0.00)	(0.01)	(0.10)	(0.04)	(0.07)	(0.14)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.40)
	年齢構成比(%)	0%	3%	24%	10%	17%	34%	10%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	1	2	0	1	0	1	1	0	0	1	0	0	0	8
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	13%	13%	25%	0%	13%	0%	13%	13%	0%	0%	13%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	3	1	0	1	0	1	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	0%	14%	43%	14%	0%	14%	0%	14%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	8	6	0	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.11)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	57%	43%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	6	25	15	19	10	3	3	0	0	1	0	0	2	84
	(定点あたり)	(0.00)	(0.08)	(0.34)	(0.21)	(0.26)	(0.14)	(0.04)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(1.15)
	年齢構成比(%)	0%	7%	30%	18%	23%	12%	4%	4%	0%	0%	1%	0%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	2	0	2	2	0	0	0	1	1	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.14)
	年齢構成比(%)	0%	0%	0%	10%	10%	20%	0%	20%	20%	0%	0%	0%	10%	10%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	0	1	0	2	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	20%	20%	0%	20%	0%	40%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	3	5	2	2	2	1	2	3	0	3	25
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.07)	(0.03)	(0.03)	(0.03)	(0.01)	(0.03)	(0.04)	(0.00)	(0.04)	(0.34)
	年齢構成比(%)	0%	0%	0%	8%	12%	20%	8%	8%	8%	4%	8%	12%	0%	12%	100%
感染性胃腸炎	報告数	1	2	9	13	9	8	5	4	4	2	5	8	3	20	93
	(定点あたり)	(0.01)	(0.03)	(0.12)	(0.18)	(0.12)	(0.11)	(0.07)	(0.05)	(0.05)	(0.03)	(0.07)	(0.11)	(0.04)	(0.27)	(1.27)
	年齢構成比(%)	1%	2%	10%	14%	10%	9%	5%	4%	4%	2%	5%	9%	3%	22%	100%
水痘	報告数	0	2	2	5	2	4	2	4	1	0	0	0	0	0	22
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.07)	(0.03)	(0.05)	(0.03)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	9%	9%	23%	9%	18%	9%	18%	5%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	3	0	1	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	17%	50%	0%	17%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	0	1	4	1	1	0	1	0	2	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.05)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	17%	0%	8%	33%	8%	8%	0%	8%	0%	17%	0%	0%	100%
突発性発疹	報告数	0	4	10	1	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.05)	(0.14)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	27%	67%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	7	33	11	12	10	2	3	2	2	0	0	1	3	86
	(定点あたり)	(0.00)	(0.10)	(0.45)	(0.15)	(0.16)	(0.14)	(0.03)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.04)	(1.18)
	年齢構成比(%)	0%	8%	38%	13%	14%	12%	2%	3%	2%	2%	0%	0%	1%	3%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	2	3	2	2	0	0	0	0	1	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.15)
	年齢構成比(%)	0%	0%	0%	0%	9%	18%	27%	18%	18%	0%	0%	0%	0%	9%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。