

2012年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	2	3	2	1	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.17)	(0.11)	(0.06)	(0.06)	(0.00)	(0.00)	(0.56)
	年齢構成比(%)	0%	0%	0%	0%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	30%	20%	10%	10%	0%	0%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	29%	29%	14%	14%	14%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	3	3	12	12	2	5	2	1	1	1	0	0	43
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.04)	(0.16)	(0.16)	(0.03)	(0.07)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.59)
	年齢構成比(%)	0%	2%	7%	7%	28%	28%	5%	12%	5%	2%	2%	2%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	4	5	10	12	6	4	5	3	3	1	9	63
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.07)	(0.14)	(0.16)	(0.08)	(0.05)	(0.07)	(0.04)	(0.04)	(0.01)	(0.12)	(0.86)
	年齢構成比(%)	0%	0%	2%	6%	8%	16%	19%	10%	6%	8%	5%	5%	2%	14%	100%
感染性胃腸炎	報告数	8	19	24	22	17	11	14	13	10	4	4	23	5	29	203
	(定点あたり)	(0.11)	(0.26)	(0.33)	(0.30)	(0.23)	(0.15)	(0.19)	(0.18)	(0.14)	(0.05)	(0.05)	(0.32)	(0.07)	(0.40)	(2.78)
	年齢構成比(%)	4%	9%	12%	11%	8%	5%	7%	6%	5%	2%	2%	11%	2%	14%	100%
水痘	報告数	2	0	9	9	10	11	5	2	1	1	0	0	1	0	51
	(定点あたり)	(0.03)	(0.00)	(0.12)	(0.12)	(0.14)	(0.15)	(0.07)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.70)
	年齢構成比(%)	4%	0%	18%	18%	20%	22%	10%	4%	2%	2%	0%	0%	2%	0%	100%
手足口病	報告数	0	3	7	2	2	4	3	2	0	1	0	0	0	0	24
	(定点あたり)	(0.00)	(0.04)	(0.10)	(0.03)	(0.03)	(0.05)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	0%	13%	29%	8%	8%	17%	13%	8%	0%	4%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	1	1	1	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	25%	25%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	25	20	2	0	0	0	0	0	0	0	0	0	0	47
	(定点あたり)	(0.00)	(0.34)	(0.27)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.64)
	年齢構成比(%)	0%	53%	43%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	10	47	32	13	12	7	6	5	3	0	3	0	2	141
	(定点あたり)	(0.01)	(0.14)	(0.64)	(0.44)	(0.18)	(0.16)	(0.10)	(0.08)	(0.07)	(0.04)	(0.00)	(0.04)	(0.00)	(0.03)	(1.93)
	年齢構成比(%)	1%	7%	33%	23%	9%	9%	5%	4%	4%	2%	0%	2%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	6	2	2	4	4	0	1	1	1	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.08)	(0.03)	(0.03)	(0.05)	(0.05)	(0.00)	(0.01)	(0.01)	(0.01)	(0.32)
	年齢構成比(%)	0%	0%	0%	4%	4%	26%	9%	9%	17%	17%	0%	4%	4%	4%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	2	3	7	6	1	5	0	0	0	1	0	0	25
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.10)	(0.08)	(0.01)	(0.07)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.34)
	年齢構成比(%)	0%	0%	8%	12%	28%	24%	4%	20%	0%	0%	0%	4%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	0	6	11	3	1	1	3	2	1	4	35
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.08)	(0.15)	(0.04)	(0.01)	(0.01)	(0.04)	(0.03)	(0.01)	(0.05)	(0.48)
	年齢構成比(%)	0%	0%	0%	9%	0%	17%	31%	9%	3%	3%	9%	6%	3%	11%	100%
感染性胃腸炎	報告数	4	12	15	13	9	7	8	7	3	1	2	16	3	9	109
	(定点あたり)	(0.05)	(0.16)	(0.21)	(0.18)	(0.12)	(0.10)	(0.11)	(0.10)	(0.04)	(0.01)	(0.03)	(0.22)	(0.04)	(0.12)	(1.49)
	年齢構成比(%)	4%	11%	14%	12%	8%	6%	7%	6%	3%	1%	2%	15%	3%	8%	100%
水痘	報告数	1	0	5	4	6	6	5	2	1	0	0	0	0	0	30
	(定点あたり)	(0.01)	(0.00)	(0.07)	(0.05)	(0.08)	(0.08)	(0.07)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	3%	0%	17%	13%	20%	20%	17%	7%	3%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	4	0	1	1	1	1	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	20%	40%	0%	10%	10%	10%	10%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	1	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	10	9	1	0	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.14)	(0.12)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比(%)	0%	50%	45%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	6	18	17	7	4	5	5	4	2	0	1	0	0	70
	(定点あたり)	(0.01)	(0.08)	(0.25)	(0.23)	(0.10)	(0.05)	(0.07)	(0.07)	(0.05)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.96)
	年齢構成比(%)	1%	9%	26%	24%	10%	6%	7%	7%	6%	3%	0%	1%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	4	2	1	1	1	0	0	1	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	0%	0%	0%	40%	20%	10%	10%	10%	0%	0%	10%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	1	0	5	6	1	0	2	1	1	0	0	0	18
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.07)	(0.08)	(0.01)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	0%	6%	6%	0%	28%	33%	6%	0%	11%	6%	6%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	5	4	1	3	3	4	0	1	0	5	28
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.07)	(0.05)	(0.01)	(0.04)	(0.04)	(0.05)	(0.00)	(0.01)	(0.00)	(0.07)	(0.38)
	年齢構成比(%)	0%	0%	4%	4%	18%	14%	4%	11%	11%	14%	0%	4%	0%	18%	100%
感染性胃腸炎	報告数	4	7	9	9	8	4	6	6	7	3	2	7	2	20	94
	(定点あたり)	(0.05)	(0.10)	(0.12)	(0.12)	(0.11)	(0.05)	(0.08)	(0.08)	(0.10)	(0.04)	(0.03)	(0.10)	(0.03)	(0.27)	(1.29)
	年齢構成比(%)	4%	7%	10%	10%	9%	4%	6%	6%	7%	3%	2%	7%	2%	21%	100%
水痘	報告数	1	0	4	5	4	5	0	0	0	1	0	0	1	0	21
	(定点あたり)	(0.01)	(0.00)	(0.05)	(0.07)	(0.05)	(0.07)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.29)
	年齢構成比(%)	5%	0%	19%	24%	19%	24%	0%	0%	0%	5%	0%	0%	5%	0%	100%
手足口病	報告数	0	1	3	2	1	3	2	1	0	1	0	0	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.03)	(0.01)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	7%	21%	14%	7%	21%	14%	7%	0%	7%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	15	11	1	0	0	0	0	0	0	0	0	0	0	27
	(定点あたり)	(0.00)	(0.21)	(0.15)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比(%)	0%	56%	41%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	29	15	6	8	2	1	1	1	0	2	0	2	71
	(定点あたり)	(0.00)	(0.05)	(0.40)	(0.21)	(0.08)	(0.11)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.03)	(0.97)
	年齢構成比(%)	0%	6%	41%	21%	8%	11%	3%	1%	1%	1%	0%	3%	0%	3%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	2	0	1	3	3	0	1	0	1	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.04)	(0.04)	(0.00)	(0.01)	(0.00)	(0.01)	(0.18)
	年齢構成比(%)	0%	0%	0%	8%	8%	15%	0%	8%	23%	23%	0%	8%	0%	8%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。