

2012年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計	
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	67%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	2	1	1	2	1	3	0	11	
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.06)	(0.11)	(0.06)	(0.17)	(0.00)	(0.61)	
	年齢構成比(%)	0%	0%	0%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	18%	9%	9%	18%	9%	27%	0%	100%	

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	2	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.11)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	20%	20%	0%	40%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	2	0	0	1	1	1	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.33)
	年齢構成比(%)	0%	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	17%	17%	17%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	3	1	1	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	50%	17%	17%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	2	2	2	4	2	0	1	0	1	0	1	19
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.03)	(0.03)	(0.03)	(0.06)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.26)
	年齢構成比(%)	0%	0%	21%	11%	11%	11%	21%	11%	0%	5%	0%	5%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	9	7	5	3	5	2	1	7	3	13	57
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.13)	(0.10)	(0.07)	(0.04)	(0.07)	(0.03)	(0.01)	(0.10)	(0.04)	(0.18)	(0.79)
	年齢構成比(%)	0%	0%	2%	2%	16%	12%	9%	5%	9%	4%	2%	12%	5%	23%	100%
感染性胃腸炎	報告数	4	13	33	19	22	17	12	10	6	7	7	16	3	19	188
	(定点あたり)	(0.06)	(0.18)	(0.46)	(0.26)	(0.31)	(0.24)	(0.17)	(0.14)	(0.08)	(0.10)	(0.10)	(0.22)	(0.04)	(0.26)	(2.61)
	年齢構成比(%)	2%	7%	18%	10%	12%	9%	6%	5%	3%	4%	4%	9%	2%	10%	100%
水痘	報告数	3	3	3	8	6	5	8	3	0	0	0	0	0	0	39
	(定点あたり)	(0.04)	(0.04)	(0.04)	(0.11)	(0.08)	(0.07)	(0.11)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.54)
	年齢構成比(%)	8%	8%	8%	21%	15%	13%	21%	8%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	6	4	0	3	1	1	1	1	0	0	0	0	19
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.06)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	11%	32%	21%	0%	16%	5%	5%	5%	5%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	4	1	0	0	0	0	0	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	67%	17%	0%	0%	0%	0%	0%	0%	17%	0%	0%	100%
突発性発疹	報告数	0	13	19	4	1	0	0	0	0	0	0	0	0	0	37
	(定点あたり)	(0.00)	(0.18)	(0.26)	(0.06)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.51)
	年齢構成比(%)	0%	35%	51%	11%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	100%
ヘルパンギーナ	報告数	0	7	38	28	18	14	9	4	2	3	0	2	0	1	126
	(定点あたり)	(0.00)	(0.10)	(0.53)	(0.39)	(0.25)	(0.19)	(0.13)	(0.06)	(0.03)	(0.04)	(0.00)	(0.03)	(0.00)	(0.01)	(1.75)
	年齢構成比(%)	0%	6%	30%	22%	14%	11%	7%	3%	2%	2%	0%	2%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	0	4	2	0	2	5	2	0	0	1	0	1	17
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.03)	(0.00)	(0.03)	(0.07)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.24)
	年齢構成比(%)	0%	0%	0%	24%	12%	0%	12%	29%	12%	0%	0%	6%	0%	6%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	3	0	1	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	75%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	0	1	4	1	0	1	0	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.06)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	10%	10%	0%	10%	40%	10%	0%	10%	0%	10%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	5	5	2	2	3	0	0	3	2	5	27
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)	(0.07)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.04)	(0.03)	(0.07)	(0.38)
	年齢構成比(%)	0%	0%	0%	0%	19%	19%	7%	7%	11%	0%	0%	11%	7%	19%	100%
感染性胃腸炎	報告数	2	7	24	10	13	9	7	7	2	5	4	7	1	7	105
	(定点あたり)	(0.03)	(0.10)	(0.33)	(0.14)	(0.18)	(0.13)	(0.10)	(0.10)	(0.03)	(0.07)	(0.06)	(0.10)	(0.01)	(0.10)	(1.46)
	年齢構成比(%)	2%	7%	23%	10%	12%	9%	7%	7%	2%	5%	4%	7%	1%	7%	100%
水痘	報告数	1	2	3	5	5	2	5	2	0	0	0	0	0	0	25
	(定点あたり)	(0.01)	(0.03)	(0.04)	(0.07)	(0.07)	(0.03)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	4%	8%	12%	20%	20%	8%	20%	8%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	5	2	0	3	0	0	0	1	0	0	0	0	13
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	15%	38%	15%	0%	23%	0%	0%	0%	8%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	1	0	0	0	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	33%	33%	0%	0%	0%	0%	0%	0%	33%	0%	0%	100%
突発性発疹	報告数	0	8	11	3	0	0	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.00)	(0.11)	(0.15)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	36%	50%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
ヘルパンギーナ	報告数	0	4	22	14	8	5	6	1	2	1	0	1	0	1	65
	(定点あたり)	(0.00)	(0.06)	(0.31)	(0.19)	(0.11)	(0.07)	(0.08)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.90)
	年齢構成比(%)	0%	6%	34%	22%	12%	8%	9%	2%	3%	2%	0%	2%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	0	1	4	2	0	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.06)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	0%	0%	0%	11%	0%	11%	44%	22%	0%	0%	11%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	1	2	1	0	1	0	0	0	0	0	1	9
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.13)
	年齢構成比(%)	0%	0%	33%	11%	22%	11%	0%	11%	0%	0%	0%	0%	0%	11%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	4	2	3	1	2	2	1	4	1	8	30
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.06)	(0.03)	(0.04)	(0.01)	(0.03)	(0.03)	(0.01)	(0.06)	(0.01)	(0.11)	(0.42)
	年齢構成比(%)	0%	0%	3%	3%	13%	7%	10%	3%	7%	7%	3%	13%	3%	27%	100%
感染性胃腸炎	報告数	2	6	9	9	9	8	5	3	4	2	3	9	2	12	83
	(定点あたり)	(0.03)	(0.08)	(0.13)	(0.13)	(0.13)	(0.11)	(0.07)	(0.04)	(0.06)	(0.03)	(0.04)	(0.13)	(0.03)	(0.17)	(1.15)
	年齢構成比(%)	2%	7%	11%	11%	11%	10%	6%	4%	5%	2%	4%	11%	2%	14%	100%
水痘	報告数	2	1	0	3	1	3	3	1	0	0	0	0	0	0	14
	(定点あたり)	(0.03)	(0.01)	(0.00)	(0.04)	(0.01)	(0.04)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	14%	7%	0%	21%	7%	21%	21%	7%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	1	2	0	0	1	1	1	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	33%	0%	0%	17%	17%	17%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	3	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	5	8	1	1	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.07)	(0.11)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	33%	53%	7%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	3	16	14	10	9	3	3	0	2	0	1	0	0	61
	(定点あたり)	(0.00)	(0.04)	(0.22)	(0.19)	(0.14)	(0.13)	(0.04)	(0.04)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.85)
	年齢構成比(%)	0%	5%	26%	23%	16%	15%	5%	5%	0%	3%	0%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	4	1	0	1	1	0	0	0	0	0	1	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.11)
	年齢構成比(%)	0%	0%	0%	50%	13%	0%	13%	13%	0%	0%	0%	0%	0%	13%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。