

## 2012年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	1	0	0	0	7
	(定点あたり)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.18)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	43%	14%	14%	0%	0%	0%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.12)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	50%	25%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	3
	(定点あたり)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	9	1	1	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.01)	(0.01)	(0.12)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	8%	8%	69%	8%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	5	0	3	1	1	2	0	0	0	0	0	1	14
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.00)	(0.04)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.19)
	年齢構成比(%)	0%	7%	36%	0%	21%	7%	7%	14%	0%	0%	0%	0%	0%	7%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	4	4	5	4	6	3	3	2	0	15	47
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)	(0.05)	(0.07)	(0.05)	(0.08)	(0.04)	(0.04)	(0.03)	(0.00)	(0.21)	(0.64)
	年齢構成比(%)	0%	0%	0%	2%	9%	9%	11%	9%	13%	6%	6%	4%	0%	32%	100%
感染性胃腸炎	報告数	0	14	29	27	19	13	13	8	9	7	7	23	6	23	198
	(定点あたり)	(0.00)	(0.19)	(0.40)	(0.37)	(0.26)	(0.18)	(0.18)	(0.11)	(0.12)	(0.10)	(0.10)	(0.32)	(0.08)	(0.32)	(2.71)
	年齢構成比(%)	0%	7%	15%	14%	10%	7%	7%	4%	5%	4%	4%	12%	3%	12%	100%
水痘	報告数	1	1	3	9	6	5	4	4	0	1	1	1	0	1	37
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.12)	(0.08)	(0.07)	(0.05)	(0.05)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.51)
	年齢構成比(%)	3%	3%	8%	24%	16%	14%	11%	11%	0%	3%	3%	3%	0%	3%	100%
手足口病	報告数	0	4	2	4	2	4	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.05)	(0.03)	(0.05)	(0.03)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	25%	13%	25%	13%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	1	0	1	0	0	0	1	1	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	20%	0%	20%	0%	20%	0%	0%	0%	20%	20%	100%
突発性発疹	報告数	0	6	10	2	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.08)	(0.14)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	0%	33%	56%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	11	17	13	13	6	4	5	2	2	1	1	0	1	76
	(定点あたり)	(0.00)	(0.15)	(0.23)	(0.18)	(0.18)	(0.08)	(0.05)	(0.07)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(1.04)
	年齢構成比(%)	0%	14%	22%	17%	17%	8%	5%	7%	3%	3%	1%	1%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	1	1	3	3	5	3	0	1	0	0	0	1	18
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.04)	(0.07)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.25)
	年齢構成比(%)	0%	0%	6%	6%	17%	17%	28%	17%	0%	6%	0%	0%	0%	6%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	0%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	0	3	0	1	1	0	0	0	0	0	1	10
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.14)
	年齢構成比(%)	0%	0%	40%	0%	30%	0%	10%	10%	0%	0%	0%	0%	0%	10%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	2	3	4	1	2	0	1	1	0	5	20
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.05)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.07)	(0.27)
	年齢構成比(%)	0%	0%	0%	5%	10%	15%	20%	5%	10%	0%	5%	5%	0%	25%	100%
感染性胃腸炎	報告数	0	11	18	10	16	8	5	4	4	6	4	17	5	13	121
	(定点あたり)	(0.00)	(0.15)	(0.25)	(0.14)	(0.22)	(0.11)	(0.07)	(0.05)	(0.05)	(0.08)	(0.05)	(0.23)	(0.07)	(0.18)	(1.66)
	年齢構成比(%)	0%	9%	15%	8%	13%	7%	4%	3%	3%	5%	3%	14%	4%	11%	100%
水痘	報告数	0	1	2	6	6	3	2	3	0	1	0	1	0	0	25
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.08)	(0.08)	(0.04)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.34)
	年齢構成比(%)	0%	4%	8%	24%	24%	12%	8%	12%	0%	4%	0%	4%	0%	0%	100%
手足口病	報告数	0	3	2	2	2	4	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.03)	(0.03)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	23%	15%	15%	15%	31%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	0	0	1	0	0	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	33%	0%	0%	0%	33%	0%	0%	0%	33%	0%	100%
突発性発疹	報告数	0	2	7	0	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.03)	(0.10)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	22%	78%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	9	5	7	1	2	2	1	1	0	1	0	0	32
	(定点あたり)	(0.00)	(0.04)	(0.12)	(0.07)	(0.10)	(0.01)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	0%	9%	28%	16%	22%	3%	6%	6%	3%	3%	0%	3%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	2	1	4	3	0	1	0	0	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.05)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比(%)	0%	0%	0%	0%	17%	8%	33%	25%	0%	8%	0%	0%	0%	8%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	7	1	1	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.10)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	10%	70%	10%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	0	0	1	0	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	25%	0%	0%	25%	0%	25%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	2	1	1	3	4	3	2	1	0	10	27
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.04)	(0.05)	(0.04)	(0.03)	(0.01)	(0.00)	(0.14)	(0.37)
	年齢構成比(%)	0%	0%	0%	0%	7%	4%	4%	11%	15%	11%	7%	4%	0%	37%	100%
感染性胃腸炎	報告数	0	3	11	17	3	5	8	4	5	1	3	6	1	10	77
	(定点あたり)	(0.00)	(0.04)	(0.15)	(0.23)	(0.04)	(0.07)	(0.11)	(0.05)	(0.07)	(0.01)	(0.04)	(0.08)	(0.01)	(0.14)	(1.05)
	年齢構成比(%)	0%	4%	14%	22%	4%	6%	10%	5%	6%	1%	4%	8%	1%	13%	100%
水痘	報告数	1	0	1	3	0	2	2	1	0	0	1	0	0	1	12
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.04)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比(%)	8%	0%	8%	25%	0%	17%	17%	8%	0%	0%	8%	0%	0%	8%	100%
手足口病	報告数	0	1	0	2	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	0%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	1	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	50%	100%
突発性発疹	報告数	0	4	3	2	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.05)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	44%	33%	22%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	8	8	8	6	5	2	3	1	1	1	0	0	1	44
	(定点あたり)	(0.00)	(0.11)	(0.11)	(0.11)	(0.08)	(0.07)	(0.03)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.60)
	年齢構成比(%)	0%	18%	18%	18%	14%	11%	5%	7%	2%	2%	2%	0%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	1	1	1	2	1	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	17%	17%	33%	17%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。