

## 2012年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	2	0	1	0	1	0	0	0	1	0	0	0	0	0	1	0	7
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	14%	0%	29%	0%	14%	0%	14%	0%	0%	0%	14%	0%	0%	0%	0%	0%	14%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	25%	0%	25%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	25%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	33%	0%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	6	2	2	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.04)	(0.08)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	23%	46%	15%	15%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	2	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	25%	25%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	1	4	5	2	4	3	1	5	0	10	37
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.05)	(0.07)	(0.03)	(0.05)	(0.04)	(0.01)	(0.07)	(0.00)	(0.14)	(0.50)
	年齢構成比(%)	0%	0%	3%	3%	3%	11%	14%	5%	11%	8%	3%	14%	0%	27%	100%
感染性胃腸炎	報告数	7	17	23	8	19	12	11	5	3	7	1	22	2	20	157
	(定点あたり)	(0.09)	(0.23)	(0.31)	(0.11)	(0.26)	(0.16)	(0.15)	(0.07)	(0.04)	(0.09)	(0.01)	(0.30)	(0.03)	(0.27)	(2.12)
	年齢構成比(%)	4%	11%	15%	5%	12%	8%	7%	3%	2%	4%	1%	14%	1%	13%	100%
水痘	報告数	0	3	6	7	9	6	4	3	2	0	3	0	0	0	43
	(定点あたり)	(0.00)	(0.04)	(0.08)	(0.09)	(0.12)	(0.08)	(0.05)	(0.04)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.58)
	年齢構成比(%)	0%	7%	14%	16%	21%	14%	9%	7%	5%	0%	7%	0%	0%	0%	100%
手足口病	報告数	0	1	7	5	2	3	3	0	2	0	0	1	0	0	24
	(定点あたり)	(0.00)	(0.01)	(0.09)	(0.07)	(0.03)	(0.04)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.32)
	年齢構成比(%)	0%	4%	29%	21%	8%	13%	13%	0%	8%	0%	0%	4%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	16	19	0	1	0	0	0	0	0	0	0	0	0	36
	(定点あたり)	(0.00)	(0.22)	(0.26)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.49)
	年齢構成比(%)	0%	44%	53%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	2	7	16	16	5	8	2	1	2	2	1	1	0	0	63
	(定点あたり)	(0.03)	(0.09)	(0.22)	(0.22)	(0.07)	(0.11)	(0.03)	(0.01)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.85)
	年齢構成比(%)	3%	11%	25%	25%	8%	13%	3%	2%	3%	3%	2%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	0	3	1	0	3	2	3	0	0	0	0	1	14
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.00)	(0.04)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.19)
	年齢構成比(%)	0%	7%	0%	21%	7%	0%	21%	14%	21%	0%	0%	0%	0%	7%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	5	1	1	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.01)	(0.07)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	13%	63%	13%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	2	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	0	2	3	1	1	2	0	4	0	4	19
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.04)	(0.01)	(0.01)	(0.03)	(0.00)	(0.05)	(0.00)	(0.05)	(0.26)
	年齢構成比(%)	0%	0%	5%	5%	0%	11%	16%	5%	5%	11%	0%	21%	0%	21%	100%
感染性胃腸炎	報告数	2	7	8	5	14	8	3	3	1	3	0	11	1	10	76
	(定点あたり)	(0.03)	(0.09)	(0.11)	(0.07)	(0.19)	(0.11)	(0.04)	(0.04)	(0.01)	(0.04)	(0.00)	(0.15)	(0.01)	(0.14)	(1.03)
	年齢構成比(%)	3%	9%	11%	7%	18%	11%	4%	4%	1%	4%	0%	14%	1%	13%	100%
水痘	報告数	0	2	4	4	6	5	4	0	2	0	2	0	0	0	29
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.05)	(0.08)	(0.07)	(0.05)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	7%	14%	14%	21%	17%	14%	0%	7%	0%	7%	0%	0%	0%	100%
手足口病	報告数	0	1	3	4	2	2	2	0	1	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.05)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	7%	20%	27%	13%	13%	13%	0%	7%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	0	5	8	0	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.07)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	38%	62%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	6	5	7	2	4	1	1	2	2	0	0	0	0	30
	(定点あたり)	(0.00)	(0.08)	(0.07)	(0.09)	(0.03)	(0.05)	(0.01)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	0%	20%	17%	23%	7%	13%	3%	3%	7%	7%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	0	1	1	0	0	2	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	20%	0%	20%	20%	0%	0%	40%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	1	1	1	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	40%	20%	20%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	1	2	2	1	3	1	1	1	0	6	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.01)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.08)	(0.24)
	年齢構成比(%)	0%	0%	0%	0%	6%	11%	11%	6%	17%	6%	6%	6%	0%	33%	100%
感染性胃腸炎	報告数	5	10	15	3	5	4	8	2	2	4	1	11	1	10	81
	(定点あたり)	(0.07)	(0.14)	(0.20)	(0.04)	(0.07)	(0.05)	(0.11)	(0.03)	(0.03)	(0.05)	(0.01)	(0.15)	(0.01)	(0.14)	(1.09)
	年齢構成比(%)	6%	12%	19%	4%	6%	5%	10%	2%	2%	5%	1%	14%	1%	12%	100%
水痘	報告数	0	1	2	3	3	1	0	3	0	0	1	0	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.04)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	7%	14%	21%	21%	7%	0%	21%	0%	0%	7%	0%	0%	0%	100%
手足口病	報告数	0	0	4	1	0	1	1	0	1	0	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	44%	11%	0%	11%	11%	0%	11%	0%	0%	11%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	11	11	0	1	0	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.00)	(0.15)	(0.15)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	48%	48%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	2	1	11	9	3	4	1	0	0	0	1	1	0	0	33
	(定点あたり)	(0.03)	(0.01)	(0.15)	(0.12)	(0.04)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.45)
	年齢構成比(%)	6%	3%	33%	27%	9%	12%	3%	0%	0%	0%	3%	3%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	0	0	3	0	3	0	0	0	0	1	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.04)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.12)
	年齢構成比(%)	0%	0%	0%	22%	0%	0%	33%	0%	33%	0%	0%	0%	0%	11%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。