

## 2012年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	6	1	0	1	1	0	10
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.63)
	年齢構成比(%)	0%	0%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	60%	10%	0%	10%	10%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	1	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.38)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	17%	0%	17%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.25)
	年齢構成比(%)	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	25%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	3	8	1	0	1	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.03)	(0.04)	(0.11)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	13%	20%	53%	7%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	1	1	2	1	0	0	1	1	2	0	0	12
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	8%	17%	8%	8%	17%	8%	0%	0%	8%	8%	17%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	5	2	6	9	0	4	4	0	3	2	10	45
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.07)	(0.03)	(0.08)	(0.12)	(0.00)	(0.05)	(0.05)	(0.00)	(0.04)	(0.03)	(0.13)	(0.60)
	年齢構成比(%)	0%	0%	0%	11%	4%	13%	20%	0%	9%	9%	0%	7%	4%	22%	100%
感染性胃腸炎	報告数	3	18	32	21	28	20	13	10	12	12	9	28	9	33	248
	(定点あたり)	(0.04)	(0.24)	(0.43)	(0.28)	(0.37)	(0.27)	(0.17)	(0.13)	(0.16)	(0.16)	(0.12)	(0.37)	(0.12)	(0.44)	(3.31)
	年齢構成比(%)	1%	7%	13%	8%	11%	8%	5%	4%	5%	5%	4%	11%	4%	13%	100%
水痘	報告数	0	1	2	5	3	3	1	3	0	0	0	0	0	2	20
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.07)	(0.04)	(0.04)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.27)
	年齢構成比(%)	0%	5%	10%	25%	15%	15%	5%	15%	0%	0%	0%	0%	0%	10%	100%
手足口病	報告数	0	0	2	0	1	1	1	2	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	29%	0%	14%	14%	14%	29%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	10	13	2	0	0	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.01)	(0.13)	(0.17)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	4%	38%	50%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	11	15	5	2	2	3	2	0	0	0	1	0	44
	(定点あたり)	(0.00)	(0.04)	(0.15)	(0.20)	(0.07)	(0.03)	(0.03)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.59)
	年齢構成比(%)	0%	7%	25%	34%	11%	5%	5%	7%	5%	0%	0%	0%	2%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	2	2	1	2	0	1	0	0	1	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.13)
	年齢構成比(%)	0%	0%	0%	0%	10%	20%	20%	10%	20%	0%	10%	0%	0%	10%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	5	1	0	1	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	13%	63%	13%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	1	2	1	0	0	0	1	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	14%	0%	14%	29%	14%	0%	0%	0%	14%	14%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	2	2	6	0	3	1	0	1	1	4	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.03)	(0.08)	(0.00)	(0.04)	(0.01)	(0.00)	(0.01)	(0.01)	(0.05)	(0.31)
	年齢構成比(%)	0%	0%	0%	13%	9%	9%	26%	0%	13%	4%	0%	4%	4%	17%	100%
感染性胃腸炎	報告数	2	9	19	13	16	7	9	6	8	4	4	15	4	9	125
	(定点あたり)	(0.03)	(0.12)	(0.25)	(0.17)	(0.21)	(0.09)	(0.12)	(0.08)	(0.11)	(0.05)	(0.05)	(0.20)	(0.05)	(0.12)	(1.67)
	年齢構成比(%)	2%	7%	15%	10%	13%	6%	7%	5%	6%	3%	3%	12%	3%	7%	100%
水痘	報告数	0	1	2	3	2	2	1	2	0	0	0	0	0	2	15
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.03)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.20)
	年齢構成比(%)	0%	7%	13%	20%	13%	13%	7%	13%	0%	0%	0%	0%	0%	13%	100%
手足口病	報告数	0	0	1	0	1	0	1	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	25%	0%	25%	0%	25%	25%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	6	10	2	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.01)	(0.08)	(0.13)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	5%	32%	53%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	4	6	2	2	1	1	1	0	0	0	1	0	20
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.08)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.27)
	年齢構成比(%)	0%	10%	20%	30%	10%	10%	5%	5%	5%	0%	0%	0%	5%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	1	1	0	1	0	1	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	20%	20%	20%	0%	20%	0%	20%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	2	3	0	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	29%	29%	43%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	1	0	0	0	0	0	1	0	1	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	20%	20%	20%	0%	0%	0%	0%	0%	20%	0%	20%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	0	4	3	0	1	3	0	2	1	6	22
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.05)	(0.04)	(0.00)	(0.01)	(0.04)	(0.00)	(0.03)	(0.01)	(0.08)	(0.29)
	年齢構成比(%)	0%	0%	0%	9%	0%	18%	14%	0%	5%	14%	0%	9%	5%	27%	100%
感染性胃腸炎	報告数	1	9	13	8	12	13	4	4	4	8	5	13	5	24	123
	(定点あたり)	(0.01)	(0.12)	(0.17)	(0.11)	(0.16)	(0.17)	(0.05)	(0.05)	(0.05)	(0.11)	(0.07)	(0.17)	(0.07)	(0.32)	(1.64)
	年齢構成比(%)	1%	7%	11%	7%	10%	11%	3%	3%	3%	7%	4%	11%	4%	20%	100%
水痘	報告数	0	0	0	2	1	1	0	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	40%	20%	20%	0%	20%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	1	0	0	1	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	0%	0%	33%	0%	33%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	0	4	3	0	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.05)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	57%	43%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	7	9	3	0	1	2	1	0	0	0	0	0	24
	(定点あたり)	(0.00)	(0.01)	(0.09)	(0.12)	(0.04)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比(%)	0%	4%	29%	38%	13%	0%	4%	8%	4%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	1	1	1	0	0	0	0	1	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	0%	20%	20%	20%	20%	0%	0%	0%	0%	20%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。