

2012年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	3	0	0	0	0	0	0	1	1	2	2	1	0	1	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.11)	(0.11)	(0.06)	(0.00)	(0.06)	(0.00)	(0.61)
	年齢構成比(%)	0%	0%	0%	0%	0%	27%	0%	0%	0%	0%	0%	0%	9%	9%	18%	18%	9%	0%	9%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	25%	0%	25%	25%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	2	0	0	0	0	0	0	0	1	1	1	1	0	1	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	0%	0%	0%	29%	0%	0%	0%	0%	0%	0%	0%	14%	14%	14%	14%	0%	14%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	11	13	26	4	1	1	1	0	0	0	0	0	0	0	57
	(定点あたり)	(0.15)	(0.17)	(0.35)	(0.05)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.76)
	年齢構成比(%)	19%	23%	46%	7%	2%	2%	2%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	1	1	1	3	2	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	10%	10%	10%	10%	10%	30%	20%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	2	6	3	8	6	5	2	5	2	8	51
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.08)	(0.04)	(0.11)	(0.08)	(0.07)	(0.03)	(0.07)	(0.03)	(0.11)	(0.68)
	年齢構成比(%)	0%	0%	2%	6%	4%	12%	6%	16%	12%	10%	4%	10%	4%	16%	100%
感染性胃腸炎	報告数	6	24	35	20	16	17	9	10	8	13	10	24	5	22	219
	(定点あたり)	(0.08)	(0.32)	(0.47)	(0.27)	(0.21)	(0.23)	(0.12)	(0.13)	(0.11)	(0.17)	(0.13)	(0.32)	(0.07)	(0.29)	(2.92)
	年齢構成比(%)	3%	11%	16%	9%	7%	8%	4%	5%	4%	6%	5%	11%	2%	10%	100%
水痘	報告数	0	1	3	7	6	3	0	1	1	0	0	0	0	0	22
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.09)	(0.08)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	5%	14%	32%	27%	14%	0%	5%	5%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	3	9	1	1	2	1	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.04)	(0.12)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	18%	53%	6%	6%	12%	6%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	11	17	3	0	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.00)	(0.15)	(0.23)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	0%	35%	55%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	12	6	2	2	2	0	1	0	0	0	0	0	27
	(定点あたり)	(0.00)	(0.03)	(0.16)	(0.08)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	0%	7%	44%	22%	7%	7%	7%	0%	4%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	5	1	4	1	0	1	3	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)	(0.01)	(0.05)	(0.01)	(0.00)	(0.01)	(0.04)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	0%	0%	0%	0%	33%	7%	27%	7%	0%	7%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	6	8	14	3	1	0	0	0	0	0	0	0	0	0	32
	(定点あたり)	(0.08)	(0.11)	(0.19)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	19%	25%	44%	9%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	1	1	1	1	2	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	17%	17%	17%	17%	33%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	0	3	2	6	5	3	1	3	2	4	30
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.03)	(0.08)	(0.07)	(0.04)	(0.01)	(0.04)	(0.03)	(0.05)	(0.40)
	年齢構成比(%)	0%	0%	0%	3%	0%	10%	7%	20%	17%	10%	3%	10%	7%	13%	100%
感染性胃腸炎	報告数	1	15	19	9	10	8	6	7	6	5	5	15	1	8	115
	(定点あたり)	(0.01)	(0.20)	(0.25)	(0.12)	(0.13)	(0.11)	(0.08)	(0.09)	(0.08)	(0.07)	(0.07)	(0.20)	(0.01)	(0.11)	(1.53)
	年齢構成比(%)	1%	13%	17%	8%	9%	7%	5%	6%	5%	4%	4%	13%	1%	7%	100%
水痘	報告数	0	1	1	1	4	2	0	0	1	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.05)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	10%	10%	10%	40%	20%	0%	0%	10%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	7	1	0	0	1	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.03)	(0.09)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	18%	64%	9%	0%	0%	9%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	0	8	9	2	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.11)	(0.12)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	0%	42%	47%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	6	2	1	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	10%	60%	20%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	3	1	0	1	2	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	13%	0%	38%	13%	0%	13%	25%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	5	12	1	0	1	1	0	0	0	0	0	0	0	25
	(定点あたり)	(0.07)	(0.07)	(0.16)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	20%	20%	48%	4%	0%	4%	4%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	0	0	0	2	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	25%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	2	3	1	2	1	2	1	2	0	4	21
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.04)	(0.01)	(0.03)	(0.01)	(0.03)	(0.01)	(0.03)	(0.00)	(0.05)	(0.28)
	年齢構成比(%)	0%	0%	5%	10%	10%	14%	5%	10%	5%	10%	5%	10%	0%	19%	100%
感染性胃腸炎	報告数	5	9	16	11	6	9	3	3	2	8	5	9	4	14	104
	(定点あたり)	(0.07)	(0.12)	(0.21)	(0.15)	(0.08)	(0.12)	(0.04)	(0.04)	(0.03)	(0.11)	(0.07)	(0.12)	(0.05)	(0.19)	(1.39)
	年齢構成比(%)	5%	9%	15%	11%	6%	9%	3%	3%	2%	8%	5%	9%	4%	13%	100%
水痘	報告数	0	0	2	6	2	1	0	1	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.08)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	17%	50%	17%	8%	0%	8%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	2	0	1	2	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	17%	33%	0%	17%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	3	8	1	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.04)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	25%	67%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	6	4	1	2	2	0	1	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.05)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	6%	35%	24%	6%	12%	12%	0%	6%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	4	1	1	0	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	0%	0%	57%	14%	14%	0%	0%	0%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。