

2012年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	2	1	0	0	0	0	0	2	0	0	1	2	4	2	0	1	1	0	16
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.06)	(0.11)	(0.22)	(0.11)	(0.00)	(0.06)	(0.06)	(0.00)	(0.89)
	年齢構成比(%)	0%	0%	13%	6%	0%	0%	0%	0%	0%	13%	0%	0%	6%	13%	25%	13%	0%	6%	6%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	2	1	0	0	0	0	0	0	0	0	1	1	1	2	0	0	1	0	9
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.11)	(0.00)	(0.00)	(0.06)	(0.00)	(0.50)
	年齢構成比(%)	0%	0%	22%	11%	0%	0%	0%	0%	0%	0%	0%	0%	11%	11%	11%	22%	0%	0%	11%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	2	0	0	0	1	3	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.06)	(0.17)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	29%	0%	0%	0%	14%	43%	0%	0%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	16	20	11	3	1	1	0	0	0	0	0	0	0	57
	(定点あたり)	(0.07)	(0.22)	(0.27)	(0.15)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.77)
	年齢構成比(%)	9%	28%	35%	19%	5%	2%	2%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	2	1	3	2	0	1	0	1	1	0	0	0	13
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.01)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	15%	15%	8%	23%	15%	0%	8%	0%	8%	8%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	3	3	3	3	2	1	2	4	2	7	32
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.04)	(0.04)	(0.04)	(0.03)	(0.01)	(0.03)	(0.05)	(0.03)	(0.09)	(0.43)
	年齢構成比(%)	0%	0%	0%	6%	9%	9%	9%	9%	6%	3%	6%	13%	6%	22%	100%
感染性胃腸炎	報告数	4	12	26	9	10	10	5	6	4	9	4	20	2	18	139
	(定点あたり)	(0.05)	(0.16)	(0.35)	(0.12)	(0.14)	(0.14)	(0.07)	(0.08)	(0.05)	(0.12)	(0.05)	(0.27)	(0.03)	(0.24)	(1.88)
	年齢構成比(%)	3%	9%	19%	6%	7%	7%	4%	4%	3%	6%	3%	14%	1%	13%	100%
水痘	報告数	0	2	7	8	5	2	3	2	0	1	0	2	0	0	32
	(定点あたり)	(0.00)	(0.03)	(0.09)	(0.11)	(0.07)	(0.03)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	0%	6%	22%	25%	16%	6%	9%	6%	0%	3%	0%	6%	0%	0%	100%
手足口病	報告数	0	4	8	1	0	1	0	0	0	1	1	0	0	1	17
	(定点あたり)	(0.00)	(0.05)	(0.11)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.23)
	年齢構成比(%)	0%	24%	47%	6%	0%	6%	0%	0%	0%	6%	6%	0%	0%	6%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	11	18	2	0	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.00)	(0.15)	(0.24)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比(%)	0%	35%	58%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	7	3	1	2	0	2	3	0	1	0	0	0	21
	(定点あたり)	(0.00)	(0.03)	(0.09)	(0.04)	(0.01)	(0.03)	(0.00)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	10%	33%	14%	5%	10%	0%	10%	14%	0%	5%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	1	3	1	1	2	1	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.04)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	9%	0%	9%	9%	27%	9%	9%	18%	9%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	10	9	5	3	0	0	0	0	0	0	0	0	0	29
	(定点あたり)	(0.03)	(0.14)	(0.12)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	7%	34%	31%	17%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	1	0	2	1	0	0	0	1	1	0	0	0	8
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	25%	13%	0%	25%	13%	0%	0%	0%	13%	13%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	2	3	1	2	1	0	1	2	1	2	16
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.22)
	年齢構成比(%)	0%	0%	0%	6%	13%	19%	6%	13%	6%	0%	6%	13%	6%	13%	100%
感染性胃腸炎	報告数	1	5	16	5	9	4	3	4	3	4	0	15	1	8	78
	(定点あたり)	(0.01)	(0.07)	(0.22)	(0.07)	(0.12)	(0.05)	(0.04)	(0.05)	(0.04)	(0.05)	(0.00)	(0.20)	(0.01)	(0.11)	(1.05)
	年齢構成比(%)	1%	6%	21%	6%	12%	5%	4%	5%	4%	5%	0%	19%	1%	10%	100%
水痘	報告数	0	1	4	4	4	1	0	0	0	0	0	1	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.05)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	7%	27%	27%	27%	7%	0%	0%	0%	0%	0%	7%	0%	0%	100%
手足口病	報告数	0	2	4	1	0	1	0	0	0	1	0	0	0	0	9
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	22%	44%	11%	0%	11%	0%	0%	0%	11%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	0	6	8	1	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.08)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	40%	53%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	2	1	0	1	0	2	2	0	1	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	10%	20%	10%	0%	10%	0%	20%	20%	0%	10%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	0	3	1	1	2	1	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	10%	0%	10%	0%	30%	10%	10%	20%	10%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	6	11	6	0	1	1	0	0	0	0	0	0	0	28
	(定点あたり)	(0.04)	(0.08)	(0.15)	(0.08)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比(%)	11%	21%	39%	21%	0%	4%	4%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	1	1	0	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	20%	20%	20%	0%	20%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	1	0	2	1	1	1	1	2	1	5	16
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.07)	(0.22)
	年齢構成比(%)	0%	0%	0%	6%	6%	0%	13%	6%	6%	6%	6%	13%	6%	31%	100%
感染性胃腸炎	報告数	3	7	10	4	1	6	2	2	1	5	4	5	1	10	61
	(定点あたり)	(0.04)	(0.09)	(0.14)	(0.05)	(0.01)	(0.08)	(0.03)	(0.03)	(0.01)	(0.07)	(0.05)	(0.07)	(0.01)	(0.14)	(0.82)
	年齢構成比(%)	5%	11%	16%	7%	2%	10%	3%	3%	2%	8%	7%	8%	2%	16%	100%
水痘	報告数	0	1	3	4	1	1	3	2	0	1	0	1	0	0	17
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.05)	(0.01)	(0.01)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	6%	18%	24%	6%	6%	18%	12%	0%	6%	0%	6%	0%	0%	100%
手足口病	報告数	0	2	4	0	0	0	0	0	0	0	1	0	0	1	8
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.11)
	年齢構成比(%)	0%	25%	50%	0%	0%	0%	0%	0%	0%	0%	13%	0%	0%	13%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	5	10	1	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.07)	(0.14)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	31%	63%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	5	2	1	1	0	0	1	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	9%	45%	18%	9%	9%	0%	0%	9%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。