

## 2012年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	1	1	1	0	1	0	1	2	0	0	2	2	5	1	0	1	0	0	19
	(定点あたり)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.12)	(0.00)	(0.00)	(0.12)	(0.12)	(0.29)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(1.12)
	年齢構成比(%)	0%	5%	5%	5%	5%	0%	5%	0%	5%	11%	0%	0%	11%	11%	26%	5%	0%	5%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	1	0	0	1	0	0	0	1	2	1	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.12)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.47)
	年齢構成比(%)	0%	0%	0%	13%	0%	0%	13%	0%	0%	13%	0%	0%	0%	13%	25%	13%	0%	13%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	1	0	1	0	0	0	1	1	0	0	2	1	3	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.12)	(0.06)	(0.18)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.65)
	年齢構成比(%)	0%	9%	9%	0%	9%	0%	0%	0%	9%	9%	0%	0%	18%	9%	27%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	12	19	40	12	5	0	1	0	0	0	1	0	0	0	90
	(定点あたり)	(0.16)	(0.26)	(0.55)	(0.16)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(1.23)
	年齢構成比(%)	13%	21%	44%	13%	6%	0%	1%	0%	0%	0%	1%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	8	4	6	4	1	4	2	5	2	12	50
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.11)	(0.05)	(0.08)	(0.05)	(0.01)	(0.05)	(0.03)	(0.07)	(0.03)	(0.16)	(0.68)
	年齢構成比(%)	0%	0%	2%	2%	16%	8%	12%	8%	2%	8%	4%	10%	4%	24%	100%
感染性胃腸炎	報告数	3	16	22	19	22	11	15	10	7	11	6	18	5	20	185
	(定点あたり)	(0.04)	(0.22)	(0.30)	(0.26)	(0.30)	(0.15)	(0.21)	(0.14)	(0.10)	(0.15)	(0.08)	(0.25)	(0.07)	(0.27)	(2.53)
	年齢構成比(%)	2%	9%	12%	10%	12%	6%	8%	5%	4%	6%	3%	10%	3%	11%	100%
水痘	報告数	1	1	3	8	4	3	3	2	1	0	1	0	0	0	27
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.11)	(0.05)	(0.04)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比(%)	4%	4%	11%	30%	15%	11%	11%	7%	4%	0%	4%	0%	0%	0%	100%
手足口病	報告数	0	1	7	3	1	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.01)	(0.10)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	8%	58%	25%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	3	13	12	1	0	0	0	0	0	0	0	0	0	0	29
	(定点あたり)	(0.04)	(0.18)	(0.16)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.40)
	年齢構成比(%)	10%	45%	41%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	0	3	3	4	4	1	0	0	0	0	0	0	1	17
	(定点あたり)	(0.01)	(0.00)	(0.04)	(0.04)	(0.05)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.23)
	年齢構成比(%)	6%	0%	18%	18%	24%	24%	6%	0%	0%	0%	0%	0%	0%	6%	100%
流行性耳下腺炎	報告数	0	0	2	1	2	2	6	0	0	1	1	2	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.03)	(0.08)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	0%	12%	6%	12%	12%	35%	0%	0%	6%	6%	12%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	8	13	27	7	3	0	0	0	0	0	0	0	0	0	58
	(定点あたり)	(0.11)	(0.18)	(0.37)	(0.10)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.79)
	年齢構成比(%)	14%	22%	47%	12%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	6	2	3	3	0	3	0	2	1	5	26
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.08)	(0.03)	(0.04)	(0.04)	(0.00)	(0.04)	(0.00)	(0.03)	(0.01)	(0.07)	(0.36)
	年齢構成比(%)	0%	0%	0%	4%	23%	8%	12%	12%	0%	12%	0%	8%	4%	19%	100%
感染性胃腸炎	報告数	2	4	14	10	13	9	3	6	6	6	3	8	4	7	95
	(定点あたり)	(0.03)	(0.05)	(0.19)	(0.14)	(0.18)	(0.12)	(0.04)	(0.08)	(0.08)	(0.08)	(0.04)	(0.11)	(0.05)	(0.10)	(1.30)
	年齢構成比(%)	2%	4%	15%	11%	14%	9%	3%	6%	6%	6%	3%	8%	4%	7%	100%
水痘	報告数	1	0	0	3	2	0	0	2	1	0	1	0	0	0	10
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.04)	(0.03)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	10%	0%	0%	30%	20%	0%	0%	20%	10%	0%	10%	0%	0%	0%	100%
手足口病	報告数	0	0	3	2	1	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	50%	33%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	1	4	7	0	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.01)	(0.05)	(0.10)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	8%	33%	58%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	2	3	3	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	20%	20%	30%	30%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	0	0	2	4	0	0	1	0	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	20%	0%	0%	20%	40%	0%	0%	10%	0%	10%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	6	13	5	2	0	1	0	0	0	1	0	0	0	32
	(定点あたり)	(0.05)	(0.08)	(0.18)	(0.07)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	13%	19%	41%	16%	6%	0%	3%	0%	0%	0%	3%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	2	2	3	1	1	1	2	3	1	7	24
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.04)	(0.01)	(0.01)	(0.01)	(0.03)	(0.04)	(0.01)	(0.10)	(0.33)
	年齢構成比(%)	0%	0%	4%	0%	8%	8%	13%	4%	4%	4%	8%	13%	4%	29%	100%
感染性胃腸炎	報告数	1	12	8	9	9	2	12	4	1	5	3	10	1	13	90
	(定点あたり)	(0.01)	(0.16)	(0.11)	(0.12)	(0.12)	(0.03)	(0.16)	(0.05)	(0.01)	(0.07)	(0.04)	(0.14)	(0.01)	(0.18)	(1.23)
	年齢構成比(%)	1%	13%	9%	10%	10%	2%	13%	4%	1%	6%	3%	11%	1%	14%	100%
水痘	報告数	0	1	3	5	2	3	3	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.07)	(0.03)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	6%	18%	29%	12%	18%	18%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	4	1	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	17%	67%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	2	9	5	1	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.03)	(0.12)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	12%	53%	29%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	0	1	1	1	1	1	0	0	0	0	0	0	1	7
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.10)
	年齢構成比(%)	14%	0%	14%	14%	14%	14%	14%	0%	0%	0%	0%	0%	0%	14%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	0	2	0	0	0	1	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	0%	14%	29%	0%	29%	0%	0%	0%	14%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。