

2012年 第41週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	3	0	1	0	0	0	0	0	0	1	1	2	1	0	0	1	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.17)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.11)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.56)
	年齢構成比(%)	0%	0%	0%	30%	0%	10%	0%	0%	0%	0%	0%	0%	10%	10%	20%	10%	0%	0%	10%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	3	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.17)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	60%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	20%	20%	20%	0%	0%	20%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第41週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	8	18	25	7	3	2	0	0	0	0	0	0	0	0	63
	(定点あたり)	(0.11)	(0.25)	(0.34)	(0.10)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.86)
	年齢構成比(%)	13%	29%	40%	11%	5%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	1	2	3	8	8	7	3	3	8	4	10	59
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.04)	(0.11)	(0.11)	(0.10)	(0.04)	(0.04)	(0.11)	(0.05)	(0.14)	(0.81)
	年齢構成比(%)	0%	0%	3%	2%	3%	5%	14%	14%	12%	5%	5%	14%	7%	17%	100%
感染性胃腸炎	報告数	6	14	29	25	21	20	9	8	8	10	6	14	5	26	201
	(定点あたり)	(0.08)	(0.19)	(0.40)	(0.34)	(0.29)	(0.27)	(0.12)	(0.11)	(0.11)	(0.14)	(0.08)	(0.19)	(0.07)	(0.36)	(2.75)
	年齢構成比(%)	3%	7%	14%	12%	10%	10%	4%	4%	4%	5%	3%	7%	2%	13%	100%
水痘	報告数	0	1	7	7	4	5	5	2	1	0	0	0	0	0	32
	(定点あたり)	(0.00)	(0.01)	(0.10)	(0.10)	(0.05)	(0.07)	(0.07)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	0%	3%	22%	22%	13%	16%	16%	6%	3%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	3	5	3	1	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.07)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	14%	21%	36%	21%	7%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	3	0	0	0	1	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	75%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	2	12	11	3	0	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.03)	(0.16)	(0.15)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比(%)	7%	43%	39%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	2	6	2	0	0	2	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.08)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	8%	15%	46%	15%	0%	0%	15%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	0	1	1	0	0	0	1	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	33%	0%	17%	17%	0%	0%	0%	17%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第41週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	6	11	11	3	2	2	0	0	0	0	0	0	0	0	35
	(定点あたり)	(0.08)	(0.15)	(0.15)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.48)
	年齢構成比(%)	17%	31%	31%	9%	6%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	1	1	4	5	3	1	1	7	3	4	31
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.05)	(0.07)	(0.04)	(0.01)	(0.01)	(0.10)	(0.04)	(0.05)	(0.42)
	年齢構成比(%)	0%	0%	3%	0%	3%	3%	13%	16%	10%	3%	3%	23%	10%	13%	100%
感染性胃腸炎	報告数	3	5	17	12	15	15	4	5	6	6	5	8	3	11	115
	(定点あたり)	(0.04)	(0.07)	(0.23)	(0.16)	(0.21)	(0.21)	(0.05)	(0.07)	(0.08)	(0.08)	(0.07)	(0.11)	(0.04)	(0.15)	(1.58)
	年齢構成比(%)	3%	4%	15%	10%	13%	13%	3%	4%	5%	5%	4%	7%	3%	10%	100%
水痘	報告数	0	1	3	4	2	2	5	2	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.05)	(0.03)	(0.03)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	5%	16%	21%	11%	11%	26%	11%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	2	2	1	1	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	14%	29%	29%	14%	14%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	2	5	6	2	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.03)	(0.07)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	13%	33%	40%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	1	2	1	0	0	1	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	17%	17%	33%	17%	0%	0%	17%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	0	0	0	0	0	1	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第41週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	7	14	4	1	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.03)	(0.10)	(0.19)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比(%)	7%	25%	50%	14%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	1	2	4	3	4	2	2	1	1	6	28
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.05)	(0.04)	(0.05)	(0.03)	(0.03)	(0.01)	(0.01)	(0.08)	(0.38)
	年齢構成比(%)	0%	0%	4%	4%	4%	7%	14%	11%	14%	7%	7%	4%	4%	21%	100%
感染性胃腸炎	報告数	3	9	12	13	6	5	5	3	2	4	1	6	2	15	86
	(定点あたり)	(0.04)	(0.12)	(0.16)	(0.18)	(0.08)	(0.07)	(0.07)	(0.04)	(0.03)	(0.05)	(0.01)	(0.08)	(0.03)	(0.21)	(1.18)
	年齢構成比(%)	3%	10%	14%	15%	7%	6%	6%	3%	2%	5%	1%	7%	2%	17%	100%
水痘	報告数	0	0	4	3	2	3	0	0	1	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.03)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	31%	23%	15%	23%	0%	0%	8%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	1	3	2	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	14%	14%	43%	29%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	2	0	0	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	67%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	7	5	1	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.10)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	54%	38%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	4	1	0	0	1	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	14%	57%	14%	0%	0%	14%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	1	1	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	33%	0%	33%	33%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。