

## 2012年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	1	0	0	0	1	0	0	1	0	5	2	1	0	0	1	0	13
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.31)	(0.13)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.81)
	年齢構成比(%)	0%	0%	8%	0%	8%	0%	0%	0%	8%	0%	0%	8%	0%	38%	15%	8%	0%	0%	8%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.25)
	年齢構成比(%)	0%	0%	25%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	25%	0%	0%	0%	25%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	1	0	5	1	1	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.31)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.56)
	年齢構成比(%)	0%	0%	0%	0%	11%	0%	0%	0%	0%	0%	0%	11%	0%	56%	11%	11%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	11	16	35	6	2	4	1	0	0	0	0	0	0	0	75
	(定点あたり)	(0.15)	(0.22)	(0.49)	(0.08)	(0.03)	(0.06)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.04)
	年齢構成比(%)	15%	21%	47%	8%	3%	5%	1%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	1	1	1	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	0%	20%	20%	20%	20%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	4	3	3	4	3	8	12	7	10	2	6	2	6	70
	(定点あたり)	(0.00)	(0.06)	(0.04)	(0.04)	(0.06)	(0.04)	(0.11)	(0.17)	(0.10)	(0.14)	(0.03)	(0.08)	(0.03)	(0.08)	(0.97)
	年齢構成比(%)	0%	6%	4%	4%	6%	4%	11%	17%	10%	14%	3%	9%	3%	9%	100%
感染性胃腸炎	報告数	5	22	34	30	23	16	16	12	7	8	5	16	6	31	231
	(定点あたり)	(0.07)	(0.31)	(0.47)	(0.42)	(0.32)	(0.22)	(0.22)	(0.17)	(0.10)	(0.11)	(0.07)	(0.22)	(0.08)	(0.43)	(3.21)
	年齢構成比(%)	2%	10%	15%	13%	10%	7%	7%	5%	3%	3%	2%	7%	3%	13%	100%
水痘	報告数	0	2	6	6	2	4	5	0	1	0	0	0	0	1	27
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.08)	(0.03)	(0.06)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.38)
	年齢構成比(%)	0%	7%	22%	22%	7%	15%	19%	0%	4%	0%	0%	0%	0%	4%	100%
手足口病	報告数	0	2	2	2	1	3	1	1	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.03)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	17%	17%	17%	8%	25%	8%	8%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	15	16	1	0	0	0	0	0	0	0	0	0	0	32
	(定点あたり)	(0.00)	(0.21)	(0.22)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	0%	47%	50%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	1	1	1	0	2	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	20%	20%	20%	0%	40%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	0	2	0	4	3	0	0	1	0	1	14
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.06)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.19)
	年齢構成比(%)	0%	0%	7%	14%	0%	14%	0%	29%	21%	0%	0%	7%	0%	7%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	7	8	15	3	1	2	0	0	0	0	0	0	0	0	36
	(定点あたり)	(0.10)	(0.11)	(0.21)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	19%	22%	42%	8%	3%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	1	3	2	1	3	6	5	1	1	3	1	3	32
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.04)	(0.03)	(0.01)	(0.04)	(0.08)	(0.07)	(0.01)	(0.01)	(0.04)	(0.01)	(0.04)	(0.44)
	年齢構成比(%)	0%	6%	3%	9%	6%	3%	9%	19%	16%	3%	3%	9%	3%	9%	100%
感染性胃腸炎	報告数	3	11	18	15	11	7	10	7	4	6	3	8	1	14	118
	(定点あたり)	(0.04)	(0.15)	(0.25)	(0.21)	(0.15)	(0.10)	(0.14)	(0.10)	(0.06)	(0.08)	(0.04)	(0.11)	(0.01)	(0.19)	(1.64)
	年齢構成比(%)	3%	9%	15%	13%	9%	6%	8%	6%	3%	5%	3%	7%	1%	12%	100%
水痘	報告数	0	0	3	3	1	2	3	0	1	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.04)	(0.01)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	23%	23%	8%	15%	23%	0%	8%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	1	2	0	3	1	1	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	11%	11%	22%	0%	33%	11%	11%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	0	7	6	0	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.10)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	54%	46%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	1	0	1	0	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	33%	0%	33%	0%	33%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	2	0	2	1	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	0%	14%	0%	29%	0%	29%	14%	0%	0%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	8	20	3	1	2	1	0	0	0	0	0	0	0	39
	(定点あたり)	(0.06)	(0.11)	(0.28)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.54)
	年齢構成比(%)	10%	21%	51%	8%	3%	5%	3%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	0	1	1	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	0%	0%	33%	33%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	2	0	2	2	5	6	2	9	1	3	1	3	38
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.00)	(0.03)	(0.03)	(0.07)	(0.08)	(0.03)	(0.13)	(0.01)	(0.04)	(0.01)	(0.04)	(0.53)
	年齢構成比(%)	0%	5%	5%	0%	5%	5%	13%	16%	5%	24%	3%	8%	3%	8%	100%
感染性胃腸炎	報告数	2	11	16	15	12	9	6	5	3	2	2	8	5	17	113
	(定点あたり)	(0.03)	(0.15)	(0.22)	(0.21)	(0.17)	(0.13)	(0.08)	(0.07)	(0.04)	(0.03)	(0.03)	(0.11)	(0.07)	(0.24)	(1.57)
	年齢構成比(%)	2%	10%	14%	13%	11%	8%	5%	4%	3%	2%	2%	7%	4%	15%	100%
水痘	報告数	0	2	3	3	1	2	2	0	0	0	0	0	0	1	14
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.04)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.19)
	年齢構成比(%)	0%	14%	21%	21%	7%	14%	14%	0%	0%	0%	0%	0%	0%	7%	100%
手足口病	報告数	0	1	1	0	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	8	10	1	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.11)	(0.14)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	42%	53%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	0	0	0	2	2	0	0	0	0	1	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.10)
	年齢構成比(%)	0%	0%	14%	14%	0%	0%	0%	29%	29%	0%	0%	0%	0%	14%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。