

2012年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	2	2	5	1	0	0	2	0	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.28)	(0.06)	(0.00)	(0.00)	(0.11)	(0.00)	(0.72)
	年齢構成比(%)	0%	0%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%	15%	15%	38%	8%	0%	0%	15%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	1	1	4	0	0	0	1	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.22)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.44)
	年齢構成比(%)	0%	0%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%	13%	13%	50%	0%	0%	0%	13%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	20%	20%	20%	0%	0%	20%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	9	22	28	17	0	1	0	0	0	0	0	0	0	0	77
	(定点あたり)	(0.12)	(0.30)	(0.38)	(0.23)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.05)
	年齢構成比(%)	12%	29%	36%	22%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	2	2	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	0%	40%	40%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	6	11	3	10	7	6	6	8	2	6	66
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.08)	(0.15)	(0.04)	(0.14)	(0.10)	(0.08)	(0.08)	(0.11)	(0.03)	(0.08)	(0.90)
	年齢構成比(%)	0%	0%	2%	0%	9%	17%	5%	15%	11%	9%	9%	12%	3%	9%	100%
感染性胃腸炎	報告数	3	24	43	28	25	25	16	13	16	15	12	30	7	40	297
	(定点あたり)	(0.04)	(0.33)	(0.59)	(0.38)	(0.34)	(0.34)	(0.22)	(0.18)	(0.22)	(0.21)	(0.16)	(0.41)	(0.10)	(0.55)	(4.07)
	年齢構成比(%)	1%	8%	14%	9%	8%	8%	5%	4%	5%	5%	4%	10%	2%	13%	100%
水痘	報告数	1	3	4	9	13	6	4	2	4	0	0	0	0	1	47
	(定点あたり)	(0.01)	(0.04)	(0.05)	(0.12)	(0.18)	(0.08)	(0.05)	(0.03)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.64)
	年齢構成比(%)	2%	6%	9%	19%	28%	13%	9%	4%	9%	0%	0%	0%	0%	2%	100%
手足口病	報告数	0	3	4	7	2	4	1	0	1	0	0	0	0	1	23
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.10)	(0.03)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.32)
	年齢構成比(%)	0%	13%	17%	30%	9%	17%	4%	0%	4%	0%	0%	0%	0%	4%	100%
伝染性紅斑	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	11	18	0	0	0	0	0	0	0	0	0	0	0	29
	(定点あたり)	(0.00)	(0.15)	(0.25)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.40)
	年齢構成比(%)	0%	38%	62%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	0	0	2	1	0	0	0	0	0	0	1	6
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.08)
	年齢構成比(%)	0%	0%	33%	0%	0%	33%	17%	0%	0%	0%	0%	0%	0%	17%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	2	0	1	2	1	0	2	0	2	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.03)	(0.16)
	年齢構成比(%)	0%	0%	0%	8%	8%	17%	0%	8%	17%	8%	0%	17%	0%	17%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	10	12	10	0	1	0	0	0	0	0	0	0	0	36
	(定点あたり)	(0.04)	(0.14)	(0.16)	(0.14)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.49)
	年齢構成比(%)	8%	28%	33%	28%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	2	1	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	25%	0%	50%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	4	6	3	4	3	3	3	6	1	1	35
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)	(0.08)	(0.04)	(0.05)	(0.04)	(0.04)	(0.04)	(0.08)	(0.01)	(0.01)	(0.48)
	年齢構成比(%)	0%	0%	3%	0%	11%	17%	9%	11%	9%	9%	9%	17%	3%	3%	100%
感染性胃腸炎	報告数	1	16	26	14	11	14	8	7	10	10	6	14	4	17	158
	(定点あたり)	(0.01)	(0.22)	(0.36)	(0.19)	(0.15)	(0.19)	(0.11)	(0.10)	(0.14)	(0.14)	(0.08)	(0.19)	(0.05)	(0.23)	(2.16)
	年齢構成比(%)	1%	10%	16%	9%	7%	9%	5%	4%	6%	6%	4%	9%	3%	11%	100%
水痘	報告数	0	2	2	4	8	4	2	0	2	0	0	0	0	1	25
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.05)	(0.11)	(0.05)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.34)
	年齢構成比(%)	0%	8%	8%	16%	32%	16%	8%	0%	8%	0%	0%	0%	0%	4%	100%
手足口病	報告数	0	1	3	4	1	4	1	0	1	0	0	0	0	1	16
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.05)	(0.01)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.22)
	年齢構成比(%)	0%	6%	19%	25%	6%	25%	6%	0%	6%	0%	0%	0%	0%	6%	100%
伝染性紅斑	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	6	6	0	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.08)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	2	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	0%	0%	67%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	2	0	0	1	1	0	0	0	1	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.08)
	年齢構成比(%)	0%	0%	0%	17%	0%	33%	0%	0%	17%	17%	0%	0%	0%	17%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第43週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	6	12	16	7	0	0	0	0	0	0	0	0	0	0	41
	(定点あたり)	(0.08)	(0.16)	(0.22)	(0.10)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.56)
	年齢構成比(%)	15%	29%	39%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	2	5	0	6	4	3	3	2	1	5	31
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.07)	(0.00)	(0.08)	(0.05)	(0.04)	(0.04)	(0.03)	(0.01)	(0.07)	(0.42)
	年齢構成比(%)	0%	0%	0%	0%	6%	16%	0%	19%	13%	10%	10%	6%	3%	16%	100%
感染性胃腸炎	報告数	2	8	17	14	14	11	8	6	6	5	6	16	3	23	139
	(定点あたり)	(0.03)	(0.11)	(0.23)	(0.19)	(0.19)	(0.15)	(0.11)	(0.08)	(0.08)	(0.07)	(0.08)	(0.22)	(0.04)	(0.32)	(1.90)
	年齢構成比(%)	1%	6%	12%	10%	10%	8%	6%	4%	4%	4%	4%	12%	2%	17%	100%
水痘	報告数	1	1	2	5	5	2	2	2	2	0	0	0	0	0	22
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.07)	(0.07)	(0.03)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	5%	5%	9%	23%	23%	9%	9%	9%	9%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	1	3	1	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	29%	14%	43%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	0	5	12	0	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.07)	(0.16)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	29%	71%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	1	0	0	0	0	0	0	1	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)
	年齢構成比(%)	0%	0%	33%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	33%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	0	0	1	1	0	0	2	0	1	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.08)
	年齢構成比(%)	0%	0%	0%	0%	17%	0%	0%	17%	17%	0%	0%	33%	0%	17%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。