

## 2012年 第44週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	1	0	0	0	1	1	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	25%	25%	0%	0%	0%	25%	25%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	1	0	2	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	0%	20%	0%	40%	0%	0%	0%	20%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第44週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	8	13	23	12	6	1	1	0	1	0	0	1	0	0	66
	(定点あたり)	(0.11)	(0.18)	(0.32)	(0.16)	(0.08)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.90)
	年齢構成比(%)	12%	20%	35%	18%	9%	2%	2%	0%	2%	0%	0%	2%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	0	2	7	9	7	5	9	3	7	2	6	60
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.03)	(0.10)	(0.12)	(0.10)	(0.07)	(0.12)	(0.04)	(0.10)	(0.03)	(0.08)	(0.82)
	年齢構成比(%)	0%	0%	5%	0%	3%	12%	15%	12%	8%	15%	5%	12%	3%	10%	100%
感染性胃腸炎	報告数	5	17	64	51	34	31	24	22	17	14	5	31	14	52	381
	(定点あたり)	(0.07)	(0.23)	(0.88)	(0.70)	(0.47)	(0.42)	(0.33)	(0.30)	(0.23)	(0.19)	(0.07)	(0.42)	(0.19)	(0.71)	(5.22)
	年齢構成比(%)	1%	4%	17%	13%	9%	8%	6%	6%	4%	4%	1%	8%	4%	14%	100%
水痘	報告数	2	2	7	8	5	9	7	2	2	0	0	2	0	1	47
	(定点あたり)	(0.03)	(0.03)	(0.10)	(0.11)	(0.07)	(0.12)	(0.10)	(0.03)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.64)
	年齢構成比(%)	4%	4%	15%	17%	11%	19%	15%	4%	4%	0%	0%	4%	0%	2%	100%
手足口病	報告数	0	0	6	5	2	0	1	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.07)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	0%	43%	36%	14%	0%	7%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	0	7	8	1	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.10)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	44%	50%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	2	1	1	0	0	0	0	0	0	0	0	1	5
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)
	年齢構成比(%)	0%	0%	40%	20%	20%	0%	0%	0%	0%	0%	0%	0%	0%	20%	100%
流行性耳下腺炎	報告数	0	0	0	1	3	1	0	3	0	3	2	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.00)	(0.04)	(0.00)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	0%	8%	23%	8%	0%	23%	0%	23%	15%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第44週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	7	8	6	3	0	1	0	1	0	0	1	0	0	31
	(定点あたり)	(0.05)	(0.10)	(0.11)	(0.08)	(0.04)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.42)
	年齢構成比(%)	13%	23%	26%	19%	10%	0%	3%	0%	3%	0%	0%	3%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	0	3	3	5	1	7	1	4	1	3	28
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.04)	(0.07)	(0.01)	(0.10)	(0.01)	(0.05)	(0.01)	(0.04)	(0.38)
	年齢構成比(%)	0%	0%	0%	0%	0%	11%	11%	18%	4%	25%	4%	14%	4%	11%	100%
感染性胃腸炎	報告数	0	12	35	25	20	14	15	11	8	8	2	14	7	15	186
	(定点あたり)	(0.00)	(0.16)	(0.48)	(0.34)	(0.27)	(0.19)	(0.21)	(0.15)	(0.11)	(0.11)	(0.03)	(0.19)	(0.10)	(0.21)	(2.55)
	年齢構成比(%)	0%	6%	19%	13%	11%	8%	8%	6%	4%	4%	1%	8%	4%	8%	100%
水痘	報告数	2	2	6	3	3	4	4	1	1	0	0	1	0	0	27
	(定点あたり)	(0.03)	(0.03)	(0.08)	(0.04)	(0.04)	(0.05)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.37)
	年齢構成比(%)	7%	7%	22%	11%	11%	15%	15%	4%	4%	0%	0%	4%	0%	0%	100%
手足口病	報告数	0	0	3	3	1	0	1	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	38%	38%	13%	0%	13%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	0	2	5	1	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	25%	63%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	1	0	1	0	1	1	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	20%	20%	0%	20%	0%	20%	20%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第44週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	6	15	6	3	1	0	0	0	0	0	0	0	0	35
	(定点あたり)	(0.05)	(0.08)	(0.21)	(0.08)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.48)
	年齢構成比(%)	11%	17%	43%	17%	9%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	0	2	4	6	2	4	2	2	3	1	3	32
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.03)	(0.05)	(0.08)	(0.03)	(0.05)	(0.03)	(0.03)	(0.04)	(0.01)	(0.04)	(0.44)
	年齢構成比(%)	0%	0%	9%	0%	6%	13%	19%	6%	13%	6%	6%	9%	3%	9%	100%
感染性胃腸炎	報告数	5	5	29	26	14	17	9	11	9	6	3	17	7	37	195
	(定点あたり)	(0.07)	(0.07)	(0.40)	(0.36)	(0.19)	(0.23)	(0.12)	(0.15)	(0.12)	(0.08)	(0.04)	(0.23)	(0.10)	(0.51)	(2.67)
	年齢構成比(%)	3%	3%	15%	13%	7%	9%	5%	6%	5%	3%	2%	9%	4%	19%	100%
水痘	報告数	0	0	1	5	2	5	3	1	1	0	0	1	0	1	20
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.07)	(0.03)	(0.07)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.27)
	年齢構成比(%)	0%	0%	5%	25%	10%	25%	15%	5%	5%	0%	0%	5%	0%	5%	100%
手足口病	報告数	0	0	3	2	1	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	50%	33%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	0	5	3	0	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	63%	38%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	2	1	0	0	0	0	0	0	0	0	0	1	4
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)
	年齢構成比(%)	0%	0%	50%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	0	0	2	0	2	1	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	13%	25%	0%	0%	25%	0%	25%	13%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。