

2012年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.02) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 2 | 0 | 8 |
| | (定点あたり) | (0.00) | (0.00) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.12) | (0.00) | (0.12) | (0.00) | (0.00) | (0.12) | (0.00) | (0.47) |
| | 年齢構成比(%) | 0% | 0% | 13% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 0% | 25% | 0% | 0% | 25% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.02) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.12) | (0.00) | (0.12) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 6 |
| | (定点あたり) | (0.00) | (0.00) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.12) | (0.00) | (0.12) | (0.00) | (0.00) | (0.00) | (0.00) | (0.35) |
| | 年齢構成比(%) | 0% | 0% | 17% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 33% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| RSウイルス感染症 | 報告数 | 11 | 15 | 25 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 58 |
| | (定点あたり) | (0.15) | (0.21) | (0.35) | (0.10) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.81) |
| | 年齢構成比(%) | 19% | 26% | 43% | 12% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 4 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| | (定点あたり) | (0.00) | (0.01) | (0.06) | (0.00) | (0.01) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) |
| | 年齢構成比(%) | 0% | 13% | 50% | 0% | 13% | 0% | 13% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 8 | 4 | 4 | 10 | 6 | 19 | 9 | 8 | 6 | 8 | 1 | 8 | 91 |
| | (定点あたり) | (0.00) | (0.00) | (0.11) | (0.06) | (0.06) | (0.14) | (0.08) | (0.26) | (0.13) | (0.11) | (0.08) | (0.11) | (0.01) | (0.11) | (1.26) |
| | 年齢構成比(%) | 0% | 0% | 9% | 4% | 4% | 11% | 7% | 21% | 10% | 9% | 7% | 9% | 1% | 9% | 100% |
| 感染性胃腸炎 | 報告数 | 7 | 72 | 176 | 100 | 83 | 89 | 64 | 42 | 34 | 18 | 27 | 68 | 16 | 85 | 881 |
| | (定点あたり) | (0.10) | (1.00) | (2.44) | (1.39) | (1.15) | (1.24) | (0.89) | (0.58) | (0.47) | (0.25) | (0.38) | (0.94) | (0.22) | (1.18) | (12.24) |
| | 年齢構成比(%) | 1% | 8% | 20% | 11% | 9% | 10% | 7% | 5% | 4% | 2% | 3% | 8% | 2% | 10% | 100% |
| 水痘 | 報告数 | 1 | 4 | 11 | 21 | 15 | 11 | 12 | 5 | 0 | 0 | 0 | 2 | 0 | 1 | 83 |
| | (定点あたり) | (0.01) | (0.06) | (0.15) | (0.29) | (0.21) | (0.15) | (0.17) | (0.07) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.01) | (1.15) |
| | 年齢構成比(%) | 1% | 5% | 13% | 25% | 18% | 13% | 14% | 6% | 0% | 0% | 0% | 2% | 0% | 1% | 100% |
| 手足口病 | 報告数 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.03) | (0.00) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.07) |
| | 年齢構成比(%) | 0% | 40% | 0% | 0% | 40% | 0% | 0% | 0% | 20% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発疹 | 報告数 | 1 | 15 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 36 |
| | (定点あたり) | (0.01) | (0.21) | (0.28) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.50) |
| | 年齢構成比(%) | 3% | 42% | 56% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 1 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.01) | (0.04) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.07) |
| | 年齢構成比(%) | 0% | 20% | 60% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 6 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.03) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.08) |
| | 年齢構成比(%) | 0% | 0% | 17% | 33% | 17% | 0% | 0% | 17% | 0% | 17% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 7 | 8 | 16 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 34 |
| | (定点あたり) | (0.10) | (0.11) | (0.22) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.47) |
| | 年齢構成比(%) | 21% | 24% | 47% | 9% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.01) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.07) |
| | 年齢構成比(%) | 0% | 20% | 60% | 0% | 0% | 0% | 0% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 3 | 1 | 3 | 6 | 2 | 11 | 5 | 5 | 2 | 6 | 0 | 3 | 47 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.01) | (0.04) | (0.08) | (0.03) | (0.15) | (0.07) | (0.07) | (0.03) | (0.08) | (0.00) | (0.04) | (0.65) |
| | 年齢構成比(%) | 0% | 0% | 6% | 2% | 6% | 13% | 4% | 23% | 11% | 11% | 4% | 13% | 0% | 6% | 100% |
| 感染性胃腸炎 | 報告数 | 6 | 35 | 103 | 50 | 38 | 40 | 26 | 29 | 16 | 11 | 17 | 41 | 11 | 27 | 450 |
| | (定点あたり) | (0.08) | (0.49) | (1.43) | (0.69) | (0.53) | (0.56) | (0.36) | (0.40) | (0.22) | (0.15) | (0.24) | (0.57) | (0.15) | (0.38) | (6.25) |
| | 年齢構成比(%) | 1% | 8% | 23% | 11% | 8% | 9% | 6% | 6% | 4% | 2% | 4% | 9% | 2% | 6% | 100% |
| 水痘 | 報告数 | 1 | 3 | 5 | 10 | 8 | 9 | 6 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 47 |
| | (定点あたり) | (0.01) | (0.04) | (0.07) | (0.14) | (0.11) | (0.13) | (0.08) | (0.07) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.65) |
| | 年齢構成比(%) | 2% | 6% | 11% | 21% | 17% | 19% | 13% | 11% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比(%) | 0% | 50% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発疹 | 報告数 | 0 | 10 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23 |
| | (定点あたり) | (0.00) | (0.14) | (0.18) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.32) |
| | 年齢構成比(%) | 0% | 43% | 57% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比(%) | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比(%) | 0% | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第46週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 4 | 7 | 9 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 |
| | (定点あたり) | (0.06) | (0.10) | (0.13) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.33) |
| | 年齢構成比(%) | 17% | 29% | 38% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比(%) | 0% | 0% | 33% | 0% | 33% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 5 | 3 | 1 | 4 | 4 | 8 | 4 | 3 | 4 | 2 | 1 | 5 | 44 |
| | (定点あたり) | (0.00) | (0.00) | (0.07) | (0.04) | (0.01) | (0.06) | (0.06) | (0.11) | (0.06) | (0.04) | (0.06) | (0.03) | (0.01) | (0.07) | (0.61) |
| | 年齢構成比(%) | 0% | 0% | 11% | 7% | 2% | 9% | 9% | 18% | 9% | 7% | 9% | 5% | 2% | 11% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 37 | 73 | 50 | 45 | 49 | 38 | 13 | 18 | 7 | 10 | 27 | 5 | 58 | 431 |
| | (定点あたり) | (0.01) | (0.51) | (1.01) | (0.69) | (0.63) | (0.68) | (0.53) | (0.18) | (0.25) | (0.10) | (0.14) | (0.38) | (0.07) | (0.81) | (5.99) |
| | 年齢構成比(%) | 0% | 9% | 17% | 12% | 10% | 11% | 9% | 3% | 4% | 2% | 2% | 6% | 1% | 13% | 100% |
| 水痘 | 報告数 | 0 | 1 | 6 | 11 | 7 | 2 | 6 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 36 |
| | (定点あたり) | (0.00) | (0.01) | (0.08) | (0.15) | (0.10) | (0.03) | (0.08) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.01) | (0.50) |
| | 年齢構成比(%) | 0% | 3% | 17% | 31% | 19% | 6% | 17% | 0% | 0% | 0% | 0% | 6% | 0% | 3% | 100% |
| 手足口病 | 報告数 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比(%) | 0% | 33% | 0% | 0% | 33% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発疹 | 報告数 | 1 | 5 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| | (定点あたり) | (0.01) | (0.07) | (0.10) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比(%) | 8% | 38% | 54% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比(%) | 0% | 0% | 75% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比(%) | 0% | 0% | 0% | 25% | 25% | 0% | 0% | 25% | 0% | 25% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。