

2012年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	3	0	3	1	4	3	0	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	7%	0%	0%	0%	0%	20%	0%	20%	7%	27%	20%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	1	1	1	0	0	1	0	2	6	2	2	1	1	0	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)	(0.33)	(0.11)	(0.11)	(0.06)	(0.06)	(0.00)	(1.00)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	6%	6%	6%	0%	0%	6%	0%	11%	33%	11%	11%	6%	6%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	2	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.02)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	14%	43%	29%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	1	1	1	0	0	0	0	1	2	2	1	0	1	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.11)	(0.06)	(0.00)	(0.06)	(0.00)	(0.56)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	10%	10%	10%	0%	0%	0%	0%	10%	20%	20%	10%	0%	10%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	3	0	2	0	1	1	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.02)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	13%	0%	0%	0%	0%	38%	0%	25%	0%	13%	13%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	1	4	0	1	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.22)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	13%	0%	13%	50%	0%	13%	13%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	17	19	17	10	1	1	0	0	0	1	0	0	0	0	66
	(定点あたり)	(0.24)	(0.26)	(0.24)	(0.14)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.92)
	年齢構成比(%)	26%	29%	26%	15%	2%	2%	0%	0%	0%	2%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	2	3	1	1	0	1	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	20%	20%	30%	10%	10%	0%	10%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	4	3	6	11	7	9	9	7	3	9	1	6	76
	(定点あたり)	(0.00)	(0.01)	(0.06)	(0.04)	(0.08)	(0.15)	(0.10)	(0.13)	(0.13)	(0.10)	(0.04)	(0.13)	(0.01)	(0.08)	(1.06)
	年齢構成比(%)	0%	1%	5%	4%	8%	14%	9%	12%	12%	9%	4%	12%	1%	8%	100%
感染性胃腸炎	報告数	7	55	183	118	90	91	78	75	32	42	46	104	52	182	1155
	(定点あたり)	(0.10)	(0.76)	(2.54)	(1.64)	(1.25)	(1.26)	(1.08)	(1.04)	(0.44)	(0.58)	(0.64)	(1.44)	(0.72)	(2.53)	(16.04)
	年齢構成比(%)	1%	5%	16%	10%	8%	8%	7%	6%	3%	4%	4%	9%	5%	16%	100%
水痘	報告数	2	3	27	29	14	15	9	12	3	3	1	1	0	1	120
	(定点あたり)	(0.03)	(0.04)	(0.38)	(0.40)	(0.19)	(0.21)	(0.13)	(0.17)	(0.04)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(1.67)
	年齢構成比(%)	2%	3%	23%	24%	12%	13%	8%	10%	3%	3%	1%	1%	0%	1%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	14	8	1	0	0	0	0	0	0	0	0	0	0	24
	(定点あたり)	(0.01)	(0.19)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	4%	58%	33%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	1	0	2	3	1	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	14%	0%	29%	43%	14%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	0	1	0	0	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	0%	0%	33%	0%	0%	0%	0%	0%	33%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	11	12	8	5	0	1	0	0	0	0	0	0	0	0	37
	(定点あたり)	(0.15)	(0.17)	(0.11)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.51)
	年齢構成比(%)	30%	32%	22%	14%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	3	0	1	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	17%	50%	0%	17%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	4	9	3	4	3	2	3	2	1	2	37
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.06)	(0.13)	(0.04)	(0.06)	(0.04)	(0.03)	(0.04)	(0.03)	(0.01)	(0.03)	(0.51)
	年齢構成比(%)	0%	0%	5%	5%	11%	24%	8%	11%	8%	5%	8%	5%	3%	5%	100%
感染性胃腸炎	報告数	5	27	85	56	50	44	41	38	19	19	23	58	22	64	551
	(定点あたり)	(0.07)	(0.38)	(1.18)	(0.78)	(0.69)	(0.61)	(0.57)	(0.53)	(0.26)	(0.26)	(0.32)	(0.81)	(0.31)	(0.89)	(7.65)
	年齢構成比(%)	1%	5%	15%	10%	9%	8%	7%	7%	3%	3%	4%	11%	4%	12%	100%
水痘	報告数	2	3	14	17	9	11	5	5	0	2	0	1	0	0	69
	(定点あたり)	(0.03)	(0.04)	(0.19)	(0.24)	(0.13)	(0.15)	(0.07)	(0.07)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.96)
	年齢構成比(%)	3%	4%	20%	25%	13%	16%	7%	7%	0%	3%	0%	1%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	4	3	1	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.01)	(0.06)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	11%	44%	33%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第48週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	6	7	9	5	1	0	0	0	0	1	0	0	0	0	29
	(定点あたり)	(0.08)	(0.10)	(0.13)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.40)
	年齢構成比(%)	21%	24%	31%	17%	3%	0%	0%	0%	0%	3%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	0	1	0	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	25%	25%	0%	25%	0%	0%	25%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	1	2	2	4	5	6	5	0	7	0	4	39
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.03)	(0.06)	(0.07)	(0.08)	(0.07)	(0.00)	(0.10)	(0.00)	(0.06)	(0.54)
	年齢構成比(%)	0%	3%	5%	3%	5%	5%	10%	13%	15%	13%	0%	18%	0%	10%	100%
感染性胃腸炎	報告数	2	28	98	62	40	47	37	37	13	23	23	46	30	118	604
	(定点あたり)	(0.03)	(0.39)	(1.36)	(0.86)	(0.56)	(0.65)	(0.51)	(0.51)	(0.18)	(0.32)	(0.32)	(0.64)	(0.42)	(1.64)	(8.39)
	年齢構成比(%)	0%	5%	16%	10%	7%	8%	6%	6%	2%	4%	4%	8%	5%	20%	100%
水痘	報告数	0	0	13	12	5	4	4	7	3	1	1	0	0	1	51
	(定点あたり)	(0.00)	(0.00)	(0.18)	(0.17)	(0.07)	(0.06)	(0.06)	(0.10)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.71)
	年齢構成比(%)	0%	0%	25%	24%	10%	8%	8%	14%	6%	2%	2%	0%	0%	2%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	10	5	0	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.14)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	0	2	2	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	17%	0%	33%	33%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。