

2012年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	3	2	2	1	1	1	2	0	0	3	3	12	6	4	4	0	1	2	47
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)	(0.02)	(0.00)	(0.00)	(0.02)	(0.02)	(0.10)	(0.05)	(0.03)	(0.03)	(0.00)	(0.01)	(0.02)	(0.39)
	年齢構成比(%)	0%	0%	6%	4%	4%	2%	2%	2%	4%	0%	0%	6%	6%	26%	13%	9%	9%	0%	2%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	1	2	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.33)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	17%	33%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	1	0	1	1	2	0	0	3	1	3	3	0	2	0	1	0	19
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.02)	(0.00)	(0.00)	(0.02)	(0.01)	(0.02)	(0.02)	(0.00)	(0.02)	(0.00)	(0.01)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	5%	0%	5%	0%	5%	5%	11%	0%	0%	16%	5%	16%	16%	0%	11%	0%	5%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	25%	25%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	2	2	1	1	0	0	0	0	0	0	2	9	3	4	2	0	0	2	28
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.02)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.07)	(0.02)	(0.03)	(0.02)	(0.00)	(0.00)	(0.02)	(0.23)
	年齢構成比(%)	0%	0%	7%	7%	4%	4%	0%	0%	0%	0%	0%	0%	7%	32%	11%	14%	7%	0%	0%	7%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	11	8	10	5	0	2	2	1	0	0	0	0	0	0	39
	(定点あたり)	(0.15)	(0.11)	(0.14)	(0.07)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.53)
	年齢構成比(%)	28%	21%	26%	13%	0%	5%	5%	3%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	3	2	0	0	1	0	0	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	13%	38%	25%	0%	0%	13%	0%	0%	0%	0%	13%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	2	4	14	16	14	18	24	11	18	14	2	9	147
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.05)	(0.19)	(0.22)	(0.19)	(0.24)	(0.32)	(0.15)	(0.24)	(0.19)	(0.03)	(0.12)	(1.99)
	年齢構成比(%)	1%	0%	1%	3%	10%	11%	10%	12%	16%	7%	12%	10%	1%	6%	100%
感染性胃腸炎	報告数	5	33	91	81	76	81	59	48	30	39	48	83	28	132	834
	(定点あたり)	(0.07)	(0.45)	(1.23)	(1.09)	(1.03)	(1.09)	(0.80)	(0.65)	(0.41)	(0.53)	(0.65)	(1.12)	(0.38)	(1.78)	(11.27)
	年齢構成比(%)	1%	4%	11%	10%	9%	10%	7%	6%	4%	5%	6%	10%	3%	16%	100%
水痘	報告数	1	4	20	27	13	15	11	5	2	3	0	1	0	0	102
	(定点あたり)	(0.01)	(0.05)	(0.27)	(0.36)	(0.18)	(0.20)	(0.15)	(0.07)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(1.38)
	年齢構成比(%)	1%	4%	20%	26%	13%	15%	11%	5%	2%	3%	0%	1%	0%	0%	100%
手足口病	報告数	0	0	1	1	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
突発性発しん	報告数	1	12	10	4	0	0	0	0	0	0	0	0	0	0	27
	(定点あたり)	(0.01)	(0.16)	(0.14)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	4%	44%	37%	15%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	2	0	1	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	50%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	2	0	0	0	0	0	0	0	2	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	20%	40%	0%	0%	0%	0%	0%	0%	0%	40%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	7	4	6	1	0	2	2	0	0	0	0	0	0	0	22
	(定点あたり)	(0.09)	(0.05)	(0.08)	(0.01)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	32%	18%	27%	5%	0%	9%	9%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	3	1	0	0	1	0	0	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	14%	43%	14%	0%	0%	14%	0%	0%	0%	0%	14%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	2	2	6	8	7	12	11	6	7	8	1	4	75
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.03)	(0.08)	(0.11)	(0.09)	(0.16)	(0.15)	(0.08)	(0.09)	(0.11)	(0.01)	(0.05)	(1.01)
	年齢構成比(%)	1%	0%	3%	3%	8%	11%	9%	16%	15%	8%	9%	11%	1%	5%	100%
感染性胃腸炎	報告数	2	21	57	46	41	50	32	27	16	22	26	47	17	54	458
	(定点あたり)	(0.03)	(0.28)	(0.77)	(0.62)	(0.55)	(0.68)	(0.43)	(0.36)	(0.22)	(0.30)	(0.35)	(0.64)	(0.23)	(0.73)	(6.19)
	年齢構成比(%)	0%	5%	12%	10%	9%	11%	7%	6%	3%	5%	6%	10%	4%	12%	100%
水痘	報告数	1	4	14	16	7	9	5	3	1	3	0	1	0	0	64
	(定点あたり)	(0.01)	(0.05)	(0.19)	(0.22)	(0.09)	(0.12)	(0.07)	(0.04)	(0.01)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.86)
	年齢構成比(%)	2%	6%	22%	25%	11%	14%	8%	5%	2%	5%	0%	2%	0%	0%	100%
手足口病	報告数	0	0	1	1	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
突発性発しん	報告数	1	5	8	1	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.01)	(0.07)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	7%	33%	53%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	2	0	0	0	0	0	0	0	1	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	25%	50%	0%	0%	0%	0%	0%	0%	0%	25%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	4	4	4	0	0	0	1	0	0	0	0	0	0	17
	(定点あたり)	(0.05)	(0.05)	(0.05)	(0.05)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	24%	24%	24%	24%	0%	0%	0%	6%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	8	8	7	6	13	5	11	6	1	5	72
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.11)	(0.11)	(0.09)	(0.08)	(0.18)	(0.07)	(0.15)	(0.08)	(0.01)	(0.07)	(0.97)
	年齢構成比(%)	0%	0%	0%	3%	11%	11%	10%	8%	18%	7%	15%	8%	1%	7%	100%
感染性胃腸炎	報告数	3	12	34	35	35	31	27	21	14	17	22	36	11	78	376
	(定点あたり)	(0.04)	(0.16)	(0.46)	(0.47)	(0.47)	(0.42)	(0.36)	(0.28)	(0.19)	(0.23)	(0.30)	(0.49)	(0.15)	(1.05)	(5.08)
	年齢構成比(%)	1%	3%	9%	9%	9%	8%	7%	6%	4%	5%	6%	10%	3%	21%	100%
水痘	報告数	0	0	6	11	6	6	6	2	1	0	0	0	0	0	38
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.15)	(0.08)	(0.08)	(0.08)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.51)
	年齢構成比(%)	0%	0%	16%	29%	16%	16%	16%	5%	3%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	7	2	3	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.09)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	58%	17%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。