

2012年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	0	2	0	5	0	2	1	1	0	1	2	7	19	14	9	5	5	3	8	85
	(定点あたり)	(0.01)	(0.00)	(0.02)	(0.00)	(0.04)	(0.00)	(0.02)	(0.01)	(0.01)	(0.00)	(0.01)	(0.02)	(0.06)	(0.16)	(0.12)	(0.08)	(0.04)	(0.04)	(0.03)	(0.07)	(0.71)
	年齢構成比(%)	1%	0%	2%	0%	6%	0%	2%	1%	1%	0%	1%	2%	8%	22%	16%	11%	6%	6%	4%	9%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	0	1	0	2	0	1	0	0	0	0	2	6	8	9	4	3	3	3	6	49
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.00)	(0.02)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.05)	(0.07)	(0.08)	(0.03)	(0.03)	(0.03)	(0.03)	(0.05)	(0.41)
	年齢構成比(%)	2%	0%	2%	0%	4%	0%	2%	0%	0%	0%	0%	4%	12%	16%	18%	8%	6%	6%	6%	12%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	3	0	1	1	1	0	1	0	1	11	5	5	2	2	0	2	36
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.09)	(0.04)	(0.04)	(0.02)	(0.02)	(0.00)	(0.02)	(0.30)
	年齢構成比(%)	0%	0%	3%	0%	8%	0%	3%	3%	3%	0%	3%	0%	3%	31%	14%	14%	6%	6%	0%	6%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

2012年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	9	9	16	6	1	2	0	0	0	0	0	0	0	0	43
	(定点あたり)	(0.12)	(0.12)	(0.22)	(0.08)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.59)
	年齢構成比(%)	21%	21%	37%	14%	2%	5%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	2	0	1	0	0	0	0	1	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	43%	29%	0%	14%	0%	0%	0%	0%	14%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	4	8	11	11	5	10	8	1	10	0	5	75
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.05)	(0.11)	(0.15)	(0.15)	(0.07)	(0.14)	(0.11)	(0.01)	(0.14)	(0.00)	(0.07)	(1.03)
	年齢構成比(%)	0%	1%	1%	5%	11%	15%	15%	7%	13%	11%	1%	13%	0%	7%	100%
感染性胃腸炎	報告数	8	19	74	57	62	48	29	42	24	15	22	68	24	177	669
	(定点あたり)	(0.11)	(0.26)	(1.01)	(0.78)	(0.85)	(0.66)	(0.40)	(0.58)	(0.33)	(0.21)	(0.30)	(0.93)	(0.33)	(2.42)	(9.16)
	年齢構成比(%)	1%	3%	11%	9%	9%	7%	4%	6%	4%	2%	3%	10%	4%	26%	100%
水痘	報告数	5	7	20	29	28	20	13	10	4	2	1	1	0	0	140
	(定点あたり)	(0.07)	(0.10)	(0.27)	(0.40)	(0.38)	(0.27)	(0.18)	(0.14)	(0.05)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(1.92)
	年齢構成比(%)	4%	5%	14%	21%	20%	14%	9%	7%	3%	1%	1%	1%	0%	0%	100%
手足口病	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	1	0	0	0	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	0%	0%	33%	0%	0%	0%	0%	0%	0%	33%	0%	0%	100%
突発性発しん	報告数	0	10	11	0	0	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.00)	(0.14)	(0.15)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	48%	52%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	1	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	1	0	0	0	1	0	1	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	0%	25%	0%	0%	0%	25%	0%	25%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	7	5	1	0	1	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.05)	(0.10)	(0.07)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	22%	39%	28%	6%	0%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	2	0	1	0	0	0	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	50%	0%	25%	0%	0%	0%	0%	25%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	4	5	10	6	2	5	3	1	6	0	2	44
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.05)	(0.07)	(0.14)	(0.08)	(0.03)	(0.07)	(0.04)	(0.01)	(0.08)	(0.00)	(0.03)	(0.60)
	年齢構成比(%)	0%	0%	0%	9%	11%	23%	14%	5%	11%	7%	2%	14%	0%	5%	100%
感染性胃腸炎	報告数	7	10	41	36	30	21	19	25	20	7	14	32	13	69	344
	(定点あたり)	(0.10)	(0.14)	(0.56)	(0.49)	(0.41)	(0.29)	(0.26)	(0.34)	(0.27)	(0.10)	(0.19)	(0.44)	(0.18)	(0.95)	(4.71)
	年齢構成比(%)	2%	3%	12%	10%	9%	6%	6%	7%	6%	2%	4%	9%	4%	20%	100%
水痘	報告数	1	3	12	12	12	7	9	6	2	1	1	1	0	0	67
	(定点あたり)	(0.01)	(0.04)	(0.16)	(0.16)	(0.16)	(0.10)	(0.12)	(0.08)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.92)
	年齢構成比(%)	1%	4%	18%	18%	18%	10%	13%	9%	3%	1%	1%	1%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	5	6	0	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.07)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	45%	55%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	1	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	33%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	2	11	5	1	1	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.07)	(0.03)	(0.15)	(0.07)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比(%)	20%	8%	44%	20%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	0	3	1	5	3	5	5	0	4	0	3	31
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.04)	(0.01)	(0.07)	(0.04)	(0.07)	(0.07)	(0.00)	(0.05)	(0.00)	(0.04)	(0.42)
	年齢構成比(%)	0%	3%	3%	0%	10%	3%	16%	10%	16%	16%	0%	13%	0%	10%	100%
感染性胃腸炎	報告数	1	9	33	21	32	27	10	17	4	8	8	36	11	108	325
	(定点あたり)	(0.01)	(0.12)	(0.45)	(0.29)	(0.44)	(0.37)	(0.14)	(0.23)	(0.05)	(0.11)	(0.11)	(0.49)	(0.15)	(1.48)	(4.45)
	年齢構成比(%)	0%	3%	10%	6%	10%	8%	3%	5%	1%	2%	2%	11%	3%	33%	100%
水痘	報告数	4	4	8	17	16	13	4	4	2	1	0	0	0	0	73
	(定点あたり)	(0.05)	(0.05)	(0.11)	(0.23)	(0.22)	(0.18)	(0.05)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(1.00)
	年齢構成比(%)	5%	5%	11%	23%	22%	18%	5%	5%	3%	1%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	1	0	0	0	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	0%	0%	33%	0%	0%	0%	0%	0%	0%	33%	0%	0%	100%
突発性発しん	報告数	0	5	5	0	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.07)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。