

## 2013年 第12週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	2	13	28	33	49	44	74	71	64	50	61	154	34	58	99	63	30	28	11	3	969
	(定点あたり)	(0.02)	(0.11)	(0.23)	(0.28)	(0.41)	(0.37)	(0.62)	(0.59)	(0.53)	(0.42)	(0.51)	(1.28)	(0.28)	(0.48)	(0.83)	(0.53)	(0.25)	(0.23)	(0.09)	(0.03)	(8.08)
	年齢構成比(%)	0%	1%	3%	3%	5%	5%	8%	7%	7%	5%	6%	16%	4%	6%	10%	7%	3%	3%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	1	1	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.11)	(0.06)	(0.06)	(0.06)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	14%	29%	14%	14%	14%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	2	6	21	23	24	25	39	34	28	19	33	80	27	28	40	27	14	13	5	2	490
	(定点あたり)	(0.02)	(0.05)	(0.18)	(0.19)	(0.20)	(0.21)	(0.33)	(0.28)	(0.23)	(0.16)	(0.28)	(0.67)	(0.23)	(0.23)	(0.33)	(0.23)	(0.12)	(0.11)	(0.04)	(0.02)	(4.08)
	年齢構成比(%)	0%	1%	4%	5%	5%	5%	8%	7%	6%	4%	7%	16%	6%	6%	8%	6%	3%	3%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	33%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	7	7	10	25	19	35	37	36	31	28	74	7	30	59	36	16	15	6	1	479
	(定点あたり)	(0.00)	(0.06)	(0.06)	(0.08)	(0.21)	(0.16)	(0.29)	(0.31)	(0.30)	(0.26)	(0.23)	(0.62)	(0.06)	(0.25)	(0.49)	(0.30)	(0.13)	(0.13)	(0.05)	(0.01)	(3.99)
	年齢構成比(%)	0%	1%	1%	2%	5%	4%	7%	8%	8%	6%	6%	15%	1%	6%	12%	8%	3%	3%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	25%	0%	25%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第12週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	1	2	1	0	0	0	0	1	0	0	0	0	0	8
	(定点あたり)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	38%	13%	25%	13%	0%	0%	0%	0%	13%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	1	0	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	0%	33%	0%	0%	33%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	4	6	12	12	13	11	10	6	17	1	7	101
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.06)	(0.08)	(0.17)	(0.17)	(0.18)	(0.15)	(0.14)	(0.08)	(0.24)	(0.01)	(0.10)	(1.40)
	年齢構成比(%)	0%	1%	1%	4%	6%	12%	12%	13%	11%	10%	6%	17%	1%	7%	100%
感染性胃腸炎	報告数	2	18	71	54	41	45	31	31	20	20	12	24	8	56	433
	(定点あたり)	(0.03)	(0.25)	(0.99)	(0.75)	(0.57)	(0.63)	(0.43)	(0.43)	(0.28)	(0.28)	(0.17)	(0.33)	(0.11)	(0.78)	(6.01)
	年齢構成比(%)	0%	4%	16%	12%	9%	10%	7%	7%	5%	5%	3%	6%	2%	13%	100%
水痘	報告数	1	0	8	9	7	13	11	11	4	1	2	1	0	0	68
	(定点あたり)	(0.01)	(0.00)	(0.11)	(0.13)	(0.10)	(0.18)	(0.15)	(0.15)	(0.06)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.94)
	年齢構成比(%)	1%	0%	12%	13%	10%	19%	16%	16%	6%	1%	3%	1%	0%	0%	100%
手足口病	報告数	0	1	0	4	2	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.06)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	14%	0%	57%	29%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	10	9	1	0	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.01)	(0.14)	(0.13)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	5%	48%	43%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	0	2	3	1	1	0	1	0	1	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.17)
	年齢構成比(%)	0%	0%	17%	0%	17%	25%	8%	8%	0%	8%	0%	8%	0%	8%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第12週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	1	0	1	0	0	0	0	1	0	0	0	0	0	5
	(定点あたり)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	40%	20%	0%	20%	0%	0%	0%	0%	20%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	1	0	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	0%	33%	0%	0%	33%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	2	6	6	2	7	5	5	4	7	1	2	48
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.08)	(0.08)	(0.03)	(0.10)	(0.07)	(0.07)	(0.06)	(0.10)	(0.01)	(0.03)	(0.67)
	年齢構成比(%)	0%	2%	0%	4%	13%	13%	4%	15%	10%	10%	8%	15%	2%	4%	100%
感染性胃腸炎	報告数	2	14	41	30	17	25	15	14	11	10	5	16	3	22	225
	(定点あたり)	(0.03)	(0.19)	(0.57)	(0.42)	(0.24)	(0.35)	(0.21)	(0.19)	(0.15)	(0.14)	(0.07)	(0.22)	(0.04)	(0.31)	(3.13)
	年齢構成比(%)	1%	6%	18%	13%	8%	11%	7%	6%	5%	4%	2%	7%	1%	10%	100%
水痘	報告数	1	0	3	5	5	6	7	7	3	1	2	1	0	0	41
	(定点あたり)	(0.01)	(0.00)	(0.04)	(0.07)	(0.07)	(0.08)	(0.10)	(0.10)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.57)
	年齢構成比(%)	2%	0%	7%	12%	12%	15%	17%	17%	7%	2%	5%	2%	0%	0%	100%
手足口病	報告数	0	0	0	1	1	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	3	6	1	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.04)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	30%	60%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	2	1	0	1	0	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	40%	20%	0%	20%	0%	20%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第12週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	0%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	0	6	10	6	6	5	2	10	0	5	53
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.08)	(0.14)	(0.08)	(0.08)	(0.07)	(0.03)	(0.14)	(0.00)	(0.07)	(0.74)
	年齢構成比(%)	0%	0%	2%	4%	0%	11%	19%	11%	11%	9%	4%	19%	0%	9%	100%
感染性胃腸炎	報告数	0	4	30	24	24	20	16	17	9	10	7	8	5	34	208
	(定点あたり)	(0.00)	(0.06)	(0.42)	(0.33)	(0.33)	(0.28)	(0.22)	(0.24)	(0.13)	(0.14)	(0.10)	(0.11)	(0.07)	(0.47)	(2.89)
	年齢構成比(%)	0%	2%	14%	12%	12%	10%	8%	8%	4%	5%	3%	4%	2%	16%	100%
水痘	報告数	0	0	5	4	2	7	4	4	1	0	0	0	0	0	27
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.06)	(0.03)	(0.10)	(0.06)	(0.06)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比(%)	0%	0%	19%	15%	7%	26%	15%	15%	4%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	0	3	1	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	20%	0%	60%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	7	3	0	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.01)	(0.10)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	9%	64%	27%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	0	0	2	1	0	0	0	0	1	0	1	7
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.10)
	年齢構成比(%)	0%	0%	29%	0%	0%	29%	14%	0%	0%	0%	0%	14%	0%	14%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。