

## 2013年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	3	4	10	18	9	15	20	25	12	21	12	29	15	29	30	44	18	15	12	6	347
	(定点あたり)	(0.02)	(0.03)	(0.08)	(0.15)	(0.07)	(0.12)	(0.17)	(0.21)	(0.10)	(0.17)	(0.10)	(0.24)	(0.12)	(0.24)	(0.25)	(0.36)	(0.15)	(0.12)	(0.10)	(0.05)	(2.87)
	年齢構成比(%)	1%	1%	3%	5%	3%	4%	6%	7%	3%	6%	3%	8%	4%	8%	9%	13%	5%	4%	3%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2	0	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.12)	(0.00)	(0.06)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	0%	0%	0%	20%	0%	40%	0%	20%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	2	3	5	5	7	8	15	16	5	13	9	17	7	15	14	24	11	4	4	2	186
	(定点あたり)	(0.02)	(0.02)	(0.04)	(0.04)	(0.06)	(0.07)	(0.12)	(0.13)	(0.04)	(0.11)	(0.07)	(0.14)	(0.06)	(0.12)	(0.12)	(0.20)	(0.09)	(0.03)	(0.03)	(0.02)	(1.54)
	年齢構成比(%)	1%	2%	3%	3%	4%	4%	8%	9%	3%	7%	5%	9%	4%	8%	8%	13%	6%	2%	2%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	1	5	13	2	7	5	9	7	8	3	12	8	14	16	20	7	11	8	4	161
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.11)	(0.02)	(0.06)	(0.04)	(0.07)	(0.06)	(0.07)	(0.02)	(0.10)	(0.07)	(0.12)	(0.13)	(0.17)	(0.06)	(0.09)	(0.07)	(0.03)	(1.33)
	年齢構成比(%)	1%	1%	3%	8%	1%	4%	3%	6%	4%	5%	2%	7%	5%	9%	10%	12%	4%	7%	5%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	25%	0%	25%	0%	25%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	2	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	20%	40%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	3	2	1	1	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	22%	33%	22%	11%	11%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	4	5	7	12	4	9	3	2	3	2	0	7	59
	(定点あたり)	(0.00)	(0.01)	(0.06)	(0.07)	(0.10)	(0.17)	(0.06)	(0.13)	(0.04)	(0.03)	(0.04)	(0.03)	(0.00)	(0.10)	(0.82)
	年齢構成比(%)	0%	2%	7%	8%	12%	20%	7%	15%	5%	3%	5%	3%	0%	12%	100%
感染性胃腸炎	報告数	2	16	51	40	26	32	24	25	16	12	3	22	9	51	329
	(定点あたり)	(0.03)	(0.22)	(0.71)	(0.56)	(0.36)	(0.44)	(0.33)	(0.35)	(0.22)	(0.17)	(0.04)	(0.31)	(0.13)	(0.71)	(4.57)
	年齢構成比(%)	1%	5%	16%	12%	8%	10%	7%	8%	5%	4%	1%	7%	3%	16%	100%
水痘	報告数	2	3	8	12	6	12	6	6	0	1	0	3	0	1	60
	(定点あたり)	(0.03)	(0.04)	(0.11)	(0.17)	(0.08)	(0.17)	(0.08)	(0.08)	(0.00)	(0.01)	(0.00)	(0.04)	(0.00)	(0.01)	(0.83)
	年齢構成比(%)	3%	5%	13%	20%	10%	20%	10%	10%	0%	2%	0%	5%	0%	2%	100%
手足口病	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	21	7	3	0	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.00)	(0.29)	(0.10)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	0%	68%	23%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	2	5	7	3	2	1	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.07)	(0.10)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	10%	25%	35%	15%	10%	5%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	0	2	1	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	33%	0%	33%	17%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	5	7	3	5	2	1	2	1	0	0	30
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.07)	(0.10)	(0.04)	(0.07)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.42)
	年齢構成比(%)	0%	0%	7%	7%	17%	23%	10%	17%	7%	3%	7%	3%	0%	0%	100%
感染性胃腸炎	報告数	2	11	22	21	11	17	11	12	8	2	2	9	5	16	149
	(定点あたり)	(0.03)	(0.15)	(0.31)	(0.29)	(0.15)	(0.24)	(0.15)	(0.17)	(0.11)	(0.03)	(0.03)	(0.13)	(0.07)	(0.22)	(2.07)
	年齢構成比(%)	1%	7%	15%	14%	7%	11%	7%	8%	5%	1%	1%	6%	3%	11%	100%
水痘	報告数	1	1	3	7	5	7	1	3	0	0	0	3	0	0	31
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.10)	(0.07)	(0.10)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	3%	3%	10%	23%	16%	23%	3%	10%	0%	0%	0%	10%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	9	2	2	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.13)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	69%	15%	15%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	1	3	6	1	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	0%	9%	27%	55%	9%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第14週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	2	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	25%	25%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	3	2	5	1	4	1	1	1	1	0	7	29
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.03)	(0.07)	(0.01)	(0.06)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.10)	(0.40)
	年齢構成比(%)	0%	3%	7%	10%	7%	17%	3%	14%	3%	3%	3%	3%	0%	24%	100%
感染性胃腸炎	報告数	0	5	29	19	15	15	13	13	8	10	1	13	4	35	180
	(定点あたり)	(0.00)	(0.07)	(0.40)	(0.26)	(0.21)	(0.21)	(0.18)	(0.18)	(0.11)	(0.14)	(0.01)	(0.18)	(0.06)	(0.49)	(2.50)
	年齢構成比(%)	0%	3%	16%	11%	8%	8%	7%	7%	4%	6%	1%	7%	2%	19%	100%
水痘	報告数	1	2	5	5	1	5	5	3	0	1	0	0	0	1	29
	(定点あたり)	(0.01)	(0.03)	(0.07)	(0.07)	(0.01)	(0.07)	(0.07)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.40)
	年齢構成比(%)	3%	7%	17%	17%	3%	17%	17%	10%	0%	3%	0%	0%	0%	3%	100%
手足口病	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	12	5	1	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.17)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	0%	67%	28%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	1	2	1	2	2	1	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	0%	0%	11%	22%	11%	22%	22%	11%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。