

2013年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	1	9	17	11	12	17	16	17	19	9	26	14	22	17	21	11	4	6	1	251
	(定点あたり)	(0.01)	(0.01)	(0.08)	(0.14)	(0.09)	(0.10)	(0.14)	(0.13)	(0.14)	(0.16)	(0.08)	(0.22)	(0.12)	(0.18)	(0.14)	(0.18)	(0.09)	(0.03)	(0.05)	(0.01)	(2.09)
	年齢構成比(%)	0%	0%	4%	7%	4%	5%	7%	6%	7%	8%	4%	10%	6%	9%	7%	8%	4%	2%	2%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	1	0	1	0	1	4	2	0	2	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.22)	(0.11)	(0.00)	(0.11)	(0.00)	(0.00)	(0.67)
	年齢構成比(%)	0%	0%	8%	0%	0%	0%	0%	0%	0%	8%	0%	8%	0%	8%	33%	17%	0%	17%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	1	5	13	6	5	11	7	9	12	7	12	7	11	8	4	6	0	3	0	128
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.11)	(0.05)	(0.04)	(0.09)	(0.06)	(0.08)	(0.10)	(0.06)	(0.10)	(0.06)	(0.09)	(0.07)	(0.03)	(0.05)	(0.00)	(0.03)	(0.00)	(1.07)
	年齢構成比(%)	1%	1%	4%	10%	5%	4%	9%	5%	7%	9%	5%	9%	5%	9%	6%	3%	5%	0%	2%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	1	0	0	0	1	0	1	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	20%	0%	0%	0%	0%	0%	0%	20%	0%	0%	0%	20%	0%	20%	0%	20%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	4	4	5	7	6	9	8	7	2	14	7	11	9	17	5	4	3	1	123
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.04)	(0.06)	(0.05)	(0.08)	(0.07)	(0.06)	(0.02)	(0.12)	(0.06)	(0.09)	(0.08)	(0.14)	(0.04)	(0.03)	(0.03)	(0.01)	(1.03)
	年齢構成比(%)	0%	0%	3%	3%	4%	6%	5%	7%	7%	6%	2%	11%	6%	9%	7%	14%	4%	3%	2%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4	1	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.22)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	0%	0%	57%	14%	0%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	2	2	0	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	43%	29%	29%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	2	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	20%	40%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	4	7	12	3	11	6	6	6	4	3	3	12	78
	(定点あたり)	(0.00)	(0.01)	(0.06)	(0.10)	(0.17)	(0.04)	(0.15)	(0.08)	(0.08)	(0.08)	(0.06)	(0.04)	(0.04)	(0.17)	(1.08)
	年齢構成比(%)	0%	1%	5%	9%	15%	4%	14%	8%	8%	8%	5%	4%	4%	15%	100%
感染性胃腸炎	報告数	3	16	59	26	29	27	16	13	9	9	14	18	3	48	290
	(定点あたり)	(0.04)	(0.22)	(0.82)	(0.36)	(0.40)	(0.38)	(0.22)	(0.18)	(0.13)	(0.13)	(0.19)	(0.25)	(0.04)	(0.67)	(4.03)
	年齢構成比(%)	1%	6%	20%	9%	10%	9%	6%	4%	3%	3%	5%	6%	1%	17%	100%
水痘	報告数	1	4	7	13	11	10	5	6	1	1	1	0	0	0	60
	(定点あたり)	(0.01)	(0.06)	(0.10)	(0.18)	(0.15)	(0.14)	(0.07)	(0.08)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.83)
	年齢構成比(%)	2%	7%	12%	22%	18%	17%	8%	10%	2%	2%	2%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	12	12	2	0	0	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.00)	(0.17)	(0.17)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	0%	46%	46%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	4	0	1	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.06)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	14%	14%	57%	0%	14%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	2	4	1	1	0	2	1	1	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.06)	(0.01)	(0.01)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	17%	33%	8%	8%	0%	17%	8%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	0	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	5	7	1	9	3	5	4	2	2	1	2	44
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.07)	(0.10)	(0.01)	(0.13)	(0.04)	(0.07)	(0.06)	(0.03)	(0.03)	(0.01)	(0.03)	(0.61)
	年齢構成比(%)	0%	2%	5%	11%	16%	2%	20%	7%	11%	9%	5%	5%	2%	5%	100%
感染性胃腸炎	報告数	0	5	37	15	17	17	9	6	6	6	10	9	3	15	155
	(定点あたり)	(0.00)	(0.07)	(0.51)	(0.21)	(0.24)	(0.24)	(0.13)	(0.08)	(0.08)	(0.08)	(0.14)	(0.13)	(0.04)	(0.21)	(2.15)
	年齢構成比(%)	0%	3%	24%	10%	11%	11%	6%	4%	4%	4%	6%	6%	2%	10%	100%
水痘	報告数	1	2	4	10	7	4	3	3	1	0	1	0	0	0	36
	(定点あたり)	(0.01)	(0.03)	(0.06)	(0.14)	(0.10)	(0.06)	(0.04)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	3%	6%	11%	28%	19%	11%	8%	8%	3%	0%	3%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	7	10	0	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.10)	(0.14)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	41%	59%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	3	0	1	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	75%	0%	25%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	3	1	0	0	1	1	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	0%	0%	50%	17%	0%	0%	17%	17%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	0	2	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	5	2	2	3	1	2	2	1	2	10	34
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.07)	(0.03)	(0.03)	(0.04)	(0.01)	(0.03)	(0.03)	(0.01)	(0.03)	(0.14)	(0.47)
	年齢構成比(%)	0%	0%	6%	6%	15%	6%	6%	9%	3%	6%	6%	3%	6%	29%	100%
感染性胃腸炎	報告数	3	11	22	11	12	10	7	7	3	3	4	9	0	33	135
	(定点あたり)	(0.04)	(0.15)	(0.31)	(0.15)	(0.17)	(0.14)	(0.10)	(0.10)	(0.04)	(0.04)	(0.06)	(0.13)	(0.00)	(0.46)	(1.88)
	年齢構成比(%)	2%	8%	16%	8%	9%	7%	5%	5%	2%	2%	3%	7%	0%	24%	100%
水痘	報告数	0	2	3	3	4	6	2	3	0	1	0	0	0	0	24
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.04)	(0.06)	(0.08)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	0%	8%	13%	13%	17%	25%	8%	13%	0%	4%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	5	2	2	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.07)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	56%	22%	22%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	2	1	0	1	0	1	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	0%	33%	17%	0%	17%	0%	17%	0%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。