

## 2013年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	2	17	11	8	20	12	33	32	34	14	39	14	16	32	22	6	5	4	4	326
	(定点あたり)	(0.01)	(0.02)	(0.14)	(0.09)	(0.07)	(0.17)	(0.10)	(0.27)	(0.26)	(0.28)	(0.12)	(0.32)	(0.12)	(0.13)	(0.26)	(0.18)	(0.05)	(0.04)	(0.03)	(0.03)	(2.69)
	年齢構成比(%)	0%	1%	5%	3%	2%	6%	4%	10%	10%	10%	4%	12%	4%	5%	10%	7%	2%	2%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	1	1	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	40%	20%	20%	0%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	1	13	5	3	12	6	19	18	18	6	23	8	8	15	6	4	1	4	2	173
	(定点あたり)	(0.01)	(0.01)	(0.11)	(0.04)	(0.02)	(0.10)	(0.05)	(0.16)	(0.15)	(0.15)	(0.05)	(0.19)	(0.07)	(0.07)	(0.12)	(0.05)	(0.03)	(0.01)	(0.03)	(0.02)	(1.43)
	年齢構成比(%)	1%	1%	8%	3%	2%	7%	3%	11%	10%	10%	3%	13%	5%	5%	9%	3%	2%	1%	2%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	4	6	5	8	6	14	14	16	8	16	6	8	17	16	2	4	0	2	153
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.05)	(0.04)	(0.07)	(0.05)	(0.12)	(0.12)	(0.13)	(0.07)	(0.13)	(0.05)	(0.07)	(0.14)	(0.13)	(0.02)	(0.03)	(0.00)	(0.02)	(1.26)
	年齢構成比(%)	0%	1%	3%	4%	3%	5%	4%	9%	9%	10%	5%	10%	4%	5%	11%	10%	1%	3%	0%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	33%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	2	1	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	40%	40%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	0	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	1	3	4	9	11	11	19	11	10	8	6	1	10	105
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.05)	(0.12)	(0.15)	(0.15)	(0.26)	(0.15)	(0.14)	(0.11)	(0.08)	(0.01)	(0.14)	(1.42)
	年齢構成比(%)	1%	1%	3%	4%	9%	10%	10%	18%	10%	10%	8%	6%	1%	10%	100%
感染性胃腸炎	報告数	5	35	58	55	36	30	25	15	15	11	8	32	3	51	379
	(定点あたり)	(0.07)	(0.47)	(0.78)	(0.74)	(0.49)	(0.41)	(0.34)	(0.20)	(0.20)	(0.15)	(0.11)	(0.43)	(0.04)	(0.69)	(5.12)
	年齢構成比(%)	1%	9%	15%	15%	9%	8%	7%	4%	4%	3%	2%	8%	1%	13%	100%
水痘	報告数	3	2	4	17	16	6	7	2	1	0	0	0	0	0	58
	(定点あたり)	(0.04)	(0.03)	(0.05)	(0.23)	(0.22)	(0.08)	(0.09)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.78)
	年齢構成比(%)	5%	3%	7%	29%	28%	10%	12%	3%	2%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	17	14	1	1	0	0	0	0	0	0	0	0	0	34
	(定点あたり)	(0.01)	(0.23)	(0.19)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.46)
	年齢構成比(%)	3%	50%	41%	3%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	3	0	0	0	1	0	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	60%	0%	0%	0%	20%	0%	0%	0%	0%	20%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	1	0	6	2	1	1	0	1	1	2	17
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.08)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.03)	(0.23)
	年齢構成比(%)	0%	0%	6%	6%	6%	0%	35%	12%	6%	6%	0%	6%	6%	12%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	2	1	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	40%	40%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	1	2	2	6	5	6	14	7	5	6	3	0	2	60
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.03)	(0.08)	(0.07)	(0.08)	(0.19)	(0.09)	(0.07)	(0.08)	(0.04)	(0.00)	(0.03)	(0.81)
	年齢構成比(%)	2%	2%	3%	3%	10%	8%	10%	23%	12%	8%	10%	5%	0%	3%	100%
感染性胃腸炎	報告数	2	21	34	32	16	16	13	6	8	6	8	20	1	20	203
	(定点あたり)	(0.03)	(0.28)	(0.46)	(0.43)	(0.22)	(0.22)	(0.18)	(0.08)	(0.11)	(0.08)	(0.11)	(0.27)	(0.01)	(0.27)	(2.74)
	年齢構成比(%)	1%	10%	17%	16%	8%	8%	6%	3%	4%	3%	4%	10%	0%	10%	100%
水痘	報告数	1	1	2	10	10	3	4	1	0	0	0	0	0	0	32
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.14)	(0.14)	(0.04)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	3%	3%	6%	31%	31%	9%	13%	3%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	5	6	1	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.01)	(0.07)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	8%	38%	46%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	1	0	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	0%	0%	0%	33%	0%	0%	0%	0%	33%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	0	2	2	1	0	0	0	1	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	14%	0%	0%	29%	29%	14%	0%	0%	0%	14%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第16週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	3	6	5	5	4	5	2	3	1	8	45
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.08)	(0.07)	(0.07)	(0.05)	(0.07)	(0.03)	(0.04)	(0.01)	(0.11)	(0.61)
	年齢構成比(%)	0%	0%	2%	4%	7%	13%	11%	11%	9%	11%	4%	7%	2%	18%	100%
感染性胃腸炎	報告数	3	14	24	23	20	14	12	9	7	5	0	12	2	31	176
	(定点あたり)	(0.04)	(0.19)	(0.32)	(0.31)	(0.27)	(0.19)	(0.16)	(0.12)	(0.09)	(0.07)	(0.00)	(0.16)	(0.03)	(0.42)	(2.38)
	年齢構成比(%)	2%	8%	14%	13%	11%	8%	7%	5%	4%	3%	0%	7%	1%	18%	100%
水痘	報告数	2	1	2	7	6	3	3	1	1	0	0	0	0	0	26
	(定点あたり)	(0.03)	(0.01)	(0.03)	(0.09)	(0.08)	(0.04)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	8%	4%	8%	27%	23%	12%	12%	4%	4%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	12	8	0	1	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.00)	(0.16)	(0.11)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	57%	38%	0%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	0	4	0	0	1	0	1	0	2	10
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.14)
	年齢構成比(%)	0%	0%	10%	0%	10%	0%	40%	0%	0%	10%	0%	10%	0%	20%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。