

2013年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	1	8	12	14	25	23	24	24	24	15	38	12	10	20	17	6	8	8	4	294
	(定点あたり)	(0.01)	(0.01)	(0.07)	(0.10)	(0.12)	(0.21)	(0.20)	(0.21)	(0.21)	(0.21)	(0.13)	(0.32)	(0.10)	(0.09)	(0.17)	(0.15)	(0.05)	(0.07)	(0.07)	(0.03)	(2.51)
	年齢構成比(%)	0%	0%	3%	4%	5%	9%	8%	8%	8%	8%	5%	13%	4%	3%	7%	6%	2%	3%	3%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	2	0	2	0	0	0	0	0	0	1	0	0	5	2	2	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.13)	(0.00)	(0.13)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.31)	(0.13)	(0.13)	(0.00)	(0.00)	(0.00)	(0.88)
	年齢構成比(%)	0%	0%	14%	0%	14%	0%	0%	0%	0%	0%	0%	7%	0%	0%	36%	14%	14%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	3	9	6	17	18	12	14	9	11	22	8	5	7	4	4	2	5	2	158
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.08)	(0.05)	(0.15)	(0.15)	(0.10)	(0.12)	(0.08)	(0.09)	(0.19)	(0.07)	(0.04)	(0.06)	(0.03)	(0.03)	(0.02)	(0.04)	(0.02)	(1.35)
	年齢構成比(%)	0%	0%	2%	6%	4%	11%	11%	8%	9%	6%	7%	14%	5%	3%	4%	3%	3%	1%	3%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	2	0	0	0	0	0	0	1	0	0	2	2	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.13)	(0.13)	(0.00)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	0%	0%	0%	0%	29%	0%	0%	0%	0%	0%	0%	14%	0%	0%	29%	29%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	1	5	3	8	8	5	12	10	15	4	16	4	5	13	13	2	6	3	2	136
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.03)	(0.07)	(0.07)	(0.04)	(0.10)	(0.09)	(0.13)	(0.03)	(0.14)	(0.03)	(0.04)	(0.11)	(0.11)	(0.02)	(0.05)	(0.03)	(0.02)	(1.16)
	年齢構成比(%)	1%	1%	4%	2%	6%	6%	4%	9%	7%	11%	3%	12%	3%	4%	10%	10%	1%	4%	2%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	3	0	2	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.13)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)	(0.00)	(0.13)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	0%	0%	29%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	43%	0%	29%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	2	2	0	1	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	33%	33%	0%	17%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	3	3	0	1	1	0	0	0	0	0	0	1	11
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.15)
	年齢構成比(%)	0%	18%	27%	27%	0%	9%	9%	0%	0%	0%	0%	0%	0%	9%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	4	9	15	14	14	10	5	3	7	2	10	94
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.06)	(0.13)	(0.21)	(0.20)	(0.20)	(0.14)	(0.07)	(0.04)	(0.10)	(0.03)	(0.14)	(1.32)
	年齢構成比(%)	0%	0%	1%	4%	10%	16%	15%	15%	11%	5%	3%	7%	2%	11%	100%
感染性胃腸炎	報告数	3	34	81	45	45	44	29	34	15	10	17	27	4	54	442
	(定点あたり)	(0.04)	(0.48)	(1.14)	(0.63)	(0.63)	(0.62)	(0.41)	(0.48)	(0.21)	(0.14)	(0.24)	(0.38)	(0.06)	(0.76)	(6.23)
	年齢構成比(%)	1%	8%	18%	10%	10%	10%	7%	8%	3%	2%	4%	6%	1%	12%	100%
水痘	報告数	0	3	18	22	15	10	9	3	0	0	0	1	0	0	81
	(定点あたり)	(0.00)	(0.04)	(0.25)	(0.31)	(0.21)	(0.14)	(0.13)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(1.14)
	年齢構成比(%)	0%	4%	22%	27%	19%	12%	11%	4%	0%	0%	0%	1%	0%	0%	100%
手足口病	報告数	0	0	1	1	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	14	18	1	0	0	0	0	0	0	0	0	0	0	34
	(定点あたり)	(0.01)	(0.20)	(0.25)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.48)
	年齢構成比(%)	3%	41%	53%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	2	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	2	0	2	0	2	1	1	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	10%	0%	20%	0%	20%	0%	20%	10%	10%	10%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	2	0	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	2	0	1	1	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	17%	17%	33%	0%	17%	17%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	5	10	10	4	5	1	1	6	1	3	50
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.07)	(0.14)	(0.14)	(0.06)	(0.07)	(0.01)	(0.01)	(0.08)	(0.01)	(0.04)	(0.70)
	年齢構成比(%)	0%	0%	2%	6%	10%	20%	20%	8%	10%	2%	2%	12%	2%	6%	100%
感染性胃腸炎	報告数	3	20	39	30	24	23	17	16	5	7	9	13	2	28	236
	(定点あたり)	(0.04)	(0.28)	(0.55)	(0.42)	(0.34)	(0.32)	(0.24)	(0.23)	(0.07)	(0.10)	(0.13)	(0.18)	(0.03)	(0.39)	(3.32)
	年齢構成比(%)	1%	8%	17%	13%	10%	10%	7%	7%	2%	3%	4%	6%	1%	12%	100%
水痘	報告数	0	2	9	8	6	5	6	2	0	0	0	1	0	0	39
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.11)	(0.08)	(0.07)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.55)
	年齢構成比(%)	0%	5%	23%	21%	15%	13%	15%	5%	0%	0%	0%	3%	0%	0%	100%
手足口病	報告数	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	9	6	1	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.13)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	56%	38%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	0	1	0	1	1	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	0%	17%	0%	17%	0%	17%	17%	0%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	2	0	0	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	67%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	1	0	0	0	0	0	0	0	0	0	1	5
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)
	年齢構成比(%)	0%	20%	40%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	4	5	4	10	5	4	2	1	1	7	44
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.06)	(0.07)	(0.06)	(0.14)	(0.07)	(0.06)	(0.03)	(0.01)	(0.01)	(0.10)	(0.62)
	年齢構成比(%)	0%	0%	0%	2%	9%	11%	9%	23%	11%	9%	5%	2%	2%	16%	100%
感染性胃腸炎	報告数	0	14	42	15	21	21	12	18	10	3	8	14	2	26	206
	(定点あたり)	(0.00)	(0.20)	(0.59)	(0.21)	(0.30)	(0.30)	(0.17)	(0.25)	(0.14)	(0.04)	(0.11)	(0.20)	(0.03)	(0.37)	(2.90)
	年齢構成比(%)	0%	7%	20%	7%	10%	10%	6%	9%	5%	1%	4%	7%	1%	13%	100%
水痘	報告数	0	1	9	14	9	5	3	1	0	0	0	0	0	0	42
	(定点あたり)	(0.00)	(0.01)	(0.13)	(0.20)	(0.13)	(0.07)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.59)
	年齢構成比(%)	0%	2%	21%	33%	21%	12%	7%	2%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	5	12	0	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.01)	(0.07)	(0.17)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	6%	28%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	0	1	0	1	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	25%	0%	25%	0%	25%	0%	25%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。