

## 2013年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	1	9	6	6	21	21	16	19	17	13	33	14	17	18	14	7	11	2	3	249
	(定点あたり)	(0.01)	(0.01)	(0.07)	(0.05)	(0.05)	(0.17)	(0.17)	(0.13)	(0.16)	(0.14)	(0.11)	(0.27)	(0.11)	(0.14)	(0.15)	(0.11)	(0.06)	(0.09)	(0.02)	(0.02)	(2.04)
	年齢構成比(%)	0%	0%	4%	2%	2%	8%	8%	6%	8%	7%	5%	13%	6%	7%	7%	6%	3%	4%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	1	0	1	1	1	2	2	1	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.06)	(0.13)	(0.13)	(0.06)	(0.06)	(0.00)	(0.00)	(0.69)
	年齢構成比(%)	0%	0%	0%	9%	0%	0%	0%	0%	0%	9%	0%	9%	9%	9%	18%	18%	9%	9%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	6	2	3	13	12	8	10	9	6	12	8	5	5	7	3	6	2	2	120
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.02)	(0.02)	(0.11)	(0.10)	(0.07)	(0.08)	(0.07)	(0.05)	(0.10)	(0.07)	(0.04)	(0.04)	(0.06)	(0.02)	(0.05)	(0.02)	(0.02)	(0.98)
	年齢構成比(%)	0%	1%	5%	2%	3%	11%	10%	7%	8%	8%	5%	10%	7%	4%	4%	6%	3%	5%	2%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	0	3	4	3	8	9	8	9	8	7	21	6	12	13	7	4	5	0	1	129
	(定点あたり)	(0.01)	(0.00)	(0.02)	(0.03)	(0.02)	(0.07)	(0.07)	(0.07)	(0.07)	(0.07)	(0.06)	(0.17)	(0.05)	(0.10)	(0.11)	(0.06)	(0.03)	(0.04)	(0.00)	(0.01)	(1.06)
	年齢構成比(%)	1%	0%	2%	3%	2%	6%	7%	6%	7%	6%	5%	16%	5%	9%	10%	5%	3%	4%	0%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	1	0	1	1	1	2	1	1	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.06)	(0.13)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	13%	0%	13%	13%	13%	25%	13%	13%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	2	4	0	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	4	2	2	0	0	0	0	1	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	10%	40%	20%	20%	0%	0%	0%	0%	10%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	6	3	15	10	8	6	5	4	7	0	8	74
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.08)	(0.04)	(0.20)	(0.14)	(0.11)	(0.08)	(0.07)	(0.05)	(0.09)	(0.00)	(0.11)	(1.00)
	年齢構成比(%)	0%	1%	1%	8%	4%	20%	14%	11%	8%	7%	5%	9%	0%	11%	100%
感染性胃腸炎	報告数	4	26	42	37	19	25	25	15	14	11	6	17	6	31	278
	(定点あたり)	(0.05)	(0.35)	(0.57)	(0.50)	(0.26)	(0.34)	(0.34)	(0.20)	(0.19)	(0.15)	(0.08)	(0.23)	(0.08)	(0.42)	(3.76)
	年齢構成比(%)	1%	9%	15%	13%	7%	9%	9%	5%	5%	4%	2%	6%	2%	11%	100%
水痘	報告数	2	1	8	8	3	4	6	2	1	2	1	1	0	0	39
	(定点あたり)	(0.03)	(0.01)	(0.11)	(0.11)	(0.04)	(0.05)	(0.08)	(0.03)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.53)
	年齢構成比(%)	5%	3%	21%	21%	8%	10%	15%	5%	3%	5%	3%	3%	0%	0%	100%
手足口病	報告数	0	0	1	1	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
突発性発しん	報告数	0	5	12	0	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.07)	(0.16)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	29%	71%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	3	2	1	0	1	0	0	2	1	0	13
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	8%	15%	23%	15%	8%	0%	8%	0%	0%	15%	8%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	2	1	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	1	2	0	0	0	0	1	0	0	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	14%	29%	14%	29%	0%	0%	0%	0%	14%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	2	2	9	7	7	5	1	1	4	0	4	43
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.12)	(0.09)	(0.09)	(0.07)	(0.01)	(0.01)	(0.05)	(0.00)	(0.05)	(0.58)
	年齢構成比(%)	0%	2%	0%	5%	5%	21%	16%	16%	12%	2%	2%	9%	0%	9%	100%
感染性胃腸炎	報告数	3	16	24	26	11	13	10	8	4	7	3	8	2	9	144
	(定点あたり)	(0.04)	(0.22)	(0.32)	(0.35)	(0.15)	(0.18)	(0.14)	(0.11)	(0.05)	(0.09)	(0.04)	(0.11)	(0.03)	(0.12)	(1.95)
	年齢構成比(%)	2%	11%	17%	18%	8%	9%	7%	6%	3%	5%	2%	6%	1%	6%	100%
水痘	報告数	1	1	3	5	3	1	2	2	1	1	1	0	0	0	21
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.07)	(0.04)	(0.01)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	5%	5%	14%	24%	14%	5%	10%	10%	5%	5%	5%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
突発性発しん	報告数	0	4	4	0	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.05)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	0	1	1	0	1	0	0	0	1	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	17%	0%	17%	17%	0%	17%	0%	0%	0%	17%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	3	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	4	1	6	3	1	1	4	3	3	0	4	31
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.01)	(0.08)	(0.04)	(0.01)	(0.01)	(0.05)	(0.04)	(0.04)	(0.00)	(0.05)	(0.42)
	年齢構成比(%)	0%	0%	3%	13%	3%	19%	10%	3%	3%	13%	10%	10%	0%	13%	100%
感染性胃腸炎	報告数	1	10	18	11	8	12	15	7	10	4	3	9	4	22	134
	(定点あたり)	(0.01)	(0.14)	(0.24)	(0.15)	(0.11)	(0.16)	(0.20)	(0.09)	(0.14)	(0.05)	(0.04)	(0.12)	(0.05)	(0.30)	(1.81)
	年齢構成比(%)	1%	7%	13%	8%	6%	9%	11%	5%	7%	3%	2%	7%	3%	16%	100%
水痘	報告数	1	0	5	3	0	3	4	0	0	1	0	1	0	0	18
	(定点あたり)	(0.01)	(0.00)	(0.07)	(0.04)	(0.00)	(0.04)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	6%	0%	28%	17%	0%	17%	22%	0%	0%	6%	0%	6%	0%	0%	100%
手足口病	報告数	0	0	1	1	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	1	8	0	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.01)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	11%	89%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	1	3	1	0	0	0	0	0	2	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	14%	43%	14%	0%	0%	0%	0%	0%	29%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。