

## 2013年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	4	2	7	6	18	13	9	11	14	11	40	14	19	28	16	7	3	0	4	227
	(定点あたり)	(0.01)	(0.03)	(0.02)	(0.06)	(0.05)	(0.15)	(0.11)	(0.07)	(0.09)	(0.11)	(0.09)	(0.33)	(0.11)	(0.16)	(0.23)	(0.13)	(0.06)	(0.02)	(0.00)	(0.03)	(1.86)
	年齢構成比(%)	0%	2%	1%	3%	3%	8%	6%	4%	5%	6%	5%	18%	6%	8%	12%	7%	3%	1%	0%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	1	0	0	0	0	3	5	1	2	2	2	0	16
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.28)	(0.06)	(0.11)	(0.11)	(0.11)	(0.00)	(0.89)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	6%	0%	0%	0%	0%	19%	31%	6%	13%	13%	13%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	3	2	3	4	9	5	4	4	7	6	21	11	14	8	5	5	1	0	2	115
	(定点あたり)	(0.01)	(0.02)	(0.02)	(0.02)	(0.03)	(0.07)	(0.04)	(0.03)	(0.03)	(0.06)	(0.05)	(0.17)	(0.09)	(0.11)	(0.07)	(0.04)	(0.04)	(0.01)	(0.00)	(0.02)	(0.94)
	年齢構成比(%)	1%	3%	2%	3%	3%	8%	4%	3%	3%	6%	5%	18%	10%	12%	7%	4%	4%	1%	0%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	1	1	1	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.17)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.44)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	13%	38%	13%	13%	13%	13%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	0	4	2	9	8	5	7	7	5	19	3	5	20	11	2	2	0	2	112
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.02)	(0.07)	(0.07)	(0.04)	(0.06)	(0.06)	(0.04)	(0.16)	(0.02)	(0.04)	(0.16)	(0.09)	(0.02)	(0.02)	(0.00)	(0.02)	(0.92)
	年齢構成比(%)	0%	1%	0%	4%	2%	8%	7%	4%	4%	6%	6%	4%	17%	3%	4%	18%	10%	2%	2%	0%	2%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	1	0	0	0	0	2	2	0	1	1	1	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.44)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	13%	0%	0%	0%	0%	25%	25%	0%	13%	13%	13%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	2	0	3	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	40%	0%	60%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	3	3	1	2	0	2	0	0	1	0	0	1	14
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.04)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.19)
	年齢構成比(%)	0%	7%	21%	21%	7%	14%	0%	14%	0%	0%	7%	0%	0%	7%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	3	9	11	8	8	8	11	10	10	0	6	87
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.04)	(0.12)	(0.15)	(0.11)	(0.11)	(0.11)	(0.15)	(0.14)	(0.14)	(0.00)	(0.08)	(1.18)
	年齢構成比(%)	0%	0%	3%	3%	10%	13%	9%	9%	9%	13%	11%	11%	0%	7%	100%
感染性胃腸炎	報告数	7	31	68	46	45	51	34	21	23	21	20	45	3	30	445
	(定点あたり)	(0.09)	(0.42)	(0.92)	(0.62)	(0.61)	(0.69)	(0.46)	(0.28)	(0.31)	(0.28)	(0.27)	(0.61)	(0.04)	(0.41)	(6.01)
	年齢構成比(%)	2%	7%	15%	10%	10%	11%	8%	5%	5%	5%	4%	10%	1%	7%	100%
水痘	報告数	1	8	23	14	16	15	5	3	3	2	3	3	0	1	97
	(定点あたり)	(0.01)	(0.11)	(0.31)	(0.19)	(0.22)	(0.20)	(0.07)	(0.04)	(0.04)	(0.03)	(0.04)	(0.04)	(0.00)	(0.01)	(1.31)
	年齢構成比(%)	1%	8%	24%	14%	16%	15%	5%	3%	3%	2%	3%	3%	0%	1%	100%
手足口病	報告数	0	2	2	0	2	2	3	0	1	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.00)	(0.03)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	17%	17%	0%	17%	17%	25%	0%	8%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%
突発性発しん	報告数	0	11	17	3	0	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.00)	(0.15)	(0.23)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比(%)	0%	35%	55%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	0	0	0	0	1	2	0	0	0	0	0	0	0	4
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	25%	0%	0%	0%	0%	25%	50%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	3	1	3	4	1	2	0	0	1	0	1	17
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.04)	(0.05)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.23)
	年齢構成比(%)	0%	0%	6%	18%	6%	18%	24%	6%	12%	0%	0%	6%	0%	6%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	0	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	0	1	0	1	0	0	1	0	0	1	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.08)
	年齢構成比(%)	0%	0%	17%	17%	0%	17%	0%	17%	0%	0%	17%	0%	0%	17%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	5	7	6	6	4	4	6	5	0	1	49
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.07)	(0.09)	(0.08)	(0.08)	(0.05)	(0.05)	(0.08)	(0.07)	(0.00)	(0.01)	(0.66)
	年齢構成比(%)	0%	0%	4%	6%	10%	14%	12%	12%	8%	8%	12%	10%	0%	2%	100%
感染性胃腸炎	報告数	3	16	37	25	21	28	18	14	10	13	10	24	1	17	237
	(定点あたり)	(0.04)	(0.22)	(0.50)	(0.34)	(0.28)	(0.38)	(0.24)	(0.19)	(0.14)	(0.18)	(0.14)	(0.32)	(0.01)	(0.23)	(3.20)
	年齢構成比(%)	1%	7%	16%	11%	9%	12%	8%	6%	4%	5%	4%	10%	0%	7%	100%
水痘	報告数	1	1	13	9	9	9	1	2	3	0	2	0	0	1	51
	(定点あたり)	(0.01)	(0.01)	(0.18)	(0.12)	(0.12)	(0.12)	(0.01)	(0.03)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.69)
	年齢構成比(%)	2%	2%	25%	18%	18%	18%	2%	4%	6%	0%	4%	0%	0%	2%	100%
手足口病	報告数	0	0	2	0	1	1	2	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	33%	0%	17%	17%	33%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	9	10	1	0	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.12)	(0.14)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比(%)	0%	45%	50%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	0	0	0	0	1	2	0	0	0	0	0	0	0	4
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	25%	0%	0%	0%	0%	25%	50%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	2	2	1	1	0	0	0	0	1	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.09)
	年齢構成比(%)	0%	0%	0%	0%	0%	29%	29%	14%	14%	0%	0%	0%	0%	14%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	0	2	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	0%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	2	1	1	0	1	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	13%	25%	25%	13%	13%	0%	13%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	4	4	2	2	4	7	4	5	0	5	38
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.05)	(0.05)	(0.03)	(0.03)	(0.05)	(0.09)	(0.05)	(0.07)	(0.00)	(0.07)	(0.51)
	年齢構成比(%)	0%	0%	3%	0%	11%	11%	5%	5%	11%	18%	11%	13%	0%	13%	100%
感染性胃腸炎	報告数	4	15	31	21	24	23	16	7	13	8	10	21	2	13	208
	(定点あたり)	(0.05)	(0.20)	(0.42)	(0.28)	(0.32)	(0.31)	(0.22)	(0.09)	(0.18)	(0.11)	(0.14)	(0.28)	(0.03)	(0.18)	(2.81)
	年齢構成比(%)	2%	7%	15%	10%	12%	11%	8%	3%	6%	4%	5%	10%	1%	6%	100%
水痘	報告数	0	7	10	5	7	6	4	1	0	2	1	3	0	0	46
	(定点あたり)	(0.00)	(0.09)	(0.14)	(0.07)	(0.09)	(0.08)	(0.05)	(0.01)	(0.00)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.62)
	年齢構成比(%)	0%	15%	22%	11%	15%	13%	9%	2%	0%	4%	2%	7%	0%	0%	100%
手足口病	報告数	0	2	0	0	1	1	1	0	1	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	33%	0%	0%	17%	17%	17%	0%	17%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%
突発性発しん	報告数	0	2	7	2	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.03)	(0.09)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	18%	64%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	1	3	1	1	2	0	1	0	0	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	10%	30%	10%	10%	20%	0%	10%	0%	0%	10%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。