

## 2013年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	2	3	2	2	4	7	2	6	2	12	2	2	3	1	1	1	0	0	52
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.02)	(0.02)	(0.02)	(0.03)	(0.06)	(0.02)	(0.05)	(0.02)	(0.10)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	0%	0%	4%	6%	4%	4%	8%	13%	4%	12%	4%	23%	4%	4%	6%	2%	2%	2%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	1	0	1	3	1	1	3	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.18)	(0.06)	(0.06)	(0.18)	(0.00)	(0.00)	(0.65)
	年齢構成比(%)	0%	0%	9%	0%	0%	0%	0%	0%	0%	0%	0%	9%	0%	9%	27%	9%	9%	27%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	2	0	1	2	4	2	3	0	4	1	2	1	1	1	0	0	0	24
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.01)	(0.02)	(0.03)	(0.02)	(0.02)	(0.00)	(0.03)	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	0%	0%	8%	0%	4%	8%	17%	8%	13%	0%	17%	4%	8%	4%	4%	4%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	2	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.12)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	20%	0%	20%	0%	40%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	2	1	2	1	2	3	0	3	2	8	1	0	2	0	0	1	0	0	28
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.01)	(0.02)	(0.01)	(0.02)	(0.02)	(0.00)	(0.02)	(0.02)	(0.07)	(0.01)	(0.00)	(0.02)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	0%	7%	4%	7%	4%	7%	11%	0%	11%	7%	29%	4%	0%	7%	0%	0%	4%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	3	0	1	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	17%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	2	1	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	20%	20%	40%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	4	5	4	2	1	0	2	0	0	0	1	0	0	19
	(定点あたり)	(0.00)	(0.05)	(0.07)	(0.05)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	21%	26%	21%	11%	5%	0%	11%	0%	0%	0%	5%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	15	14	18	23	23	17	7	12	12	0	10	151
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.21)	(0.19)	(0.25)	(0.32)	(0.32)	(0.23)	(0.10)	(0.16)	(0.16)	(0.00)	(0.14)	(2.07)
	年齢構成比(%)	0%	0%	0%	10%	9%	12%	15%	15%	11%	5%	8%	8%	0%	7%	100%
感染性胃腸炎	報告数	3	26	55	60	51	63	51	34	24	19	22	42	4	60	514
	(定点あたり)	(0.04)	(0.36)	(0.75)	(0.82)	(0.70)	(0.86)	(0.70)	(0.47)	(0.33)	(0.26)	(0.30)	(0.58)	(0.05)	(0.82)	(7.04)
	年齢構成比(%)	1%	5%	11%	12%	10%	12%	10%	7%	5%	4%	4%	8%	1%	12%	100%
水痘	報告数	2	4	11	18	17	9	11	1	1	3	0	1	1	0	79
	(定点あたり)	(0.03)	(0.05)	(0.15)	(0.25)	(0.23)	(0.12)	(0.15)	(0.01)	(0.01)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(1.08)
	年齢構成比(%)	3%	5%	14%	23%	22%	11%	14%	1%	1%	4%	0%	1%	1%	0%	100%
手足口病	報告数	0	3	6	9	8	8	0	0	0	3	1	0	0	0	38
	(定点あたり)	(0.00)	(0.04)	(0.08)	(0.12)	(0.11)	(0.11)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.52)
	年齢構成比(%)	0%	8%	16%	24%	21%	21%	0%	0%	0%	8%	3%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
突発性発しん	報告数	1	17	11	2	0	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.01)	(0.23)	(0.15)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比(%)	3%	55%	35%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	1	1	5	0	0	1	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.07)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	11%	11%	11%	56%	0%	0%	11%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	1	2	6	0	1	1	2	1	0	2	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.08)	(0.00)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.03)	(0.25)
	年齢構成比(%)	0%	0%	0%	11%	6%	11%	33%	0%	6%	6%	11%	6%	0%	11%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	2	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	3	4	1	0	0	1	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.05)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	18%	27%	36%	9%	0%	0%	9%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	12	8	8	12	11	7	2	5	6	0	3	74
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.16)	(0.11)	(0.11)	(0.16)	(0.15)	(0.10)	(0.03)	(0.07)	(0.08)	(0.00)	(0.04)	(1.01)
	年齢構成比(%)	0%	0%	0%	16%	11%	11%	16%	15%	9%	3%	7%	8%	0%	4%	100%
感染性胃腸炎	報告数	2	15	33	25	26	37	31	22	11	11	13	19	3	26	274
	(定点あたり)	(0.03)	(0.21)	(0.45)	(0.34)	(0.36)	(0.51)	(0.42)	(0.30)	(0.15)	(0.15)	(0.18)	(0.26)	(0.04)	(0.36)	(3.75)
	年齢構成比(%)	1%	5%	12%	9%	9%	14%	11%	8%	4%	4%	5%	7%	1%	9%	100%
水痘	報告数	1	2	7	8	10	6	7	1	1	1	0	0	1	0	45
	(定点あたり)	(0.01)	(0.03)	(0.10)	(0.11)	(0.14)	(0.08)	(0.10)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.62)
	年齢構成比(%)	2%	4%	16%	18%	22%	13%	16%	2%	2%	2%	0%	0%	2%	0%	100%
手足口病	報告数	0	3	3	5	7	5	0	0	0	1	0	0	0	0	24
	(定点あたり)	(0.00)	(0.04)	(0.04)	(0.07)	(0.10)	(0.07)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	0%	13%	13%	21%	29%	21%	0%	0%	0%	4%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	6	6	1	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.01)	(0.08)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	7%	43%	43%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	0	0	1	0	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	0%	0%	33%	0%	0%	33%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	1	1	3	0	1	1	2	0	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.04)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.16)
	年齢構成比(%)	0%	0%	0%	17%	8%	8%	25%	0%	8%	8%	17%	0%	0%	8%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	2	0	1	1	0	1	0	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	25%	25%	0%	13%	13%	0%	13%	0%	0%	0%	13%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	6	10	11	12	10	5	7	6	0	7	77
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.08)	(0.14)	(0.15)	(0.16)	(0.14)	(0.07)	(0.10)	(0.08)	(0.00)	(0.10)	(1.05)
	年齢構成比(%)	0%	0%	0%	4%	8%	13%	14%	16%	13%	6%	9%	8%	0%	9%	100%
感染性胃腸炎	報告数	1	11	22	35	25	26	20	12	13	8	9	23	1	34	240
	(定点あたり)	(0.01)	(0.15)	(0.30)	(0.48)	(0.34)	(0.36)	(0.27)	(0.16)	(0.18)	(0.11)	(0.12)	(0.32)	(0.01)	(0.47)	(3.29)
	年齢構成比(%)	0%	5%	9%	15%	10%	11%	8%	5%	5%	3%	4%	10%	0%	14%	100%
水痘	報告数	1	2	4	10	7	3	4	0	0	2	0	1	0	0	34
	(定点あたり)	(0.01)	(0.03)	(0.05)	(0.14)	(0.10)	(0.04)	(0.05)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.47)
	年齢構成比(%)	3%	6%	12%	29%	21%	9%	12%	0%	0%	6%	0%	3%	0%	0%	100%
手足口病	報告数	0	0	3	4	1	3	0	0	0	2	1	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	0%	21%	29%	7%	21%	0%	0%	0%	14%	7%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
突発性発しん	報告数	0	11	5	1	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.15)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	65%	29%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	4	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	17%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	3	0	0	0	0	1	0	1	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.08)
	年齢構成比(%)	0%	0%	0%	0%	0%	17%	50%	0%	0%	0%	0%	17%	0%	17%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。