

2013年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	33%	0%	0%	0%	33%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.24)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	29%	57%	0%	0%	14%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	0	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.24)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	17%	67%	0%	0%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	7	4	0	2	0	1	1	0	1	1	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.09)	(0.05)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	0%	41%	24%	0%	12%	0%	6%	6%	0%	6%	6%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	1	8	8	10	17	11	4	8	12	1	11	95
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.11)	(0.11)	(0.13)	(0.23)	(0.15)	(0.05)	(0.11)	(0.16)	(0.01)	(0.15)	(1.27)
	年齢構成比(%)	0%	0%	4%	1%	8%	8%	11%	18%	12%	4%	8%	13%	1%	12%	100%
感染性胃腸炎	報告数	2	26	46	33	26	24	28	25	12	17	14	28	8	31	320
	(定点あたり)	(0.03)	(0.35)	(0.61)	(0.44)	(0.35)	(0.32)	(0.37)	(0.33)	(0.16)	(0.23)	(0.19)	(0.37)	(0.11)	(0.41)	(4.27)
	年齢構成比(%)	1%	8%	14%	10%	8%	8%	9%	8%	4%	5%	4%	9%	3%	10%	100%
水痘	報告数	0	5	17	15	13	13	8	4	6	0	0	1	0	0	82
	(定点あたり)	(0.00)	(0.07)	(0.23)	(0.20)	(0.17)	(0.17)	(0.11)	(0.05)	(0.08)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(1.09)
	年齢構成比(%)	0%	6%	21%	18%	16%	16%	10%	5%	7%	0%	0%	1%	0%	0%	100%
手足口病	報告数	1	3	23	23	9	1	1	2	0	0	0	1	0	0	64
	(定点あたり)	(0.01)	(0.04)	(0.31)	(0.31)	(0.12)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.85)
	年齢構成比(%)	2%	5%	36%	36%	14%	2%	2%	3%	0%	0%	0%	2%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	17	18	3	1	0	0	0	0	0	0	0	0	0	40
	(定点あたり)	(0.01)	(0.23)	(0.24)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.53)
	年齢構成比(%)	3%	43%	45%	8%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	2	2	15	10	8	4	2	2	1	0	1	0	0	0	47
	(定点あたり)	(0.03)	(0.03)	(0.20)	(0.13)	(0.11)	(0.05)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.63)
	年齢構成比(%)	4%	4%	32%	21%	17%	9%	4%	4%	2%	0%	2%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	0	4	1	1	0	1	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.05)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	22%	0%	44%	11%	11%	0%	11%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	2	1	0	2	0	0	1	0	1	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	25%	13%	0%	25%	0%	0%	13%	0%	13%	13%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	0	3	4	7	11	8	3	4	7	1	3	54
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.04)	(0.05)	(0.09)	(0.15)	(0.11)	(0.04)	(0.05)	(0.09)	(0.01)	(0.04)	(0.72)
	年齢構成比(%)	0%	0%	6%	0%	6%	7%	13%	20%	15%	6%	7%	13%	2%	6%	100%
感染性胃腸炎	報告数	0	11	27	18	15	15	17	10	9	12	8	16	5	11	174
	(定点あたり)	(0.00)	(0.15)	(0.36)	(0.24)	(0.20)	(0.20)	(0.23)	(0.13)	(0.12)	(0.16)	(0.11)	(0.21)	(0.07)	(0.15)	(2.32)
	年齢構成比(%)	0%	6%	16%	10%	9%	9%	10%	6%	5%	7%	5%	9%	3%	6%	100%
水痘	報告数	0	2	9	9	10	8	6	4	2	0	0	1	0	0	51
	(定点あたり)	(0.00)	(0.03)	(0.12)	(0.12)	(0.13)	(0.11)	(0.08)	(0.05)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.68)
	年齢構成比(%)	0%	4%	18%	18%	20%	16%	12%	8%	4%	0%	0%	2%	0%	0%	100%
手足口病	報告数	1	0	9	14	5	1	0	1	0	0	0	1	0	0	32
	(定点あたり)	(0.01)	(0.00)	(0.12)	(0.19)	(0.07)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	3%	0%	28%	44%	16%	3%	0%	3%	0%	0%	0%	3%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	9	5	3	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.12)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	53%	29%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	10	4	3	3	1	1	0	0	1	0	0	0	25
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.05)	(0.04)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	0%	8%	40%	16%	12%	12%	4%	4%	0%	0%	4%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	1	1	0	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	25%	0%	25%	25%	0%	0%	25%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第25週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	5	3	0	0	0	1	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	56%	33%	0%	0%	0%	11%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	5	4	3	6	3	1	4	5	0	8	41
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.07)	(0.05)	(0.04)	(0.08)	(0.04)	(0.01)	(0.05)	(0.07)	(0.00)	(0.11)	(0.55)
	年齢構成比(%)	0%	0%	2%	2%	12%	10%	7%	15%	7%	2%	10%	12%	0%	20%	100%
感染性胃腸炎	報告数	2	15	19	15	11	9	11	15	3	5	6	12	3	20	146
	(定点あたり)	(0.03)	(0.20)	(0.25)	(0.20)	(0.15)	(0.12)	(0.15)	(0.20)	(0.04)	(0.07)	(0.08)	(0.16)	(0.04)	(0.27)	(1.95)
	年齢構成比(%)	1%	10%	13%	10%	8%	6%	8%	10%	2%	3%	4%	8%	2%	14%	100%
水痘	報告数	0	3	8	6	3	5	2	0	4	0	0	0	0	0	31
	(定点あたり)	(0.00)	(0.04)	(0.11)	(0.08)	(0.04)	(0.07)	(0.03)	(0.00)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	0%	10%	26%	19%	10%	16%	6%	0%	13%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	3	14	9	4	0	1	1	0	0	0	0	0	0	32
	(定点あたり)	(0.00)	(0.04)	(0.19)	(0.12)	(0.05)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	0%	9%	44%	28%	13%	0%	3%	3%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	8	13	0	1	0	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.01)	(0.11)	(0.17)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	4%	35%	57%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	2	0	5	6	5	1	1	1	1	0	0	0	0	0	22
	(定点あたり)	(0.03)	(0.00)	(0.07)	(0.08)	(0.07)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	9%	0%	23%	27%	23%	5%	5%	5%	5%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	3	0	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	20%	0%	60%	0%	20%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。