

## 2013年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	1	0	0	0	1	0	1	0	0	2	1	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.02)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	14%	0%	14%	0%	0%	0%	0%	14%	0%	14%	0%	0%	29%	14%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	2	0	2	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.11)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	14%	0%	0%	14%	29%	0%	29%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	1	0	0	0	1	0	1	0	0	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	25%	0%	0%	0%	0%	25%	0%	25%	0%	0%	25%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	20%	0%	0%	20%	20%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	3	7	2	3	4	0	0	1	0	0	1	0	1	22
	(定点あたり)	(0.00)	(0.04)	(0.09)	(0.03)	(0.04)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.29)
	年齢構成比(%)	0%	14%	32%	9%	14%	18%	0%	0%	5%	0%	0%	5%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	8	17	16	9	14	12	2	6	0	2	88
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.11)	(0.23)	(0.21)	(0.12)	(0.19)	(0.16)	(0.03)	(0.08)	(0.00)	(0.03)	(1.17)
	年齢構成比(%)	0%	0%	1%	1%	9%	19%	18%	10%	16%	14%	2%	7%	0%	2%	100%
感染性胃腸炎	報告数	4	20	28	20	43	30	28	16	19	13	13	27	7	41	309
	(定点あたり)	(0.05)	(0.27)	(0.37)	(0.27)	(0.57)	(0.40)	(0.37)	(0.21)	(0.25)	(0.17)	(0.17)	(0.36)	(0.09)	(0.55)	(4.12)
	年齢構成比(%)	1%	6%	9%	6%	14%	10%	9%	5%	6%	4%	4%	9%	2%	13%	100%
水痘	報告数	1	2	6	8	15	13	9	4	2	1	1	1	0	0	63
	(定点あたり)	(0.01)	(0.03)	(0.08)	(0.11)	(0.20)	(0.17)	(0.12)	(0.05)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.84)
	年齢構成比(%)	2%	3%	10%	13%	24%	21%	14%	6%	3%	2%	2%	2%	0%	0%	100%
手足口病	報告数	2	12	50	36	26	9	9	1	1	1	1	0	0	0	148
	(定点あたり)	(0.03)	(0.16)	(0.67)	(0.48)	(0.35)	(0.12)	(0.12)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(1.97)
	年齢構成比(%)	1%	8%	34%	24%	18%	6%	6%	1%	1%	1%	1%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	20	15	4	0	0	0	0	0	0	0	0	0	0	39
	(定点あたり)	(0.00)	(0.27)	(0.20)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.52)
	年齢構成比(%)	0%	51%	38%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	2	13	36	29	17	7	8	9	1	2	0	1	0	0	125
	(定点あたり)	(0.03)	(0.17)	(0.48)	(0.39)	(0.23)	(0.09)	(0.11)	(0.12)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(1.67)
	年齢構成比(%)	2%	10%	29%	23%	14%	6%	6%	7%	1%	2%	0%	1%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	2	2	0	1	0	1	3	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.04)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	0%	8%	17%	17%	17%	0%	8%	0%	8%	25%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	3	1	2	1	0	0	1	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	11%	33%	11%	22%	11%	0%	0%	11%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	7	8	12	7	5	7	2	4	0	1	54
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.09)	(0.11)	(0.16)	(0.09)	(0.07)	(0.09)	(0.03)	(0.05)	(0.00)	(0.01)	(0.72)
	年齢構成比(%)	0%	0%	2%	0%	13%	15%	22%	13%	9%	13%	4%	7%	0%	2%	100%
感染性胃腸炎	報告数	2	10	16	11	26	14	14	9	11	6	10	16	6	14	165
	(定点あたり)	(0.03)	(0.13)	(0.21)	(0.15)	(0.35)	(0.19)	(0.19)	(0.12)	(0.15)	(0.08)	(0.13)	(0.21)	(0.08)	(0.19)	(2.20)
	年齢構成比(%)	1%	6%	10%	7%	16%	8%	8%	5%	7%	4%	6%	10%	4%	8%	100%
水痘	報告数	1	0	2	4	5	6	3	3	1	1	1	0	0	0	27
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.05)	(0.07)	(0.08)	(0.04)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	4%	0%	7%	15%	19%	22%	11%	11%	4%	4%	4%	0%	0%	0%	100%
手足口病	報告数	1	5	24	22	11	7	5	0	1	0	1	0	0	0	77
	(定点あたり)	(0.01)	(0.07)	(0.32)	(0.29)	(0.15)	(0.09)	(0.07)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(1.03)
	年齢構成比(%)	1%	6%	31%	29%	14%	9%	6%	0%	1%	0%	1%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	10	8	0	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.13)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	56%	44%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	2	7	18	16	8	5	6	3	1	0	0	0	0	0	66
	(定点あたり)	(0.03)	(0.09)	(0.24)	(0.21)	(0.11)	(0.07)	(0.08)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.88)
	年齢構成比(%)	3%	11%	27%	24%	12%	8%	9%	5%	2%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	1	2	0	1	0	1	3	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.04)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	0%	0%	10%	10%	10%	20%	0%	10%	0%	10%	30%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	2	4	1	1	3	0	0	0	0	0	1	0	1	13
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.01)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.17)
	年齢構成比(%)	0%	15%	31%	8%	8%	23%	0%	0%	0%	0%	0%	8%	0%	8%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	1	9	4	2	9	5	0	2	0	1	34
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.12)	(0.05)	(0.03)	(0.12)	(0.07)	(0.00)	(0.03)	(0.00)	(0.01)	(0.45)
	年齢構成比(%)	0%	0%	0%	3%	3%	26%	12%	6%	26%	15%	0%	6%	0%	3%	100%
感染性胃腸炎	報告数	2	10	12	9	17	16	14	7	8	7	3	11	1	27	144
	(定点あたり)	(0.03)	(0.13)	(0.16)	(0.12)	(0.23)	(0.21)	(0.19)	(0.09)	(0.11)	(0.09)	(0.04)	(0.15)	(0.01)	(0.36)	(1.92)
	年齢構成比(%)	1%	7%	8%	6%	12%	11%	10%	5%	6%	5%	2%	8%	1%	19%	100%
水痘	報告数	0	2	4	4	10	7	6	1	1	0	0	1	0	0	36
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.05)	(0.13)	(0.09)	(0.08)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.48)
	年齢構成比(%)	0%	6%	11%	11%	28%	19%	17%	3%	3%	0%	0%	3%	0%	0%	100%
手足口病	報告数	1	7	26	14	15	2	4	1	0	1	0	0	0	0	71
	(定点あたり)	(0.01)	(0.09)	(0.35)	(0.19)	(0.20)	(0.03)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.95)
	年齢構成比(%)	1%	10%	37%	20%	21%	3%	6%	1%	0%	1%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	10	7	4	0	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.00)	(0.13)	(0.09)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	48%	33%	19%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	6	18	13	9	2	2	6	0	2	0	1	0	0	59
	(定点あたり)	(0.00)	(0.08)	(0.24)	(0.17)	(0.12)	(0.03)	(0.03)	(0.08)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.79)
	年齢構成比(%)	0%	10%	31%	22%	15%	3%	3%	10%	0%	3%	0%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。