

## 2013年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	1	0	1	0	0	0	1	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	20%	0%	20%	0%	20%	0%	0%	0%	20%	20%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	3	1	3	0	0	1	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.17)	(0.06)	(0.17)	(0.00)	(0.00)	(0.06)	(0.00)	(0.50)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	11%	0%	0%	33%	11%	33%	0%	0%	11%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	75%	0%	25%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	33%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0	0	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.00)	(0.06)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	0%	0%	20%	40%	0%	0%	20%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	7	6	3	0	2	0	2	0	1	0	0	24
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.10)	(0.08)	(0.04)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	0%	0%	13%	29%	25%	13%	0%	8%	0%	8%	0%	4%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	8	8	15	12	12	9	11	2	13	4	5	102
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.11)	(0.11)	(0.21)	(0.17)	(0.17)	(0.13)	(0.15)	(0.03)	(0.18)	(0.06)	(0.07)	(1.42)
	年齢構成比(%)	0%	0%	3%	8%	8%	15%	12%	12%	9%	11%	2%	13%	4%	5%	100%
感染性胃腸炎	報告数	4	16	33	23	22	26	21	17	12	9	8	22	9	32	254
	(定点あたり)	(0.06)	(0.22)	(0.46)	(0.32)	(0.31)	(0.36)	(0.29)	(0.24)	(0.17)	(0.13)	(0.11)	(0.31)	(0.13)	(0.44)	(3.53)
	年齢構成比(%)	2%	6%	13%	9%	9%	10%	8%	7%	5%	4%	3%	9%	4%	13%	100%
水痘	報告数	2	2	13	14	15	4	10	4	1	0	0	2	0	0	67
	(定点あたり)	(0.03)	(0.03)	(0.18)	(0.19)	(0.21)	(0.06)	(0.14)	(0.06)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.93)
	年齢構成比(%)	3%	3%	19%	21%	22%	6%	15%	6%	1%	0%	0%	3%	0%	0%	100%
手足口病	報告数	4	15	63	39	38	18	15	4	3	1	3	4	0	1	208
	(定点あたり)	(0.06)	(0.21)	(0.88)	(0.54)	(0.53)	(0.25)	(0.21)	(0.06)	(0.04)	(0.01)	(0.04)	(0.06)	(0.00)	(0.01)	(2.89)
	年齢構成比(%)	2%	7%	30%	19%	18%	9%	7%	2%	1%	0%	1%	2%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	9	26	2	0	0	0	0	0	0	0	0	0	0	37
	(定点あたり)	(0.00)	(0.13)	(0.36)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.51)
	年齢構成比(%)	0%	24%	70%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	16	57	28	24	14	11	1	6	1	2	1	0	1	163
	(定点あたり)	(0.01)	(0.22)	(0.79)	(0.39)	(0.33)	(0.19)	(0.15)	(0.01)	(0.08)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(2.26)
	年齢構成比(%)	1%	10%	35%	17%	15%	9%	7%	1%	4%	1%	1%	1%	0%	1%	100%
流行性耳下腺炎	報告数	0	1	0	1	0	1	0	0	1	2	0	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	17%	0%	17%	0%	17%	0%	0%	17%	33%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	3	1	2	0	1	0	1	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	0%	11%	33%	11%	22%	0%	11%	0%	11%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	5	5	4	7	6	4	4	1	6	2	4	49
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.07)	(0.07)	(0.06)	(0.10)	(0.08)	(0.06)	(0.06)	(0.01)	(0.08)	(0.03)	(0.06)	(0.68)
	年齢構成比(%)	0%	0%	2%	10%	10%	8%	14%	12%	8%	8%	2%	12%	4%	8%	100%
感染性胃腸炎	報告数	0	9	18	13	10	16	14	8	5	5	4	15	6	16	139
	(定点あたり)	(0.00)	(0.13)	(0.25)	(0.18)	(0.14)	(0.22)	(0.19)	(0.11)	(0.07)	(0.07)	(0.06)	(0.21)	(0.08)	(0.22)	(1.93)
	年齢構成比(%)	0%	6%	13%	9%	7%	12%	10%	6%	4%	4%	3%	11%	4%	12%	100%
水痘	報告数	0	0	6	5	8	4	8	3	1	0	0	0	0	0	35
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.07)	(0.11)	(0.06)	(0.11)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.49)
	年齢構成比(%)	0%	0%	17%	14%	23%	11%	23%	9%	3%	0%	0%	0%	0%	0%	100%
手足口病	報告数	2	7	32	20	18	10	9	2	3	0	2	4	0	0	109
	(定点あたり)	(0.03)	(0.10)	(0.44)	(0.28)	(0.25)	(0.14)	(0.13)	(0.03)	(0.04)	(0.00)	(0.03)	(0.06)	(0.00)	(0.00)	(1.51)
	年齢構成比(%)	2%	6%	29%	18%	17%	9%	8%	2%	3%	0%	2%	4%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	5	16	1	0	0	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.00)	(0.07)	(0.22)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	23%	73%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	6	27	16	12	9	8	0	2	1	2	1	0	0	85
	(定点あたり)	(0.01)	(0.08)	(0.38)	(0.22)	(0.17)	(0.13)	(0.11)	(0.00)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(1.18)
	年齢構成比(%)	1%	7%	32%	19%	14%	11%	9%	0%	2%	1%	2%	1%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	2	4	5	1	0	1	0	1	0	1	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.06)	(0.07)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	0%	13%	27%	33%	7%	0%	7%	0%	7%	0%	7%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	3	11	5	6	5	7	1	7	2	1	53
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.04)	(0.15)	(0.07)	(0.08)	(0.07)	(0.10)	(0.01)	(0.10)	(0.03)	(0.01)	(0.74)
	年齢構成比(%)	0%	0%	4%	6%	6%	21%	9%	11%	9%	13%	2%	13%	4%	2%	100%
感染性胃腸炎	報告数	4	7	15	10	12	10	7	9	7	4	4	7	3	16	115
	(定点あたり)	(0.06)	(0.10)	(0.21)	(0.14)	(0.17)	(0.14)	(0.10)	(0.13)	(0.10)	(0.06)	(0.06)	(0.10)	(0.04)	(0.22)	(1.60)
	年齢構成比(%)	3%	6%	13%	9%	10%	9%	6%	8%	6%	3%	3%	6%	3%	14%	100%
水痘	報告数	2	2	7	9	7	0	2	1	0	0	0	2	0	0	32
	(定点あたり)	(0.03)	(0.03)	(0.10)	(0.13)	(0.10)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	6%	6%	22%	28%	22%	0%	6%	3%	0%	0%	0%	6%	0%	0%	100%
手足口病	報告数	2	8	31	19	20	8	6	2	0	1	1	0	0	1	99
	(定点あたり)	(0.03)	(0.11)	(0.43)	(0.26)	(0.28)	(0.11)	(0.08)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(1.38)
	年齢構成比(%)	2%	8%	31%	19%	20%	8%	6%	2%	0%	1%	1%	0%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	4	10	1	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.06)	(0.14)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	27%	67%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	10	30	12	12	5	3	1	4	0	0	0	0	1	78
	(定点あたり)	(0.00)	(0.14)	(0.42)	(0.17)	(0.17)	(0.07)	(0.04)	(0.01)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(1.08)
	年齢構成比(%)	0%	13%	38%	15%	15%	6%	4%	1%	5%	0%	0%	0%	0%	1%	100%
流行性耳下腺炎	報告数	0	1	0	1	0	1	0	0	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	25%	0%	25%	0%	25%	0%	0%	0%	25%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。