

2013年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	1	1	0	1	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)	(0.06)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.41)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	43%	14%	14%	14%	0%	14%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.00)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	40%	0%	20%	20%	0%	20%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	2	5	5	2	3	0	0	1	0	0	0	20
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.07)	(0.07)	(0.03)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比(%)	0%	0%	10%	10%	25%	25%	10%	15%	0%	0%	5%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	4	2	9	5	5	1	2	2	0	4	38
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.05)	(0.03)	(0.12)	(0.07)	(0.07)	(0.01)	(0.03)	(0.03)	(0.00)	(0.05)	(0.52)
	年齢構成比(%)	0%	0%	3%	8%	11%	5%	24%	13%	13%	3%	5%	5%	0%	11%	100%
感染性胃腸炎	報告数	5	13	19	17	13	12	9	7	6	11	5	11	3	21	152
	(定点あたり)	(0.07)	(0.18)	(0.26)	(0.23)	(0.18)	(0.16)	(0.12)	(0.10)	(0.08)	(0.15)	(0.07)	(0.15)	(0.04)	(0.29)	(2.08)
	年齢構成比(%)	3%	9%	13%	11%	9%	8%	6%	5%	4%	7%	3%	7%	2%	14%	100%
水痘	報告数	0	1	6	8	10	6	8	0	0	0	0	0	0	0	39
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.11)	(0.14)	(0.08)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.53)
	年齢構成比(%)	0%	3%	15%	21%	26%	15%	21%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	2	40	115	88	54	37	25	7	9	3	1	3	0	1	385
	(定点あたり)	(0.03)	(0.55)	(1.58)	(1.21)	(0.74)	(0.51)	(0.34)	(0.10)	(0.12)	(0.04)	(0.01)	(0.04)	(0.00)	(0.01)	(5.27)
	年齢構成比(%)	1%	10%	30%	23%	14%	10%	6%	2%	2%	1%	0%	1%	0%	0%	100%
伝染性紅斑	報告数	1	1	0	1	0	0	0	0	0	0	1	0	0	0	4
	(定点あたり)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	25%	25%	0%	25%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	100%
突発性発しん	報告数	1	11	15	4	1	0	0	0	0	0	0	0	0	0	32
	(定点あたり)	(0.01)	(0.15)	(0.21)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	3%	34%	47%	13%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	4	26	58	36	26	19	7	5	3	2	0	3	0	2	191
	(定点あたり)	(0.05)	(0.36)	(0.79)	(0.49)	(0.36)	(0.26)	(0.10)	(0.07)	(0.04)	(0.03)	(0.00)	(0.04)	(0.00)	(0.03)	(2.62)
	年齢構成比(%)	2%	14%	30%	19%	14%	10%	4%	3%	2%	1%	0%	2%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	0	0	2	1	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	0%	20%	0%	0%	0%	40%	20%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	3	4	1	1	0	0	1	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	8%	8%	25%	33%	8%	8%	0%	0%	8%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	2	0	4	1	5	1	1	0	0	2	20
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.00)	(0.05)	(0.01)	(0.07)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.27)
	年齢構成比(%)	0%	0%	5%	15%	10%	0%	20%	5%	25%	5%	5%	0%	0%	10%	100%
感染性胃腸炎	報告数	4	10	10	5	5	10	5	6	4	7	3	7	2	9	87
	(定点あたり)	(0.05)	(0.14)	(0.14)	(0.07)	(0.07)	(0.14)	(0.07)	(0.08)	(0.05)	(0.10)	(0.04)	(0.10)	(0.03)	(0.12)	(1.19)
	年齢構成比(%)	5%	11%	11%	6%	6%	11%	6%	7%	5%	8%	3%	8%	2%	10%	100%
水痘	報告数	0	1	4	5	6	5	5	0	0	0	0	0	0	0	26
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.07)	(0.08)	(0.07)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	0%	4%	15%	19%	23%	19%	19%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	20	68	49	31	20	13	4	4	2	1	1	0	1	215
	(定点あたり)	(0.01)	(0.27)	(0.93)	(0.67)	(0.42)	(0.27)	(0.18)	(0.05)	(0.05)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(2.95)
	年齢構成比(%)	0%	9%	32%	23%	14%	9%	6%	2%	2%	1%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	1	1	0	1	0	0	0	0	0	0	1	0	0	0	4
	(定点あたり)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	25%	25%	0%	25%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	100%
突発性発しん	報告数	1	5	6	2	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.01)	(0.07)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	7%	36%	43%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	3	14	37	18	9	10	4	2	3	2	0	2	0	1	105
	(定点あたり)	(0.04)	(0.19)	(0.51)	(0.25)	(0.12)	(0.14)	(0.05)	(0.03)	(0.04)	(0.03)	(0.00)	(0.03)	(0.00)	(0.01)	(1.44)
	年齢構成比(%)	3%	13%	35%	17%	9%	10%	4%	2%	3%	2%	0%	2%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	0	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	50%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	2	1	1	2	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	13%	13%	25%	13%	13%	25%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	2	2	5	4	0	0	1	2	0	2	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.07)	(0.05)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.25)
	年齢構成比(%)	0%	0%	0%	0%	11%	11%	28%	22%	0%	0%	6%	11%	0%	11%	100%
感染性胃腸炎	報告数	1	3	9	12	8	2	4	1	2	4	2	4	1	12	65
	(定点あたり)	(0.01)	(0.04)	(0.12)	(0.16)	(0.11)	(0.03)	(0.05)	(0.01)	(0.03)	(0.05)	(0.03)	(0.05)	(0.01)	(0.16)	(0.89)
	年齢構成比(%)	2%	5%	14%	18%	12%	3%	6%	2%	3%	6%	3%	6%	2%	18%	100%
水痘	報告数	0	0	2	3	4	1	3	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.05)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	15%	23%	31%	8%	23%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	20	47	39	23	17	12	3	5	1	0	2	0	0	170
	(定点あたり)	(0.01)	(0.27)	(0.64)	(0.53)	(0.32)	(0.23)	(0.16)	(0.04)	(0.07)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(2.33)
	年齢構成比(%)	1%	12%	28%	23%	14%	10%	7%	2%	3%	1%	0%	1%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	6	9	2	1	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.08)	(0.12)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	0%	33%	50%	11%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	12	21	18	17	9	3	3	0	0	0	1	0	1	86
	(定点あたり)	(0.01)	(0.16)	(0.29)	(0.25)	(0.23)	(0.12)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(1.18)
	年齢構成比(%)	1%	14%	24%	21%	20%	10%	3%	3%	0%	0%	0%	1%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	0	0	0	2	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	33%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。