

2013年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.18)	(0.06)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	0%	60%	20%	0%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	33%	0%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	3	1	3	4	1	2	0	0	0	1	1	21
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.04)	(0.01)	(0.04)	(0.06)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.30)
	年齢構成比(%)	0%	0%	24%	14%	5%	14%	19%	5%	10%	0%	0%	0%	5%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	4	1	1	1	0	3	0	5	2	0	3	23
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.06)	(0.01)	(0.01)	(0.01)	(0.00)	(0.04)	(0.00)	(0.07)	(0.03)	(0.00)	(0.04)	(0.33)
	年齢構成比(%)	0%	4%	9%	17%	4%	4%	4%	0%	13%	0%	22%	9%	0%	13%	100%
感染性胃腸炎	報告数	2	3	11	8	11	2	1	2	4	3	1	3	2	11	64
	(定点あたり)	(0.03)	(0.04)	(0.16)	(0.11)	(0.16)	(0.03)	(0.01)	(0.03)	(0.06)	(0.04)	(0.01)	(0.04)	(0.03)	(0.16)	(0.91)
	年齢構成比(%)	3%	5%	17%	13%	17%	3%	2%	3%	6%	5%	2%	5%	3%	17%	100%
水痘	報告数	0	3	12	7	7	5	8	1	1	0	1	0	0	1	46
	(定点あたり)	(0.00)	(0.04)	(0.17)	(0.10)	(0.10)	(0.07)	(0.11)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.66)
	年齢構成比(%)	0%	7%	26%	15%	15%	11%	17%	2%	2%	0%	2%	0%	0%	2%	100%
手足口病	報告数	3	21	81	45	32	13	8	5	2	2	2	4	1	2	221
	(定点あたり)	(0.04)	(0.30)	(1.16)	(0.64)	(0.46)	(0.19)	(0.11)	(0.07)	(0.03)	(0.03)	(0.03)	(0.06)	(0.01)	(0.03)	(3.16)
	年齢構成比(%)	1%	10%	37%	20%	14%	6%	4%	2%	1%	1%	1%	2%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	10	12	3	2	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.01)	(0.14)	(0.17)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.40)
	年齢構成比(%)	4%	36%	43%	11%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	7	26	16	15	3	5	2	4	0	0	2	0	0	81
	(定点あたり)	(0.01)	(0.10)	(0.37)	(0.23)	(0.21)	(0.04)	(0.07)	(0.03)	(0.06)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(1.16)
	年齢構成比(%)	1%	9%	32%	20%	19%	4%	6%	2%	5%	0%	0%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	3	4	1	2	0	1	0	1	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.06)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	0%	8%	0%	23%	31%	8%	15%	0%	8%	0%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	3	1	2	4	1	1	0	0	0	1	0	15
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.03)	(0.06)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.21)
	年齢構成比(%)	0%	0%	13%	20%	7%	13%	27%	7%	7%	0%	0%	0%	7%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	2	0	1	1	0	2	0	5	2	0	2	17
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.07)	(0.03)	(0.00)	(0.03)	(0.24)
	年齢構成比(%)	0%	6%	6%	12%	0%	6%	6%	0%	12%	0%	29%	12%	0%	12%	100%
感染性胃腸炎	報告数	1	2	4	5	6	1	0	1	3	1	1	2	0	5	32
	(定点あたり)	(0.01)	(0.03)	(0.06)	(0.07)	(0.09)	(0.01)	(0.00)	(0.01)	(0.04)	(0.01)	(0.01)	(0.03)	(0.00)	(0.07)	(0.46)
	年齢構成比(%)	3%	6%	13%	16%	19%	3%	0%	3%	9%	3%	3%	6%	0%	16%	100%
水痘	報告数	0	1	4	5	5	1	1	1	1	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.06)	(0.07)	(0.07)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比(%)	0%	5%	21%	26%	26%	5%	5%	5%	5%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	10	50	20	20	10	2	3	1	0	0	2	1	1	121
	(定点あたり)	(0.01)	(0.14)	(0.71)	(0.29)	(0.29)	(0.14)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(1.73)
	年齢構成比(%)	1%	8%	41%	17%	17%	8%	2%	2%	1%	0%	0%	2%	1%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	3	8	1	1	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.04)	(0.11)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	23%	62%	8%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	12	6	8	0	2	0	3	0	0	0	0	0	35
	(定点あたり)	(0.00)	(0.06)	(0.17)	(0.09)	(0.11)	(0.00)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	0%	11%	34%	17%	23%	0%	6%	0%	9%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	2	4	0	1	0	1	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.06)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	0%	11%	0%	22%	44%	0%	11%	0%	11%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	3	0	0	1	0	0	1	0	0	0	0	1	6
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.09)
	年齢構成比(%)	0%	0%	50%	0%	0%	17%	0%	0%	17%	0%	0%	0%	0%	17%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	1	0	0	0	1	0	0	0	0	1	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.09)
	年齢構成比(%)	0%	0%	17%	33%	17%	0%	0%	0%	17%	0%	0%	0%	0%	17%	100%
感染性胃腸炎	報告数	1	1	7	3	5	1	1	1	1	2	0	1	2	6	32
	(定点あたり)	(0.01)	(0.01)	(0.10)	(0.04)	(0.07)	(0.01)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.03)	(0.09)	(0.46)
	年齢構成比(%)	3%	3%	22%	9%	16%	3%	3%	3%	3%	6%	0%	3%	6%	19%	100%
水痘	報告数	0	2	8	2	2	4	7	0	0	0	1	0	0	1	27
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.03)	(0.03)	(0.06)	(0.10)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.39)
	年齢構成比(%)	0%	7%	30%	7%	7%	15%	26%	0%	0%	0%	4%	0%	0%	4%	100%
手足口病	報告数	2	11	31	25	12	3	6	2	1	2	2	2	0	1	100
	(定点あたり)	(0.03)	(0.16)	(0.44)	(0.36)	(0.17)	(0.04)	(0.09)	(0.03)	(0.01)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(1.43)
	年齢構成比(%)	2%	11%	31%	25%	12%	3%	6%	2%	1%	2%	2%	2%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	7	4	2	1	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.01)	(0.10)	(0.06)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	7%	47%	27%	13%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	3	14	10	7	3	3	2	1	0	0	2	0	0	46
	(定点あたり)	(0.01)	(0.04)	(0.20)	(0.14)	(0.10)	(0.04)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.66)
	年齢構成比(%)	2%	7%	30%	22%	15%	7%	7%	4%	2%	0%	0%	4%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	0	1	1	0	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	25%	0%	25%	25%	0%	0%	0%	25%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。