

2013年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	1	0	1	0	0	0	0	0	1	1	1	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	14%	0%	0%	14%	0%	14%	0%	0%	0%	0%	0%	14%	14%	14%	0%	14%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	0%	25%	0%	0%	0%	0%	0%	0%	25%	0%	25%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	3	5	1	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.03)	(0.04)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	18%	27%	45%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	4	2	1	2	0	0	1	1	0	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.05)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	7%	14%	29%	14%	7%	14%	0%	0%	7%	7%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	1	0	4	3	1	2	0	7	0	4	27
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.00)	(0.05)	(0.04)	(0.01)	(0.03)	(0.00)	(0.10)	(0.00)	(0.05)	(0.37)
	年齢構成比(%)	0%	0%	7%	11%	4%	0%	15%	11%	4%	7%	0%	26%	0%	15%	100%
感染性胃腸炎	報告数	2	15	20	12	15	11	8	16	8	9	7	16	4	22	165
	(定点あたり)	(0.03)	(0.21)	(0.27)	(0.16)	(0.21)	(0.15)	(0.11)	(0.22)	(0.11)	(0.12)	(0.10)	(0.22)	(0.05)	(0.30)	(2.26)
	年齢構成比(%)	1%	9%	12%	7%	9%	7%	5%	10%	5%	5%	4%	10%	2%	13%	100%
水痘	報告数	0	4	9	5	10	6	5	4	1	3	0	0	0	0	47
	(定点あたり)	(0.00)	(0.05)	(0.12)	(0.07)	(0.14)	(0.08)	(0.07)	(0.05)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.64)
	年齢構成比(%)	0%	9%	19%	11%	21%	13%	11%	9%	2%	6%	0%	0%	0%	0%	100%
手足口病	報告数	7	18	89	39	25	17	12	6	2	2	0	4	0	7	228
	(定点あたり)	(0.10)	(0.25)	(1.22)	(0.53)	(0.34)	(0.23)	(0.16)	(0.08)	(0.03)	(0.03)	(0.00)	(0.05)	(0.00)	(0.10)	(3.12)
	年齢構成比(%)	3%	8%	39%	17%	11%	7%	5%	3%	1%	1%	0%	2%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	11	20	5	1	0	0	0	0	0	0	0	0	0	38
	(定点あたり)	(0.01)	(0.15)	(0.27)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.52)
	年齢構成比(%)	3%	29%	53%	13%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	5	18	20	12	3	1	1	1	2	0	0	0	1	64
	(定点あたり)	(0.00)	(0.07)	(0.25)	(0.27)	(0.16)	(0.04)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.88)
	年齢構成比(%)	0%	8%	28%	31%	19%	5%	2%	2%	2%	3%	0%	0%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	0	1	2	1	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	0%	17%	0%	17%	33%	17%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	3	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	75%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	1	2	0	1	1	0	0	1	1	0	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	13%	13%	25%	0%	13%	13%	0%	0%	13%	13%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	1	0	4	2	0	1	0	4	0	3	16
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.05)	(0.03)	(0.00)	(0.01)	(0.00)	(0.05)	(0.00)	(0.04)	(0.22)
	年齢構成比(%)	0%	0%	0%	6%	6%	0%	25%	13%	0%	6%	0%	25%	0%	19%	100%
感染性胃腸炎	報告数	2	6	11	6	8	7	4	9	4	4	4	12	2	6	85
	(定点あたり)	(0.03)	(0.08)	(0.15)	(0.08)	(0.11)	(0.10)	(0.05)	(0.12)	(0.05)	(0.05)	(0.05)	(0.16)	(0.03)	(0.08)	(1.16)
	年齢構成比(%)	2%	7%	13%	7%	9%	8%	5%	11%	5%	5%	5%	14%	2%	7%	100%
水痘	報告数	0	3	2	3	4	4	1	2	1	1	0	0	0	0	21
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.04)	(0.05)	(0.05)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	14%	10%	14%	19%	19%	5%	10%	5%	5%	0%	0%	0%	0%	100%
手足口病	報告数	3	9	45	19	14	12	10	4	0	1	0	1	0	3	121
	(定点あたり)	(0.04)	(0.12)	(0.62)	(0.26)	(0.19)	(0.16)	(0.14)	(0.05)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.04)	(1.66)
	年齢構成比(%)	2%	7%	37%	16%	12%	10%	8%	3%	0%	1%	0%	1%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	6	11	2	1	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.01)	(0.08)	(0.15)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	5%	29%	52%	10%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	11	11	6	3	0	1	0	2	0	0	0	1	38
	(定点あたり)	(0.00)	(0.04)	(0.15)	(0.15)	(0.08)	(0.04)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.52)
	年齢構成比(%)	0%	8%	29%	29%	16%	8%	0%	3%	0%	5%	0%	0%	0%	3%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	0	1	2	1	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	0%	17%	0%	17%	33%	17%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第34週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	2	2	1	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	29%	29%	29%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	2	2	0	1	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	33%	33%	0%	17%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	0	0	0	1	1	1	0	3	0	1	11
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.04)	(0.00)	(0.01)	(0.15)
	年齢構成比(%)	0%	0%	18%	18%	0%	0%	0%	9%	9%	9%	0%	27%	0%	9%	100%
感染性胃腸炎	報告数	0	9	9	6	7	4	4	7	4	5	3	4	2	16	80
	(定点あたり)	(0.00)	(0.12)	(0.12)	(0.08)	(0.10)	(0.05)	(0.05)	(0.10)	(0.05)	(0.07)	(0.04)	(0.05)	(0.03)	(0.22)	(1.10)
	年齢構成比(%)	0%	11%	11%	8%	9%	5%	5%	9%	5%	6%	4%	5%	3%	20%	100%
水痘	報告数	0	1	7	2	6	2	4	2	0	2	0	0	0	0	26
	(定点あたり)	(0.00)	(0.01)	(0.10)	(0.03)	(0.08)	(0.03)	(0.05)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	0%	4%	27%	8%	23%	8%	15%	8%	0%	8%	0%	0%	0%	0%	100%
手足口病	報告数	4	9	44	20	11	5	2	2	2	1	0	3	0	4	107
	(定点あたり)	(0.05)	(0.12)	(0.60)	(0.27)	(0.15)	(0.07)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.04)	(0.00)	(0.05)	(1.47)
	年齢構成比(%)	4%	8%	41%	19%	10%	5%	2%	2%	2%	1%	0%	3%	0%	4%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	5	9	3	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.07)	(0.12)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	29%	53%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	7	9	6	0	1	0	1	0	0	0	0	0	26
	(定点あたり)	(0.00)	(0.03)	(0.10)	(0.12)	(0.08)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	0%	8%	27%	35%	23%	0%	4%	0%	4%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。