

2013年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	1	3	0	0	0	0	0	0	0	4	6	1	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	7%	20%	0%	0%	0%	0%	0%	0%	0%	27%	40%	7%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	2	1	0	0	1	0	0	0	0	0	0	1	1	0	0	1	0	0	0	7
	(定点あたり)	(0.00)	(0.11)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	29%	14%	0%	0%	14%	0%	0%	0%	0%	0%	0%	14%	14%	0%	0%	14%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	2	0	0	0	0	0	0	0	3	6	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	0%	18%	0%	0%	0%	0%	0%	0%	0%	27%	55%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	25%	25%	0%	0%	0%	0%	0%	0%	0%	25%	0%	25%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	5
	(定点あたり)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	20%	0%	0%	20%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	3	13	6	3	1	0	0	0	0	0	0	0	0	29
	(定点あたり)	(0.04)	(0.04)	(0.18)	(0.08)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	10%	10%	45%	21%	10%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	7	0	1	1	1	0	2	0	1	0	0	16
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.09)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	6%	13%	44%	0%	6%	6%	6%	0%	13%	0%	6%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	2	2	4	1	3	1	2	7	2	4	31
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.03)	(0.05)	(0.01)	(0.04)	(0.01)	(0.03)	(0.09)	(0.03)	(0.05)	(0.42)
	年齢構成比(%)	0%	0%	0%	10%	6%	6%	13%	3%	10%	3%	6%	23%	6%	13%	100%
感染性胃腸炎	報告数	5	18	21	10	12	7	15	5	5	7	6	18	1	15	145
	(定点あたり)	(0.07)	(0.24)	(0.28)	(0.14)	(0.16)	(0.09)	(0.20)	(0.07)	(0.07)	(0.09)	(0.08)	(0.24)	(0.01)	(0.20)	(1.96)
	年齢構成比(%)	3%	12%	14%	7%	8%	5%	10%	3%	3%	5%	4%	12%	1%	10%	100%
水痘	報告数	0	4	5	5	4	8	2	1	2	1	1	0	0	1	34
	(定点あたり)	(0.00)	(0.05)	(0.07)	(0.07)	(0.05)	(0.11)	(0.03)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.46)
	年齢構成比(%)	0%	12%	15%	15%	12%	24%	6%	3%	6%	3%	3%	0%	0%	3%	100%
手足口病	報告数	2	49	138	78	41	22	13	4	1	2	1	2	4	4	361
	(定点あたり)	(0.03)	(0.66)	(1.86)	(1.05)	(0.55)	(0.30)	(0.18)	(0.05)	(0.01)	(0.03)	(0.01)	(0.03)	(0.05)	(0.05)	(4.88)
	年齢構成比(%)	1%	14%	38%	22%	11%	6%	4%	1%	0%	1%	0%	1%	1%	1%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	17	14	6	0	0	0	0	0	0	0	0	0	0	37
	(定点あたり)	(0.00)	(0.23)	(0.19)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	0%	46%	38%	16%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	6	27	7	11	6	2	0	0	1	2	0	1	1	65
	(定点あたり)	(0.01)	(0.08)	(0.36)	(0.09)	(0.15)	(0.08)	(0.03)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.88)
	年齢構成比(%)	2%	9%	42%	11%	17%	9%	3%	0%	0%	2%	3%	0%	2%	2%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	1	2	1	0	1	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	20%	40%	20%	0%	20%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	9	3	3	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.01)	(0.01)	(0.12)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	6%	6%	53%	18%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	3	0	1	0	0	0	1	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	25%	38%	0%	13%	0%	0%	0%	13%	0%	13%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	1	1	2	0	2	0	1	2	1	1	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.15)
	年齢構成比(%)	0%	0%	0%	0%	9%	9%	18%	0%	18%	0%	9%	18%	9%	9%	100%
感染性胃腸炎	報告数	4	8	12	8	9	4	6	1	3	4	4	13	1	7	84
	(定点あたり)	(0.05)	(0.11)	(0.16)	(0.11)	(0.12)	(0.05)	(0.08)	(0.01)	(0.04)	(0.05)	(0.05)	(0.18)	(0.01)	(0.09)	(1.14)
	年齢構成比(%)	5%	10%	14%	10%	11%	5%	7%	1%	4%	5%	5%	15%	1%	8%	100%
水痘	報告数	0	1	3	3	2	3	2	1	0	1	1	0	0	0	17
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.04)	(0.03)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	6%	18%	18%	12%	18%	12%	6%	0%	6%	6%	0%	0%	0%	100%
手足口病	報告数	2	29	75	47	28	14	7	2	1	1	0	1	3	1	211
	(定点あたり)	(0.03)	(0.39)	(1.01)	(0.64)	(0.38)	(0.19)	(0.09)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.04)	(0.01)	(2.85)
	年齢構成比(%)	1%	14%	36%	22%	13%	7%	3%	1%	0%	0%	0%	0%	1%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	7	8	4	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.09)	(0.11)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	37%	42%	21%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	20	3	8	3	2	0	0	0	2	0	1	1	42
	(定点あたり)	(0.00)	(0.03)	(0.27)	(0.04)	(0.11)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.57)
	年齢構成比(%)	0%	5%	48%	7%	19%	7%	5%	0%	0%	0%	5%	0%	2%	2%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	1	1	1	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	25%	25%	25%	0%	25%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第35週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	2	4	3	0	1	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.03)	(0.03)	(0.05)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	17%	17%	33%	25%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	4	0	0	1	1	0	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.05)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	13%	0%	50%	0%	0%	13%	13%	0%	13%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	1	1	2	1	1	1	1	5	1	3	20
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.07)	(0.01)	(0.04)	(0.27)
	年齢構成比(%)	0%	0%	0%	15%	5%	5%	10%	5%	5%	5%	5%	25%	5%	15%	100%
感染性胃腸炎	報告数	1	10	9	2	3	3	9	4	2	3	2	5	0	8	61
	(定点あたり)	(0.01)	(0.14)	(0.12)	(0.03)	(0.04)	(0.04)	(0.12)	(0.05)	(0.03)	(0.04)	(0.03)	(0.07)	(0.00)	(0.11)	(0.82)
	年齢構成比(%)	2%	16%	15%	3%	5%	5%	15%	7%	3%	5%	3%	8%	0%	13%	100%
水痘	報告数	0	3	2	2	2	5	0	0	2	0	0	0	0	1	17
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.03)	(0.03)	(0.07)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.23)
	年齢構成比(%)	0%	18%	12%	12%	12%	29%	0%	0%	12%	0%	0%	0%	0%	6%	100%
手足口病	報告数	0	20	63	31	13	8	6	2	0	1	1	1	1	3	150
	(定点あたり)	(0.00)	(0.27)	(0.85)	(0.42)	(0.18)	(0.11)	(0.08)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.04)	(2.03)
	年齢構成比(%)	0%	13%	42%	21%	9%	5%	4%	1%	0%	1%	1%	1%	1%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	10	6	2	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.14)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	56%	33%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	4	7	4	3	3	0	0	0	1	0	0	0	0	23
	(定点あたり)	(0.01)	(0.05)	(0.09)	(0.05)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	4%	17%	30%	17%	13%	13%	0%	0%	0%	4%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。