

2013年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	1	7	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	11%	11%	78%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	0	0	3	1	0	0	0	0	1	1	4	4	4	0	2	0	0	21
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.17)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.22)	(0.22)	(0.22)	(0.00)	(0.11)	(0.00)	(0.00)	(1.17)
	年齢構成比(%)	0%	5%	0%	0%	0%	14%	5%	0%	0%	0%	0%	5%	5%	19%	19%	19%	0%	10%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	7	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	13%	88%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	2	0	0	0	0	0	1	0	2	1	3	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)	(0.06)	(0.17)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	0%	0%	0%	0%	0%	22%	0%	0%	0%	0%	0%	11%	0%	22%	11%	33%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	0	0	1	1	0	0	0	0	0	1	2	3	1	0	2	0	0	12
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.17)	(0.06)	(0.00)	(0.11)	(0.00)	(0.00)	(0.67)
	年齢構成比(%)	0%	8%	0%	0%	0%	8%	8%	0%	0%	0%	0%	0%	8%	17%	25%	8%	0%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	3	18	12	0	2	0	0	0	0	0	0	0	0	40
	(定点あたり)	(0.07)	(0.04)	(0.25)	(0.16)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.55)
	年齢構成比(%)	13%	8%	45%	30%	0%	5%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	6	1	5	4	1	2	0	1	1	1	0	0	22
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.01)	(0.07)	(0.05)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	0%	27%	5%	23%	18%	5%	9%	0%	5%	5%	5%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	6	3	5	2	3	1	0	3	2	7	34
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.08)	(0.04)	(0.07)	(0.03)	(0.04)	(0.01)	(0.00)	(0.04)	(0.03)	(0.10)	(0.47)
	年齢構成比(%)	0%	0%	0%	6%	18%	9%	15%	6%	9%	3%	0%	9%	6%	21%	100%
感染性胃腸炎	報告数	1	10	34	15	15	3	7	12	8	8	8	15	2	28	166
	(定点あたり)	(0.01)	(0.14)	(0.47)	(0.21)	(0.21)	(0.04)	(0.10)	(0.16)	(0.11)	(0.11)	(0.11)	(0.21)	(0.03)	(0.38)	(2.27)
	年齢構成比(%)	1%	6%	20%	9%	9%	2%	4%	7%	5%	5%	5%	9%	1%	17%	100%
水痘	報告数	0	2	11	8	2	4	3	0	0	0	0	1	1	0	32
	(定点あたり)	(0.00)	(0.03)	(0.15)	(0.11)	(0.03)	(0.05)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.44)
	年齢構成比(%)	0%	6%	34%	25%	6%	13%	9%	0%	0%	0%	0%	3%	3%	0%	100%
手足口病	報告数	6	48	128	107	36	24	12	11	2	2	2	2	0	4	384
	(定点あたり)	(0.08)	(0.66)	(1.75)	(1.47)	(0.49)	(0.33)	(0.16)	(0.15)	(0.03)	(0.03)	(0.03)	(0.03)	(0.00)	(0.05)	(5.26)
	年齢構成比(%)	2%	13%	33%	28%	9%	6%	3%	3%	1%	1%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	10	12	0	0	1	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.00)	(0.14)	(0.16)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比(%)	0%	43%	52%	0%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	2	8	11	9	4	4	2	0	0	0	0	0	1	42
	(定点あたり)	(0.01)	(0.03)	(0.11)	(0.15)	(0.12)	(0.05)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.58)
	年齢構成比(%)	2%	5%	19%	26%	21%	10%	10%	5%	0%	0%	0%	0%	0%	2%	100%
流行性耳下腺炎	報告数	0	1	0	0	2	2	0	2	0	0	0	2	0	0	9
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	11%	0%	0%	22%	22%	0%	22%	0%	0%	0%	22%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	2	13	6	0	1	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.00)	(0.03)	(0.18)	(0.08)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	9%	59%	27%	0%	5%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	0	2	3	1	0	0	0	0	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	36%	0%	18%	27%	9%	0%	0%	0%	0%	9%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	6	2	4	1	1	0	0	1	2	4	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.08)	(0.03)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.05)	(0.32)
	年齢構成比(%)	0%	0%	0%	9%	26%	9%	17%	4%	4%	0%	0%	4%	9%	17%	100%
感染性胃腸炎	報告数	0	8	16	10	7	3	4	2	2	6	6	7	0	12	83
	(定点あたり)	(0.00)	(0.11)	(0.22)	(0.14)	(0.10)	(0.04)	(0.05)	(0.03)	(0.03)	(0.08)	(0.08)	(0.10)	(0.00)	(0.16)	(1.14)
	年齢構成比(%)	0%	10%	19%	12%	8%	4%	5%	2%	2%	7%	7%	8%	0%	14%	100%
水痘	報告数	0	1	4	6	1	3	2	0	0	0	0	1	0	0	18
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.08)	(0.01)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	0%	6%	22%	33%	6%	17%	11%	0%	0%	0%	0%	6%	0%	0%	100%
手足口病	報告数	3	25	72	45	25	11	4	7	1	0	2	1	0	2	198
	(定点あたり)	(0.04)	(0.34)	(0.99)	(0.62)	(0.34)	(0.15)	(0.05)	(0.10)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.03)	(2.71)
	年齢構成比(%)	2%	13%	36%	23%	13%	6%	2%	4%	1%	0%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	4	5	0	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.05)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	44%	56%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	4	7	3	4	2	0	0	0	0	0	0	0	22
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.10)	(0.04)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	9%	18%	32%	14%	18%	9%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	0	0	1	2	0	1	0	0	0	2	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	14%	0%	0%	14%	29%	0%	14%	0%	0%	0%	29%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	1	5	6	0	1	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.07)	(0.01)	(0.07)	(0.08)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	28%	6%	28%	33%	0%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	1	3	1	0	2	0	1	1	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.04)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	18%	9%	27%	9%	0%	18%	0%	9%	9%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	0	1	1	1	2	1	0	2	0	3	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.04)	(0.15)
	年齢構成比(%)	0%	0%	0%	0%	0%	9%	9%	9%	18%	9%	0%	18%	0%	27%	100%
感染性胃腸炎	報告数	1	2	18	5	8	0	3	10	6	2	2	8	2	16	83
	(定点あたり)	(0.01)	(0.03)	(0.25)	(0.07)	(0.11)	(0.00)	(0.04)	(0.14)	(0.08)	(0.03)	(0.03)	(0.11)	(0.03)	(0.22)	(1.14)
	年齢構成比(%)	1%	2%	22%	6%	10%	0%	4%	12%	7%	2%	2%	10%	2%	19%	100%
水痘	報告数	0	1	7	2	1	1	1	0	0	0	0	0	1	0	14
	(定点あたり)	(0.00)	(0.01)	(0.10)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.19)
	年齢構成比(%)	0%	7%	50%	14%	7%	7%	7%	0%	0%	0%	0%	0%	7%	0%	100%
手足口病	報告数	3	23	56	62	11	13	8	4	1	2	0	1	0	2	186
	(定点あたり)	(0.04)	(0.32)	(0.77)	(0.85)	(0.15)	(0.18)	(0.11)	(0.05)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.03)	(2.55)
	年齢構成比(%)	2%	12%	30%	33%	6%	7%	4%	2%	1%	1%	0%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	6	7	0	0	1	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.08)	(0.10)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	43%	50%	0%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	0	4	4	6	0	2	2	0	0	0	0	0	1	20
	(定点あたり)	(0.01)	(0.00)	(0.05)	(0.05)	(0.08)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.27)
	年齢構成比(%)	5%	0%	20%	20%	30%	0%	10%	10%	0%	0%	0%	0%	0%	5%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。