

## 2013年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	1	0	0	0	0	0	0	0	1	2	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	0%	0%	0%	20%	20%	0%	0%	0%	0%	0%	0%	0%	0%	20%	40%	0%	0%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	10	7	28	15	3	4	0	0	0	0	0	0	0	0	67
	(定点あたり)	(0.14)	(0.10)	(0.40)	(0.21)	(0.04)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.96)
	年齢構成比(%)	15%	10%	42%	22%	4%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	1	1	1	1	0	0	2	0	1	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	10%	20%	10%	10%	10%	10%	0%	0%	20%	0%	10%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	1	2	4	5	5	1	0	0	1	10	31
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.06)	(0.07)	(0.07)	(0.01)	(0.00)	(0.00)	(0.01)	(0.14)	(0.44)
	年齢構成比(%)	0%	0%	0%	6%	3%	6%	13%	16%	16%	3%	0%	0%	3%	32%	100%
感染性胃腸炎	報告数	2	9	20	16	9	8	8	12	8	6	5	13	5	25	146
	(定点あたり)	(0.03)	(0.13)	(0.29)	(0.23)	(0.13)	(0.11)	(0.11)	(0.17)	(0.11)	(0.09)	(0.07)	(0.19)	(0.07)	(0.36)	(2.09)
	年齢構成比(%)	1%	6%	14%	11%	6%	5%	5%	8%	5%	4%	3%	9%	3%	17%	100%
水痘	報告数	1	0	8	8	9	9	6	1	2	0	2	1	0	0	47
	(定点あたり)	(0.01)	(0.00)	(0.11)	(0.11)	(0.13)	(0.13)	(0.09)	(0.01)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.67)
	年齢構成比(%)	2%	0%	17%	17%	19%	19%	13%	2%	4%	0%	4%	2%	0%	0%	100%
手足口病	報告数	8	18	89	52	33	24	9	5	1	1	1	1	0	5	247
	(定点あたり)	(0.11)	(0.26)	(1.27)	(0.74)	(0.47)	(0.34)	(0.13)	(0.07)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.07)	(3.53)
	年齢構成比(%)	3%	7%	36%	21%	13%	10%	4%	2%	0%	0%	0%	0%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	12	8	1	0	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.00)	(0.17)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	57%	38%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
ヘルパンギーナ	報告数	0	6	8	3	6	0	1	1	0	2	0	0	0	0	27
	(定点あたり)	(0.00)	(0.09)	(0.11)	(0.04)	(0.09)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	22%	30%	11%	22%	0%	4%	4%	0%	7%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	1	2	2	2	1	0	0	2	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	17%	8%	17%	17%	17%	8%	0%	0%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	3	12	8	1	1	0	0	0	0	0	0	0	0	30
	(定点あたり)	(0.07)	(0.04)	(0.17)	(0.11)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	17%	10%	40%	27%	3%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	1	1	1	1	0	0	1	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	29%	14%	14%	14%	14%	0%	0%	14%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	0	0	2	4	2	0	0	0	1	5	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.06)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)	(0.21)
	年齢構成比(%)	0%	0%	0%	7%	0%	0%	13%	27%	13%	0%	0%	0%	7%	33%	100%
感染性胃腸炎	報告数	2	7	10	10	5	5	7	5	5	2	5	8	3	12	86
	(定点あたり)	(0.03)	(0.10)	(0.14)	(0.14)	(0.07)	(0.07)	(0.10)	(0.07)	(0.07)	(0.03)	(0.07)	(0.11)	(0.04)	(0.17)	(1.23)
	年齢構成比(%)	2%	8%	12%	12%	6%	6%	8%	6%	6%	2%	6%	9%	3%	14%	100%
水痘	報告数	1	0	4	7	4	3	4	0	1	0	2	0	0	0	26
	(定点あたり)	(0.01)	(0.00)	(0.06)	(0.10)	(0.06)	(0.04)	(0.06)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比(%)	4%	0%	15%	27%	15%	12%	15%	0%	4%	0%	8%	0%	0%	0%	100%
手足口病	報告数	5	13	50	25	23	15	8	3	1	1	0	1	0	3	148
	(定点あたり)	(0.07)	(0.19)	(0.71)	(0.36)	(0.33)	(0.21)	(0.11)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.04)	(2.11)
	年齢構成比(%)	3%	9%	34%	17%	16%	10%	5%	2%	1%	1%	0%	1%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	3	4	1	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.04)	(0.06)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	38%	50%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
ヘルパンギーナ	報告数	0	4	5	2	4	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.06)	(0.07)	(0.03)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	27%	33%	13%	27%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	2	0	2	1	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	0%	0%	14%	29%	0%	29%	14%	0%	0%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	4	16	7	2	3	0	0	0	0	0	0	0	0	37
	(定点あたり)	(0.07)	(0.06)	(0.23)	(0.10)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.53)
	年齢構成比(%)	14%	11%	43%	19%	5%	8%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	0	0	0	0	0	0	1	0	1	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	1	2	2	1	3	1	0	0	0	5	16
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.07)	(0.23)
	年齢構成比(%)	0%	0%	0%	6%	6%	13%	13%	6%	19%	6%	0%	0%	0%	31%	100%
感染性胃腸炎	報告数	0	2	10	6	4	3	1	7	3	4	0	5	2	13	60
	(定点あたり)	(0.00)	(0.03)	(0.14)	(0.09)	(0.06)	(0.04)	(0.01)	(0.10)	(0.04)	(0.06)	(0.00)	(0.07)	(0.03)	(0.19)	(0.86)
	年齢構成比(%)	0%	3%	17%	10%	7%	5%	2%	12%	5%	7%	0%	8%	3%	22%	100%
水痘	報告数	0	0	4	1	5	6	2	1	1	0	0	1	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.01)	(0.07)	(0.09)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	0%	19%	5%	24%	29%	10%	5%	5%	0%	0%	5%	0%	0%	100%
手足口病	報告数	3	5	39	27	10	9	1	2	0	0	1	0	0	2	99
	(定点あたり)	(0.04)	(0.07)	(0.56)	(0.39)	(0.14)	(0.13)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(1.41)
	年齢構成比(%)	3%	5%	39%	27%	10%	9%	1%	2%	0%	0%	1%	0%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	9	4	0	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.13)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	69%	31%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	3	1	2	0	1	1	0	2	0	0	0	0	12
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	17%	25%	8%	17%	0%	8%	8%	0%	17%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	0	0	2	0	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	40%	0%	0%	40%	0%	0%	0%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。