

2013年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	1	0	0	0	0	0	2	2	0	0	2	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	0%	0%	13%	0%	0%	0%	0%	13%	0%	0%	0%	0%	0%	25%	25%	0%	0%	25%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	2	2	0	0	2	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	29%	29%	0%	0%	29%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	10	14	18	13	3	2	1	1	0	0	0	0	0	0	62
	(定点あたり)	(0.13)	(0.19)	(0.24)	(0.17)	(0.04)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.83)
	年齢構成比(%)	16%	23%	29%	21%	5%	3%	2%	2%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	0	3	1	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	0%	0%	60%	20%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	1	2	3	2	3	3	2	5	0	5	31
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.03)	(0.04)	(0.03)	(0.04)	(0.04)	(0.03)	(0.07)	(0.00)	(0.07)	(0.41)
	年齢構成比(%)	0%	0%	6%	10%	3%	6%	10%	6%	10%	10%	6%	16%	0%	16%	100%
感染性胃腸炎	報告数	2	5	19	11	23	12	5	6	4	4	4	20	6	28	149
	(定点あたり)	(0.03)	(0.07)	(0.25)	(0.15)	(0.31)	(0.16)	(0.07)	(0.08)	(0.05)	(0.05)	(0.05)	(0.27)	(0.08)	(0.37)	(1.99)
	年齢構成比(%)	1%	3%	13%	7%	15%	8%	3%	4%	3%	3%	3%	13%	4%	19%	100%
水痘	報告数	3	0	13	9	13	2	7	1	2	2	1	3	0	1	57
	(定点あたり)	(0.04)	(0.00)	(0.17)	(0.12)	(0.17)	(0.03)	(0.09)	(0.01)	(0.03)	(0.03)	(0.01)	(0.04)	(0.00)	(0.01)	(0.76)
	年齢構成比(%)	5%	0%	23%	16%	23%	4%	12%	2%	4%	4%	2%	5%	0%	2%	100%
手足口病	報告数	2	11	34	18	19	5	3	1	0	1	0	1	0	2	97
	(定点あたり)	(0.03)	(0.15)	(0.45)	(0.24)	(0.25)	(0.07)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(1.29)
	年齢構成比(%)	2%	11%	35%	19%	20%	5%	3%	1%	0%	1%	0%	1%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	8	12	1	0	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.00)	(0.11)	(0.16)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	38%	57%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	4	1	1	1	1	1	0	0	1	0	0	0	0	10
	(定点あたり)	(0.00)	(0.05)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	40%	10%	10%	10%	10%	10%	0%	0%	10%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	1	1	1	0	0	1	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	14%	0%	14%	14%	14%	14%	0%	0%	14%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	7	6	10	6	3	1	0	0	0	0	0	0	0	0	33
	(定点あたり)	(0.09)	(0.08)	(0.13)	(0.08)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	21%	18%	30%	18%	9%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	0	0	1	0	2	2	0	1	0	3	11
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.04)	(0.15)
	年齢構成比(%)	0%	0%	9%	9%	0%	0%	9%	0%	18%	18%	0%	9%	0%	27%	100%
感染性胃腸炎	報告数	0	4	10	6	12	8	3	1	2	1	4	11	2	14	78
	(定点あたり)	(0.00)	(0.05)	(0.13)	(0.08)	(0.16)	(0.11)	(0.04)	(0.01)	(0.03)	(0.01)	(0.05)	(0.15)	(0.03)	(0.19)	(1.04)
	年齢構成比(%)	0%	5%	13%	8%	15%	10%	4%	1%	3%	1%	5%	14%	3%	18%	100%
水痘	報告数	2	0	4	5	5	0	3	1	2	1	0	1	0	0	24
	(定点あたり)	(0.03)	(0.00)	(0.05)	(0.07)	(0.07)	(0.00)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.32)
	年齢構成比(%)	8%	0%	17%	21%	21%	0%	13%	4%	8%	4%	0%	4%	0%	0%	100%
手足口病	報告数	0	6	18	9	9	2	1	1	0	1	0	0	0	0	47
	(定点あたり)	(0.00)	(0.08)	(0.24)	(0.12)	(0.12)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.63)
	年齢構成比(%)	0%	13%	38%	19%	19%	4%	2%	2%	0%	2%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	8	6	0	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.11)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	57%	43%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	1	0	0	0	1	1	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	0%	0%	0%	33%	33%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第42週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	8	8	7	0	1	1	1	0	0	0	0	0	0	29
	(定点あたり)	(0.04)	(0.11)	(0.11)	(0.09)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	10%	28%	28%	24%	0%	3%	3%	3%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	0	3	1	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	75%	25%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	1	2	2	2	1	1	2	4	0	2	20
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.03)	(0.03)	(0.01)	(0.01)	(0.03)	(0.05)	(0.00)	(0.03)	(0.27)
	年齢構成比(%)	0%	0%	5%	10%	5%	10%	10%	10%	5%	5%	10%	20%	0%	10%	100%
感染性胃腸炎	報告数	2	1	9	5	11	4	2	5	2	3	0	9	4	14	71
	(定点あたり)	(0.03)	(0.01)	(0.12)	(0.07)	(0.15)	(0.05)	(0.03)	(0.07)	(0.03)	(0.04)	(0.00)	(0.12)	(0.05)	(0.19)	(0.95)
	年齢構成比(%)	3%	1%	13%	7%	15%	6%	3%	7%	3%	4%	0%	13%	6%	20%	100%
水痘	報告数	1	0	9	4	8	2	4	0	0	1	1	2	0	1	33
	(定点あたり)	(0.01)	(0.00)	(0.12)	(0.05)	(0.11)	(0.03)	(0.05)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.44)
	年齢構成比(%)	3%	0%	27%	12%	24%	6%	12%	0%	0%	3%	3%	6%	0%	3%	100%
手足口病	報告数	2	5	16	9	10	3	2	0	0	0	0	1	0	2	50
	(定点あたり)	(0.03)	(0.07)	(0.21)	(0.12)	(0.13)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.67)
	年齢構成比(%)	4%	10%	32%	18%	20%	6%	4%	0%	0%	0%	0%	2%	0%	4%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	0	6	1	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	86%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	1	1	1	0	0	0	0	1	0	0	0	0	7
	(定点あたり)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	43%	14%	14%	14%	0%	0%	0%	0%	14%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	1	1	0	0	0	1	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	20%	20%	20%	0%	0%	0%	20%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。